



PREVENTIVE HEALTH CARE SERVICES
GUIDELINES | 2021



Dear Provider,

First Medical Health Plan, Inc., (First Medical) is a company at the service of our community. For over forty-four (44) years, First Medical has dedicated its efforts to improving the quality of life of our plan participants through the planning and implementation of medical services coverage of the highest quality in a cost-effective manner. Our services are rendered based on the great commitment of excellence and the human warmth that characterizes its relations with our providers. Because, when our enrollees are healthy, they can live a better life. Therefore, we have developed these Preventive Services Health Care Guidelines to provide assistance interpreting certain standards benefit plans and to ensure that our network providers meet all relevant requirements mandated by the Centers for Medicare & Medicaid Services (CMS), Puerto Rico Health Insurance Administration (PRHIA), and the Office of Insurance Commissioner, among others.

When deciding coverage, the enrollee specific document must be referenced. The terms of an enrollee's benefit coverage may differ from the standard benefit plans upon which this guideline is based. In the event of a conflict, the enrollee's specific benefit document supersedes these guidelines. We highly recommend validating enrollee's eligibility, any federal or state regulatory requirements and the plan benefit coverage prior to use of this guideline. Remember that the preventive services are exempt from the cost sharing, such as co-insurance, deductibles, or co-payments.

First Medical reserves the right, in its sole discretion, to modify its coverage determination guidelines and medical policies, as necessary. This Coverage Determination Guideline does not constitute medical advice. First Medical may also use tools developed by third parties to assist us in administering health benefits, in connection with the independent professional medical judgment of a qualified health care provider and do not constitute the practice of medicine or medical advice. You can access this guide in electronic form, on our website: www.firstmedicalpr.com.

Medical Affairs Division First Medical Health Plan, Inc.



Coverage Rationale

Preventive Services:

This term applies to health care services routine that includes screenings, check-ups, and patient counseling to prevent illnesses, disease, or other health related problems. Preventive services are intended to help people remain healthy and to detect

Plan participants will not have to pay a copayment or coinsurance if service is provided by in-network providers.

any health-related problems early while there is a better chance of recovery. We highly recommend our plan participants to visit their doctor for regular check-ups, even if they feel healthy, to perform disease screening, identify risk factors for disease, discuss tips for a healthy and balanced lifestyle, stay up to date with immunizations and boosters.

Covered preventive services for adults, women and children are free when it is completed by an innetwork provider and is done for preventive purposes or diagnosis care. Therefore, plan participants will not have to pay a copayment or coinsurance if the service is provided by in-network providers. Before using this guideline, please check the enrollee specific benefit document and any federal or state mandates, if applicable.

Summary of Preventive Care Services Benefit

Preventive services may take place at the primary, secondary, and tertiary prevention levels. The following is a high-level summary of the services covered under the Preventive Care Services benefit (broken down by age/gender groups):

All members:

Age- and gender-appropriate Preventive Medicine visits (Wellness Visits); all routine immunizations recommended by the Advisory Committee on Immunization Practices of the CDC.

All Members at an appropriate age and/or risk status: Counseling and/or screening for: colorectal cancer; elevated cholesterol and lipids; certain sexually transmitted diseases; HIV; depression; high blood pressure; diabetes. Screening and counseling for alcohol abuse in a primary care setting; tobacco use; obesity; diet and nutrition. Please refer to Table 1: Preventive Healthcare Services Detailed Breakdown.



Table 1: Preventive Healthcare Services Detailed Breakdown.

| Adults: |
|---|
| Abdominal aortic aneurysm ("AAA") Alcohol misuse screening and counseling Aspirin use to prevent cardiovascular disease Blood pressure screening Cholesterol screening Colorectal cancer screening for adults over 50 Depression screening Diet counseling HIV screening Immunization vaccines Obesity screening Sexually transmitted infections prevention counseling Syphilis screening Tobacco use screening Type 2 diabetes screening |





Coverage Limitations and Exclusions

- 1. Services not covered under the preventive care benefit may be covered under another portion of the medical benefit plan. Please refer to enrollee specific plan document for details.
- 2. Generally, the costs of drugs, medications, vitamins, supplements, or over the counter items are not eligible as a preventive care benefit. However, certain outpatient prescription medications, tobacco cessation drugs and/or over the counter items, as required by PPACA, may be covered under the preventive benefit. For details, please refer to enrollee specific plan document.
- 3. An immunization is not covered if, it does not meet company Vaccine Policy requirements for FDA labeling (including age and/or gender limitations) and, if does not have definitive ACIP recommendations published in the CDC's Morbidity and Mortality Weekly Report (MMWR).
- 4. Examinations, screenings, testing, or immunizations are not covered when:
 - a. Required solely for career, education, sports or camp, travel (including travel immunizations), employment, insurance, marriage or adoption purposes, or
 - b. Related to legal or administrative proceedings, or
 - c. For medical research purposes, or
 - d. Required to obtain or maintain a license of any type.
- 5. Services that are research studies, experimental, unproven or not medically necessary are not covered.
- 6. Breastfeeding equipment and supplies not listed in the benefit coverage of plan participants.

Travel Immunizations:

Immunizations that are specific to **travel** (e.g. typhoid, yellow fever, cholera, among others) are not required by PPACA and are excluded from coverage. However, travel immunizations may be available as a buy-up coverage option on certain benefit coverage. Please refer to enrollee specific plan document for details.



Definitions

- United States Preventive Services Task Force (USPSTF): an independent, volunteer panel of
 national experts in disease prevention and evidence-based medicine. The Task Force works to
 improve the health of all Americans by making evidence-based recommendations about clinical
 preventive services. https://www.uspreventiveservicestaskforce.org/Page/Name/home.
- Patient Protection and Affordable Care Act (PPACA): is the first part of the comprehensive health care reform law enacted on March 23, 2010. The law was amended by the Health Care and Education Reconciliation Act on March 30, 2010. The name "Affordable Care Act" is usually used to refer to the final, amended version of the law. (Also known as "PPACA", "ACA", or "Obamacare.") The law provides numerous rights and protections that make health coverage fairer and easier to understand, along with subsidies (through "premium tax credits" and "cost-sharing reductions") to make it more affordable. https://www.healthcare.gov/glossary/patient-protection-and-affordable-care-act/.
- Advisory Committee on Immunization Practices (ACIP): a committee that comprises medical
 and public health experts who develop recommendations on the use of vaccines and related
 biological products in the civilian population of the United States. ACIP was established under
 Section 222 of the Public Health Service Act (42 U.S.C. § 217a) and is governed by its charter.
 https://www.cdc.gov/vaccines/acip/about.html
- U.S. Department of Health and Human Services (HHS): a federal agency that administers more than 100 programs across its operating divisions. Its mission is to enhance and protect the health and well-being of all Americans and provide essential human services, especially for those who are least able to help themselves. The mission of the Health & Human Services (HHS) HHS is to provide for effective health and human services and fostering advances in medicine, public health, and social services. https://www.hhs.gov/about/index.html
- Health Resources and Services Administration (HRSA): an agency of the U.S. Department of
 Health and Human Services (HHS), that provides health care to people who are geographically
 isolated and/or economically or medically vulnerable. This includes people living with
 HIV/AIDS, pregnant women, mothers, and their families, and those otherwise unable to access
 high quality health care. https://www.hrsa.gov/about/organization/bureaus/index.html
- Modifier 33: when the primary purpose of the service is to deliver an evidence based on service in accordance with the US Preventive Services Task Force A or B rating in effect and other

First MEDICAL HEALTH PLAN, INC.

preventive services identified in preventive services mandates (legislative or regulatory), the service may be identified by adding 33 to the procedure. For separately reported services specifically identified as preventive, the modifier should not be used. Please refer to the

Applicable Codes section below for more information about Modifier 33.

Applicable Codes

The codes listed in this guideline are for reference purposes only. Listing of a service code in this

guideline does not imply that the service described by this code is a covered or non-covered health

service. Coverage is determined by the enrollee specific benefit document and applicable laws that may

require coverage for a specific service. The inclusion of a code does not imply any right to

reimbursement or guarantee claims payment. Other policies and coverage determination guidelines may

apply.

Modifier 33:

First Medical considers the procedures and diagnostic codes and Claims Edit Criteria listed in the table

below in determining whether preventive care benefits apply. While modifier 33 may be reported, it

is not used in making preventive care benefit determinations.

ICD-10 Codes:

Effective October 1, 2015, the Centers for Medicare & Medicaid Services (CMS) implemented ICD-

10-CM (diagnoses) and ICD-10-PCS (inpatient procedures), replacing the ICD-9-CM diagnosis and

procedure code sets. ICD-9 codes are not accepted for services provided on or after October 1, 2015.

ICD-10-CM (diagnoses) and ICD-10-PCS (inpatient procedures) must be used to report services

provided on or after October 1, 2015.

7



Preventive Care Services

Certain codes may not be payable in all circumstances due to other policies or guidelines.

| to pharmacy plan administrator. | | | | |
|---------------------------------|---------------------------|----------------------------|---------------------------|--|
| Service: A date in this | US Preventive Services | Code(s): | Claims Edit Criteria: | |
| column is when the rating was | Task Force | | | |
| released, not when the benefit | | | | |
| is effective. | mi Habama | D. L. C. L. | A 65 1 1 75 / 1 | |
| Abdominal aortic | The USPSTF | Procedure Code(s): | Age 65 through 75 (ends | |
| aneurysm | recommends one-time | 76700, 76705, 76706, | on 76th birthday). | |
| screening: men | screening for abdominal | 76770, 76775 | One of the Diagnosis | |
| | aortic aneurysm by | Diagnosis Code(s): | Codes listed in this row. | |
| | ultrasonography in men | ICD-10: Z87.891, | | |
| | ages 65 to 75 years who | F17.210, F17.211, | | |
| | have ever smoked. | F17.213, F17.218, | | |
| | | F17.219 | | |
| Alcohol misuse: | The USPSTF | Procedure Code(s): | | |
| screening and counseling | recommends that | 99401, 99402, 99403, | | |
| | clinicians screen adults | 99404, 99408, 99409, | | |
| | age 18 years or older for | 99411, 99412, G0396, | | |
| | alcohol misuse and | G0397, G0442, G0443 | | |
| | provide persons engaged | Diagnosis Code(s): | | |
| | in risky or hazardous | Z71.41, Z71.89, Z13.89 | | |
| | drinking with brief | | | |
| | behavioral counseling | | | |
| | interventions to reduce | | | |
| | alcohol misuse. | | | |
| Aspirin preventive | The USPSTF | Procedures Code(s): | Adults age 50 to 59 | |
| medication: adults aged | recommends initiating | 99386, 99387, 99396, | years. | |
| 50 to 59 years with a | low-dose aspirin use for | 99397, G0438, G0439 | | |
| ≥10% 10-year | the primary prevention | | | |
| cardiovascular risk | of cardiovascular disease | | | |
| | and colorectal cancer in | | | |
| | adults aged 50 to 59 | | | |
| | years who have a 10% or | | | |
| | I | l . | L | |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| to pharmacy plan administ | | r administrator. For prevent | ive care ineateations ferei |
|---------------------------|----------------------------|-------------------------------|-----------------------------|
| | greater 10-year | | |
| | cardiovascular risk, are | | |
| | not at increased risk for | | |
| | bleeding, have a life | | |
| | expectancy of at least 10 | | |
| | years, and are willing to | | |
| | take low-dose aspirin | | |
| | daily for at least 10 | | |
| | years. | | |
| Bacteriuria screening: | The USPSTF | Procedure Code(s): | Payable with a |
| pregnant women | recommends screening | 81007 | Pregnancy Diagnosis |
| | for asymptomatic | Diagnosis Code(s): | Code |
| | bacteriuria with urine | Pregnancy Diagnosis | Please refer to Appendix |
| | culture in pregnant | Code | Section. |
| | women at 12 to 16 | | |
| | weeks' gestation or at the | | |
| | first prenatal visit, if | | |
| | later. | | |
| Blood pressure | The USPSTF | Ambulatory Blood | Adults 18 years or older. |
| screening: adults | recommends screening | Pressure Measurement: | |
| | for high blood pressure | 93784, 93786, 93788 or | |
| | in adults aged 18 years | 93790 | |
| | or older. The USPSTF | Diagnosis Code: | |
| | recommends obtaining | ICD-10: R03.0, Z13.220 | |
| | measurements outside of | | |
| | the clinical setting for | | |
| | diagnostic confirmation | | |
| | before starting treatment. | | |
| BRCA risk assessment | The USPSTF | Genetic Counseling and | Genetic Counseling and |
| and genetic | recommends that | Evaluation: | Evaluation: |
| counseling/testing | primary care providers | Procedure Code(s): | Medical Necessity plans |
| | screen women who have | | require genetic |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer

to pharmacy plan administrator.

| trator. | n administrator. Por prevent | ive care inedications refer |
|----------------------------|------------------------------|-----------------------------|
| family members with | 99201-99205, 99211- | counseling before BRCA |
| breast, ovarian, tubal, or | 99215, 99385, 99386, | Lab Screening. |
| peritoneal cancer with | 99387, 99395, 99396, | |
| one of several screening | 99397 | Payable as preventive |
| tools designed to identify | Medical genetics and | with one of the Genetic |
| a family history that may | genetic counseling | Counseling and |
| be associated with an | services: | Evaluation Diagnosis |
| increased risk for | 96040, S0265 | Codes listed in this row |
| potentially harmful | Evaluation and | in primary position. |
| mutations in breast | Management | |
| cancer susceptibility | (Office Visits): | BRCA Lab Screening: |
| genes (BRCA1 or | 99201, 99202, 99203, | Prior authorization |
| BRCA2). Women with | 99204, 99205, 99211, | requirements apply to |
| positive screening results | 99212, 99213, 99214, | BRCA lab screening. |
| should receive genetic | 99215, 99385, 99386, | |
| counseling and, if | 99387, 99395, 99396, | Payable for age 18+ |
| indicated after | 99397, G0463 | when billed with one of |
| counseling, BRCA | ICD-10: Z80.3, Z80.41, | the BRCA Lab |
| testing. | Z85.3, Z85.43, Z15.01, | Screening Diagnosis |
| | Z15.02 | codes listed in this row. |
| | BRCA Lab Screening: | |
| | Procedure Code(s): | Blood draw: |
| | 81162, 81163, 81164, | Payable when billed with |
| | 81165, 81166, 81167, | both of the following: |
| | 81212, 81215, 81216, | 1. With one of the listed |
| | 81217, 81162 | BRCA Lab Screening |
| | Blood draw: | procedure codes listed in |
| | 36415, 36416 | this row, AND |
| | Diagnosis Code(s): | 2. With one of the |
| | Family History or | BRCA |
| | Personal History of | Lab Screening diagnosis |
| | breast cancer and/or | codes listed in this row. |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| trator. | • | |
|----------------------------|--|--|
| | | |
| | ICD-10: Z80.3, Z80.41, | |
| | Z85.3, Z85.43, Z15.01, | |
| | Z15.02 | |
| The USPSTF | Procedures Code(s): | |
| recommends that | 99201 – 99205, 99211- | |
| clinicians engage in | 99215, 99385, 99386, | |
| shared, informed | 99387, 99395, 99396, | |
| decision making with | 99397, 99401, 99402, | |
| women who are at | 99403, 99404 | |
| increased risk for breast | Raloxifene (J8999) | |
| cancer about medications | Tamoxifen (J8999) | |
| to reduce their risk. For | | |
| women who are at | | |
| increased risk for breast | | |
| cancer and at low risk for | | |
| adverse medication | | |
| effects, clinicians should | | |
| offer to prescribe risk- | | |
| reducing medications, | | |
| such as tamoxifen or | | |
| raloxifene. | | |
| The USPSTF | Procedure Code(s) : | Payable regardless of |
| recommends screening | 77063, 77067 | age. |
| mammography for | Revenue code: 0403 | Does not have diagnosis |
| women, with or without | Diagnosis Code(s): | code requirements for |
| clinical breast | Payable as preventive | preventive benefit to |
| examination, every 1 to 2 | regardless of diagnosis | apply. |
| years for women age 40 | code | |
| years and older. | | Note the following: |
| | | This benefit only applies |
| | | to screening |
| | The USPSTF recommends that clinicians engage in shared, informed decision making with women who are at increased risk for breast cancer about medications to reduce their risk. For women who are at increased risk for breast cancer and at low risk for adverse medication effects, clinicians should offer to prescribe risk- reducing medications, such as tamoxifen or raloxifene. The USPSTF recommends screening mammography for women, with or without clinical breast examination, every 1 to 2 years for women age 40 | ovarian cancer: ICD-10: Z80.3, Z80.41, Z85.3, Z85.43, Z15.01, Z15.02 The USPSTF recommends that clinicians engage in shared, informed decision making with women who are at increased risk for breast cancer about medications to reduce their risk. For women who are at increased risk for breast cancer and at low risk for adverse medication effects, clinicians should offer to prescribe risk- reducing medications, such as tamoxifen or raloxifene. The USPSTF recommends screening mammography for women, with or without clinical breast examination, every 1 to 2 years for women age 40 Procedure Code(s): Revenue code: 0403 Diagnosis Code(s): Payable as preventive regardless of diagnosis code |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| to pharmacy plan administ | ations refer to pharmacy plantrator. | in definition at our provent | |
|---------------------------|--------------------------------------|------------------------------|---------------------------|
| | | | mammography. |
| | | | This benefit does not |
| | | | apply to other screening |
| | | | methods, including but |
| | | | not limited to, digital |
| | | | breast tomosynthesis (3- |
| | | | D mammography). |
| Breastfeeding | The USPSTF | Procedure Code(s): | Support and Counseling: |
| interventions | recommends providing | S9443, 99241, 99242, | The Diagnosis Code |
| | interventions during | 99243, 99244, 99245, | listed in this row is |
| | pregnancy and after birth | 99341, 99342, 99343, | required for 99241 – |
| | to support breastfeeding. | 99344, 99345, 99347, | 99245, 99341 – 99345, |
| | | 99348, 99349, 99350 | and 99347 – 99350 |
| | | Diagnosis Code(s): | The Diagnosis Code |
| | | ICD-10: Z39.1 | listed in this row is not |
| | | | required for S9443. |
| Cervical cancer | The USPSTF | Procedure Code(s): | Limited to age 21 years – |
| screening | recommends screening | Code Group 1: | 65 years (ends on 66th |
| | for cervical cancer in | G0101, G0123, G0124, | birthday). |
| | women ages 21 to 65 | G0141, G0143, G0144, | |
| | years with cytology (Pap | G0145, G0147, G0148, | |
| | smear) every 3 years or, | Q0091, P3000, P3001 | Code Group 1: |
| | for women ages 30 to 65 | Payable as preventive | Does not have diagnosis |
| | years who want to | regardless of diagnosis | code requirements for |
| | lengthen the screening | code | preventive benefits to |
| | interval, screening with a | Code Group 2: | apply. |
| | combination of cytology | 88141, 88142, 88143, | |
| | and human | 88147, 88148, 88150, | Code Group 2: |
| | papillomavirus (HPV) | 88152, 88153, 88155, | Payable with one of the |
| | testing every 5 years. | 88164, 88165,88166, | Diagnosis Codes listed in |
| | | 88167, 88174, 88175 | this row. |
| | | Code Group 2 | |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| to pharmacy plan administ | trator. | | |
|---------------------------|---------------------------|----------------------------|---------------------------|
| | | Diagnosis Code(s): | |
| | | ICD-10: Z00.00, | |
| | | Z00.01, Z01.411, | |
| | | Z01.419, Z12.4 | |
| Chlamydia screening: | The USPSTF | Procedure Code(s): | Chlamydia Infection |
| women | recommends screening | Chlamydia Infection | Screening: |
| | for chlamydia in sexually | Screening: | Payable with a |
| | active women age 24 | 86631, 86632, 87110, | Pregnancy Diagnosis |
| | years or younger and in | 87270, 87320, 87490, | Code (refer to Appendix |
| | older women who are at | 87491, 87492, 87801, | Section) OR |
| | increased risk for | 87810 | One of the Screening |
| | infection. | Blood draw: | Diagnosis Codes listed in |
| | | 36415, 36416 | this row. |
| | | Diagnosis Code(s): | |
| | | Pregnancy: Refer to | |
| | | Appendix Section | |
| | | Pregnancy Diagnosis | |
| | | Code, OR Screening: | |
| | | ICD-10: Z00.00, Z00.01, | |
| | | Z11.3, Z11.8, Z11.9, | |
| | | Z20.2 | |
| Colorectal cancer | The USPSTF | Fecal Occult Blood | Age Limits for |
| screening | recommends screening | Testing (FOBT), | Colorectal |
| | for colorectal cancer | Proctoscopy, | Cancer Screenings: |
| | starting at age 50 years | Sigmoidoscopy, or | 40 years – 75 years (ends |
| | and continuing until age | Colonoscopy: | on 76th birthday) |
| | 75 years. | Procedure Code(s): | Fecal Occult Blood |
| | | Code Group 1: | Testing, Sigmoidoscopy, |
| | | Proctoscopy: S0601, | or Colonoscopy: |
| | | 45300, 45303, 45305, | Code Group 1: Does not |
| | | 45307, 4508, 45309, | have diagnosis code |
| | | 45315, 45317, 45320 | requirements for |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer

to pharmacy plan administrator.

| Sigmoidoscopy: G0104, | preventive benefits to |
|----------------------------|---------------------------|
| G0106 | apply. |
| Colonoscopy: G0105, | |
| G0120, G0121, G0122, | Code Group 2: Paid as |
| S0285 | preventive if: |
| FOBT : G0328, | billed with one of the |
| Code Group 2: | Diagnosis Codes listed in |
| Sigmoidoscopy: 45330, | this row OR |
| 45331, 45333, 45338, | billed with one of the |
| 45346 | Procedure Codes from |
| Colonoscopy: 44388, | Code Group 1, |
| 44389, 44392, 44394, | regardless of diagnosis. |
| 45378, 45380, 45381, | |
| 45384, 45385, 45388 | Code Group 3 |
| FOBT : 82270, 82274 | (pathology) AND |
| Code Group 3: | |
| Pathology: 88304, | Code Group 4 |
| 88305 | (anesthesia): |
| Code Group 4: | Paid as preventive if: |
| Anesthesia: 00812, | billed with one of the |
| G0500 | Diagnosis Codes listed in |
| Code Group 5: | this row AND |
| Pre-op/Consultation: | billed with one of the |
| 99201, 99202, 99203, | Procedure Codes from |
| 99204, 99205, 99211, | Code Group 1 or Code |
| 99212, 99213, 99214, | Group 2. |
| 99215, 99241, 99242, | Code Group 3 and 4: |
| 99243, 99244, 99245 | Note the following: |
| Diagnosis Code(s) | Preventive when |
| (for Code Group 2, 3 & | performed for a |
| 4): | colorectal cancer |
| ICD-10: Z00.00, Z00.01, | screening. |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer to pharmacy plan administrator. | | | |
|---|---------------------------|---------------------------|--------------------------|
| | | Z12.10, Z12.11, Z12.12, | Preventive benefits only |
| | | Z80.0, Z83.71, Z83.79 | apply when the |
| | | (for Code Group 5): | surgeon's claim is |
| | | ICD-10: Z12.10, Z12.11, | preventive. |
| | | Z12.12, Z80.0, Z83.71, | Code Group 5 as of |
| | | Z83.79 | 1/1/16: |
| | | Computed | Paid as Preventive if |
| | | Tomographic | billed with one of the |
| | | Colonography (Virtual | Code Group 5 diagnosis |
| | | Colonoscopy): | codes. |
| | | Procedure Code(s): | |
| | | 74161, 74162, 74263 | Computed Tomographic |
| | | Diagnosis Code(s): | Colonography (Virtual |
| | | Does not have diagnosis | Colonoscopy): |
| | | code requirements for | Does not have diagnosis |
| | | preventive benefit to | code requirements for |
| | | apply. | preventive benefit to |
| | | | apply. |
| | | | Prior authorization |
| | | | requirements may apply, |
| | | | depending on plan. |
| Dental caries prevention: | The USPSTF | Procedure Code(s): | Age 0 – 6 years (ends on |
| infants and children up | recommends the | Application of topical | 7th birthday). |
| to age 5 years | application of fluoride | fluoride by physician or | Does not have diagnosis |
| | varnish to the primary | other qualified health | code requirements for |
| | teeth of all infants and | care professional: | preventive benefit to |
| | children starting at the | 99188 | apply. |
| | age of primary tooth | Diagnosis Code(s): | |
| | eruption in primary care | Z00.121, Z00.129, | |
| | practices. The USPSTF | Z29.3, Z91.841, | |
| | recommends primary | Z91.842, Z91.843, | |
| | care clinicians prescribe | Z91.849 | |
| | I | I | 15 |



Certain codes may not be payable in all circumstances due to other policies or guidelines. For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer

| to pharmacy plan administ | | administrator. For prevent | ive care medications refer |
|---------------------------|---------------------------|----------------------------|----------------------------|
| | oral fluoride | | |
| | supplementation starting | | |
| | at age 6 months for | | |
| | children whose water | | |
| | supply is fluoride | | |
| | deficient. | | |
| Depression screening: | The USPSTF | Procedure Code(s): | The Diagnosis Codes |
| adolescents | recommends screening | 96127, G0444 | listed in this row is |
| | for major depressive | Diagnosis Code(s): | required for 96127. |
| | disorder (MDD) in | ICD-10: Z13.89, Z13.31, | |
| | adolescents aged 12 to | Z13.32 | The Diagnosis Codes |
| | 18 years. Screening | | listed in this row are not |
| | should be implemented | | required for G0444. |
| | with adequate systems in | | |
| | place to ensure accurate | | |
| | diagnosis, effective | | |
| | treatment, and | | |
| | appropriate follow-up. | | |
| Depression screening: | The USPSTF | Procedure Code(s): | The Diagnosis Codes |
| adults | recommends screening | 96127, G0444 | listed in this row is |
| | for depression in the | Diagnosis Code(s): | required for 96127. |
| | general adult population, | ICD-10: Z13.89, Z13.31, | |
| | including pregnant and | Z13.32 | The Diagnosis Codes |
| | postpartum women. | | listed in this row are not |
| | Screening should be | | required for G0444. |
| | implemented with | | |
| | adequate systems in | | |
| | place to ensure accurate | | |
| | diagnosis, effective | | |
| | treatment, and | | |
| | appropriate follow-up. | | |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer to pharmacy plan administrator.

| Diabetes screening The USPSTF recommends screening for abnormal blood glucose as part of cardiovascular risk assessment in adults aged 40 to 70 years who are overweight or obese. Clinicians should offer or refer patients with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity. Procedure Code(s): Diabetes Screening: Payable with one of the Required Diagnosis Codes listed in this row AND With one of the listed Hypertension: Codes (at least one): ICD-10: Z00.00, Z00.01, Z13.1 And one of the following Hypertension Diagnosis Codes: Hypertensive Codes ICD-10: I110 Hypertensive Heart Disease: ICD-10: I11.0, I11.9 Hypertensive Chronic Kidney Disease: ICD-10: I12.0, I12.9 Hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, I13.11, I13.2 Secondary Hypertension: ICD-10: I15.0, I15.1, I15.2, I15.8, I15.9, N26.2 Diabetes Screening: Payable with one of the Required Diagnosis Codes in this row. Codes in this row. Codes in this row. Payable when billed with ALL of the following: Payable with one of the listed Diabetes Screening Procedure codes listed in this row AND Lypertensive Heart AL of the following: Payable with one of the listed Diabetes Screening Payable with one of the listed Diabetes Screening Codes AND AND Lypertension: Diapnosis Codes Inthis row. Payable with one of the listed Diabetes Screening: Payable with one of the listed Diabetes Screening: Note: If a Diabetes Diagnosis Code is present in any position; the preventive benefit will not be applied: See Pipertension: Diabetes Screening: Diapnosis Codes Inthis row. Codes reprincies Inthis row. Codes reprincies Inthis row. Codes Inthis row. Inthis row. Inthis row. Inthis row. Inthis row. I | to pharmacy plan administ | rator. | | |
|--|---------------------------|--------------------------|----------------------------|---------------------------|
| for abnormal blood glucose as part of cardiovascular risk assessment in adults aged 40 to 70 years who are overweight or obese. Clinicians should offer or refer patients with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful dict and physical activity. Experiments ICD-10: I11.0, I11.9 Hypertensive Heart Disease: ICD-10: I11.0, I11.9 Hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, I13.11, I13.2 Secondary Hypertension: ICD-10: I15.0, I15.1, I15.2, I15.8, I15.9, Required Diagnosis Codes listed in this row AND With one of the listed Hypertension Diagnosis Codes in this row. Codes in this row. Blood draw: Payable when billed with ALL of the following: I. With one of the listed Diabetes Screening procedure codes listed in this row AND 2. With one of the Required Diagnosis Codes. Required Diagnosis Codes in this row. Codes in this row. Codes in this row. Lypathension: Diagnosis Codes: Diabetes Screening procedure codes listed in this row AND 2. With one of the listed Hypertension Diagnosis Codes AND 3. With one of the listed Hypertension Diagnosis Codes. Codes. Unit one of the Inthis row AND ALL of the following: Codes ACD Diabetes Screening procedure codes listed in this row. Codes AND 3. With one of the Inthis row AND ALL of the following: Codes ACD Diabetes Screening Procedure codes listed in this row ALL of the following: I. With one of the listed Hypertension: Codes AND 3. With one of the Inthis row ALL of the following: Inthis row ALL of the followi | Diabetes screening | The USPSTF | Procedure Code(s): | Diabetes Screening: |
| glucose as part of cardiovascular risk assessment in adults aged 40 to 70 years who are overweight or obese. Clinicians should offer or refer patients with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity. And one of the following Hypertension ticD-10: I10 | | recommends screening | Diabetes Screening: | Payable with one of the |
| cardiovascular risk assessment in adults aged 40 to 70 years who are overweight or obese. Clinicians should offer or refer patients with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity. And one of the ALL of the following: | | for abnormal blood | 82947, 82948, 82950, | Required Diagnosis |
| assessment in adults aged 40 to 70 years who are overweight or obese. Clinicians should offer or refer patients with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity. And one of the Diagnosis Codes in this row. | | glucose as part of | 82951,82952, 83036 | Codes listed in this row |
| aged 40 to 70 years who are overweight or obese. Clinicians should offer or refer patients with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity. And one of the following Hypertension in this row AND hypertensive Heart Disease: ICD-10: I11.0, I11.9 hypertensive Heart and Chronic Kidney Disease: ICD-10: I12.0, I12.9 hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, I13.11, I13.2 hypertension: ICD-10: I15.0, I15.1, I15.8, I15.9, Section. Diagnosis Code(s): Required Diagnosis Codes in this row. Codes in this row. Codes in this row. Alto of the following: Payable when billed with And one of the Isted Diabetes Screening procedure codes listed in this row AND 2. With one of the listed Payable when billed with And one of the Italian procedure codes listed in this row AND 2. With one of the listed Required Diagnosis Codes AND 3. With one of the listed Hypertension Diagnosis Codes. | | cardiovascular risk | Blood draw: | AND |
| are overweight or obese. Clinicians should offer or refer patients with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity. And one of the flowing Hypertension in activity. And one of the flowing Hypertension in activity. And one of the flowing Hypertension in activity. And one of the following: 1. With one of the listed in in this row AND in thi | | assessment in adults | 36415, 36416 | With one of the listed |
| Clinicians should offer or refer patients with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity. And one of the following Hypertension: to Diagnosis Codes: Hypertensive Heart Disease: ICD-10: I11.0, I11.9 Hypertensive Chronic Kidney Disease: ICD-10: I12.0, I12.9 Hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, I13.11, I13.2 Secondary Hypertension: ICD-10: I15.0, I15.1, I15.2, I15.8, I15.9, Section. | | aged 40 to 70 years who | Diagnosis Code(s): | Hypertension Diagnosis |
| or refer patients with abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity. And one of the following: ALL of the following: 1. With one of the listed Diabetes Screening procedure codes listed in this row AND | | are overweight or obese. | Required Diagnosis | Codes in this row. |
| abnormal blood glucose to intensive behavioral counseling interventions to promote a healthful diet and physical activity. ICD-10: I10 | | Clinicians should offer | Codes (at least one): | |
| to intensive behavioral counseling interventions to promote a healthful diet and physical activity. Mathematical activity. ICD-10: I10 ICD-10: I10 Ithis row AND ICD-10: I11.0, I11.9 ICD-10: I11.0, I11.9 ICD-10: I12.0, I12.9 ICD-10: I12.0, I12.9 ICD-10: I13.0, I13.10, I13.11, I13.2 ICD-10: I13.0, I13.12 ICD-10: I13.0, I13.14 Ithis row position; ICD-10: I15.0, I15.1, I15.2, I15.8, I15.9, Section. | | or refer patients with | ICD-10: Z00.00, Z00.01, | Blood draw: |
| counseling interventions to promote a healthful diet and physical activity. Hypertension: Hypertension: Diabetes Screening procedure codes listed in this row AND Hypertensive Heart Disease: Required Diagnosis ICD-10: I11.0, I11.9 Codes AND Hypertensive Chronic Kidney Disease: Hypertension Diagnosis ICD-10: I12.0, I12.9 Codes. Hypertensive Heart and Chronic Kidney Disease: Diagnosis Code is ICD-10: I13.0, I13.10, I13.11, I13.2 the preventive benefit Secondary Will not be applied: See Hypertension: ICD-10: I15.0, I15.1, Codes refer to Appendix I15.2, I15.8, I15.9, Section. | | abnormal blood glucose | Z13.1 | Payable when billed with |
| to promote a healthful diet and physical activity. Diagnosis Codes: Hypertension: ICD-10: I10 Hypertensive Heart Disease: ICD-10: I11.0, I11.9 Hypertensive Chronic Kidney Disease: ICD-10: I12.0, I12.9 Hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, II3.11, I13.2 Secondary Hypertension: Diabetes Screening procedure codes listed in this row AND 2. With one of the Required Diagnosis Codes AND 3. With one of the listed Hypertension Diagnosis Codes. Hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, II3.11, I13.2 Secondary Hypertension: Diabetes Diagnosis Codes refer to Appendix II5.2, I15.8, I15.9, Section. | | to intensive behavioral | And one of the | ALL of the following: |
| diet and physical activity. Hypertension: ICD-10: I10 Hypertensive Heart Disease: ICD-10: I11.0, I11.9 Hypertensive Chronic Kidney Disease: ICD-10: I12.0, I12.9 Hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, I13.11, I13.2 Hypertension: Diapnosis Code is ICD-10: I13.0, I13.10, I13.11, I13.2 Hypertension: Diabetes Diagnosis Codes refer to Appendix ICD-10: I15.0, I15.9, Section. | | counseling interventions | following Hypertension | 1. With one of the listed |
| activity. ICD-10: I10 Hypertensive Heart Disease: ICD-10: I11.0, I11.9 Hypertensive Chronic Kidney Disease: ICD-10: I12.0, I12.9 Hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, I13.11, I13.2 Secondary Hypertension: ICD-10: I15.0, I15.1, I15.2, I15.8, I15.9, Section. | | to promote a healthful | Diagnosis Codes: | Diabetes Screening |
| Hypertensive Heart Disease: ICD-10: I11.0, I11.9 Codes AND Hypertensive Chronic Kidney Disease: ICD-10: I12.0, I12.9 Hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, I13.11, I13.2 Secondary Hypertension: ICD-10: I15.0, I15.1, ICD-10: I15.0, I15.1, ICD-10: I15.8, I15.9, Section. | | diet and physical | Hypertension: | procedure codes listed in |
| Disease: ICD-10: I11.0, I11.9 Hypertensive Chronic Kidney Disease: ICD-10: I12.0, I12.9 Hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, I13.11, I13.2 Secondary Hypertension: ICD-10: I15.0, I15.1, ICD-10: I15.0, I15.1, ICD-10: I15.0, I15.9, Section. | | activity. | ICD-10: I10 | this row AND |
| ICD-10: I11.0, I11.9 Hypertensive Chronic Kidney Disease: ICD-10: I12.0, I12.9 Hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, II3.11, I13.2 ICD-10: I13.0, I13.10, II3.11, I13.2 ICD-10: I15.0, I15.1, ICD-10: II5.0, II5.1, ICD-10: II5.0, II5.1 | | | Hypertensive Heart | 2. With one of the |
| Hypertensive Chronic Kidney Disease: ICD-10: I12.0, I12.9 Hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, I13.11, I13.2 Secondary Hypertension: ICD-10: I15.0, I15.1, ICD-10: I15.0, I15.1, ICD-10: I15.8, I15.9, IV With one of the listed Hypertension Diagnosis Codes. 1 Hypertension Diagnosis Codes. 1 Hypertension Diagnosis Codes. 1 Hypertension: Diagnosis Code is present in any position; will not be applied: See Diagnosis Codes refer to Appendix Section. | | | Disease: | Required Diagnosis |
| Kidney Disease: ICD-10: I12.0, I12.9 Hypertensive Heart and Chronic Kidney Disease: Diagnosis Code is ICD-10: I13.0, I13.10, I13.11, I13.2 Secondary Hypertension: UCD-10: I15.0, I15.1, UCD-10: I15.0, I15.1, UCD-10: I15.8, I15.9, UNDERSIGN Diagnosis UNDERSICN DIAGNOSIS UNDERSICN DIAGNOS | | | ICD-10: I11.0, I11.9 | Codes AND |
| ICD-10: I12.0, I12.9 Hypertensive Heart and Chronic Kidney Disease: ICD-10: I13.0, I13.10, I13.11, I13.2 Ithe preventive benefit Secondary Will not be applied: See Hypertension: ICD-10: I15.0, I15.1, ICD-10: I15.2, I15.8, I15.9, Section. | | | Hypertensive Chronic | 3. With one of the listed |
| Hypertensive Heart and Chronic Kidney Disease: Diagnosis Code is ICD-10: I13.0, I13.10, present in any position; I13.11, I13.2 the preventive benefit Secondary will not be applied: See Hypertension: Diabetes Diagnosis ICD-10: I15.0, I15.1, Codes refer to Appendix I15.2, I15.8, I15.9, Section. | | | Kidney Disease: | Hypertension Diagnosis |
| and Chronic Kidney Disease: ICD-10: I13.0, I13.10, I13.11, I13.2 Secondary Hypertension: ICD-10: I15.0, I15.1, ICD-10: I15.2, I15.8, I15.9, Note: If a Diabetes Diagnosis Code is present in any position; the preventive benefit will not be applied: See Diabetes Diagnosis Codes refer to Appendix Section. | | | ICD-10: I12.0, I12.9 | Codes. |
| Disease: ICD-10: I13.0, I13.10, I13.11, I13.2 Secondary Hypertension: ICD-10: I15.0, I15.1, ICD-10: I15.2, I15.8, I15.9, Diagnosis Code is present in any position; the preventive benefit will not be applied: See Diabetes Diagnosis Codes refer to Appendix Section. | | | Hypertensive Heart | |
| ICD-10: I13.0, I13.10, present in any position; the preventive benefit Secondary will not be applied: See Hypertension: Diabetes Diagnosis ICD-10: I15.0, I15.1, Codes refer to Appendix I15.2, I15.8, I15.9, Section. | | | and Chronic Kidney | Note: If a Diabetes |
| I13.11, I13.2 the preventive benefit Secondary will not be applied: See Hypertension: Diabetes Diagnosis ICD-10: I15.0, I15.1, Codes refer to Appendix I15.2, I15.8, I15.9, Section. | | | Disease: | Diagnosis Code is |
| Secondary will not be applied: See Hypertension: Diabetes Diagnosis ICD-10: I15.0, I15.1, Codes refer to Appendix I15.2, I15.8, I15.9, Section. | | | ICD-10: I13.0, I13.10, | present in any position; |
| Hypertension: Diabetes Diagnosis ICD-10: I15.0, I15.1, Codes refer to Appendix I15.2, I15.8, I15.9, Section. | | | I13.11, I13.2 | the preventive benefit |
| ICD-10: I15.0, I15.1, Codes refer to Appendix I15.2, I15.8, I15.9, Section. | | | Secondary | will not be applied: See |
| I15.2, I15.8, I15.9, Section. | | | Hypertension: | Diabetes Diagnosis |
| | | | ICD-10: I15.0, I15.1, | Codes refer to Appendix |
| N26.2 | | | I15.2, I15.8, I15.9, | Section. |
| | | | N26.2 | |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| to pharmacy plan administ | rator. | | |
|---------------------------|------------------------|----------------------------|--------------------------|
| | | Hypertension | |
| | | Complicating | |
| | | Pregnancy, Childbirth | |
| | | and the Puerperium: | |
| | | ICD-10: O10.011, | |
| | | O10.012, O10.013, | |
| | | O10.019, O10.02, | |
| | | O10.03, O10.111, | |
| | | O10.112, O10.113, | |
| | | O10.119, O10.12, | |
| | | O10.13, O10.211, | |
| | | O10.212, O10.213, | |
| | | O10.219, O10.22, | |
| | | O10.23, O10.311, | |
| | | O10.312, O10.313, | |
| | | O10.319, O10.32, | |
| | | O10.33, O10.411, | |
| | | O10.412, O10.413, | |
| | | O10.419, O10.42, | |
| | | O10.43, O10.911, | |
| | | O10.912, O10.913, | |
| | | O10.919, O10.92, | |
| | | O10.93, O11.1, O11.2, | |
| | | O11.3, O11.9, O13.1, | |
| | | O13.2, O13.3, O13.9, | |
| | | O16.1, O16.2, O16.3, | |
| | | O16.9 | |
| Falls prevention in older | The USPSTF | Procedure Code(s) : | This service is included |
| adults: exercise or | recommends exercise or | n/a | in a preventive care |
| physical therapy | physical therapy to | Diagnosis Code(s): | wellness |
| | prevent falls in | n/a | examination or focused |
| | community-dwelling | | E&M visit. |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| to pharmacy plan adminis | | | |
|---------------------------|---------------------------|----------------------------|---------------------------|
| | adults age 65 years and | | |
| | older who are at | | |
| | increased risk for falls. | | |
| Falls prevention in older | The USPSTF | Procedure Code(s) : | This service is included |
| adults: vitamin D | recommends vitamin D | n/a | in a preventive care |
| | supplementation to | Diagnosis Code(s): | wellness |
| | prevent falls in | n/a | examination or focused |
| | community-dwelling | | E&M visit. |
| | adults age 65 years and | | |
| | older who are at | | |
| | increased risk for falls. | | |
| Folic acid | The USPSTF | J8499 | |
| supplementation | recommends that all | | |
| | women who are planning | | |
| | or capable of pregnancy | | |
| | take a daily supplement | | |
| | containing 0.4 to 0.8 mg | | |
| | (400 to 800 μg) of folic | | |
| | acid. | | |
| Cholesterol Screening | The USPSTF | Procedure Code(s): | Cholesterol Screening: |
| (Lipid Disorders | recommends that adults | Cholesterol Screening: | Ages 40–75 years (ends |
| Screening) | without a history of | 80061, 82465, 83718, | on 76th birthday). |
| | cardiovascular disease | 83719, 83721, 84478 | Requires one of the |
| | (CVD) (ie symptomatic | Blood Draw: 36415, | diagnosis codes listed in |
| | coronary artery disease | 36416 Diagnosis | this row. |
| | or ischemic stroke) use a | Code(s): Z00.00, Z00.01, | |
| | low- to moderate-dose | Z13.220 | |
| | statin for the prevention | | |
| | of CVD events and | | |
| | mortality | | |
| Gestational diabetes | The USPSTF | Procedure Code(s): | Payable with Pregnancy |
| mellitus screening | recommends screening | 82947, 82948, 82950, | Diagnosis Code |
| | 1 | I | <u>1</u> |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| to pharmacy plan administ | rator. | | |
|---------------------------|---------------------------|-----------------------------|----------------------------|
| | for gestational diabetes | 82951, 82952, 83036 | (regardless of gestational |
| | mellitus in asymptomatic | 36415, 36416 | week) |
| | pregnant women after 24 | Diagnosis Code(s): | Criteria for 36415 and |
| | weeks of gestation. | Pregnancy Diagnosis | 36416: |
| | | Code | Payable when billed with |
| | | | ALL of the following: |
| | | | With one of the Diabetes |
| | | | Screening Procedure |
| | | | codes listed in this row |
| | | | AND |
| | | | With a Pregnancy |
| | | | Diagnosis Code. |
| | | | NOTE: If a Diabetes |
| | | | Diagnosis Code is |
| | | | present in any position, |
| | | | the preventive benefit |
| | | | will not be applied. See |
| | | | Diabetes Diagnosis |
| | | | Codes refer to Appendix |
| | | | Section. |
| Gonorrhea screening: | The USPSTF | Procedure Code(s): | Payable with either a |
| women | recommends screening | 87590, 87591, 87592, | Pregnancy Diagnosis |
| | for gonorrhea in sexually | 87801, 87850 | refer to Appendix |
| | active women age 24 | Diagnosis Code(s): | Section Code or |
| | years or younger and in | Pregnancy: Pregnancy | One of the Screening |
| | older women who are at | Diagnosis Code OR | Diagnosis Codes listed in |
| | increased risk for | Screening: | this row. |
| | infection. | ICD-10: Z00.00, | |
| | | Z00.01, Z11.3, Z11.9, | |
| | | Z20.2 | |
| Healthy diet and physical | The USPSTF | Procedure Code(s): | G0446 is limited to once |
| activity counseling to | recommends offering or | Medical Nutrition | per year. |
| | | 1 | 20 |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer to pharmacy plan administrator.

| to pharmacy plan administ | rator. | | |
|---------------------------|----------------------------|-------------------------|--------------------------|
| prevent cardiovascular | referring adults who are | Therapy or Counseling | |
| disease: adults with | overweight or obese and | Counseling: | One of the Diagnosis |
| cardiovascular risk | have additional | 97802, 97803, 97804, | Codes listed in this row |
| factors | cardiovascular disease | G0270, G0271, S9470 | are: |
| | (CVD) risk factors to | Preventive Medicine | Required for 97802- |
| | intensive behavioral | Individual Counseling: | 97804, 99401-99404, |
| | counseling interventions | 99401, 99402, 99403, | G0270, G0271, S9470 |
| | to promote a healthful | 99404 | and 0403T |
| | diet and physical activity | Behavioral Counseling | NOT required for |
| | for CVD prevention. | or Therapy: | G0446, G0447 and |
| | | G0446, G0447, G0473, | G0473. |
| | | 0403T | |
| | | Diagnosis Code(s): | |
| | | Screening: | |
| | | ICD-10: Z13.220 | |
| | | History: | |
| | | ICD-10: Z72.0, Z87.891, | |
| | | Z82.49, F17.210, | |
| | | F17.211, F17.213, | |
| | | F17.218, F17.219 | |
| | | Overweight: | |
| | | ICD-10: E66.3, Z68.25, | |
| | | Z68.26, Z68.27, Z68.28, | |
| | | Z68.29 | |
| | | Body Mass Index 30.0 – | |
| | | 39.9: | |
| | | ICD-10: Z68.30, Z68.31, | |
| | | Z68.32, Z68.33, Z68.34, | |
| | | Z68.35, Z68.36, Z68.37, | |
| | | Z68.38, Z68.39 | |
| | | Body Mass Index 40.0 | |
| | | And Over: | |
| L | 1 | I | |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer

to pharmacy plan administrator.

ICD-10: Z68.41,

Z68.42, Z68.43, Z68.44,

Z68.45

Impaired Fasting

Glucose Fasting

Glucose:

ICD-10: R73.01

Metabolic Syndrome:

ICD-10: E88.81

Hyperlipidemia

/Dyslipidemia:

ICD-10: E78.0, E78.1,

E78.2, E78.3, E78.41,

E78.49, E78.5

Obesity:

ICD-10: E66.01, E66.09,

E66.1, E66.8, E66.9,

Z68.41, Z68.42, Z68.43,

Z68.44, Z68.45

Essential Hypertension:

ICD-10: I10

Secondary

Hypertension:

ICD-10: I15.0, I15.1,

I15.2, I15.8, I15.9,

N26.2

Hypertension

Complicating

Pregnancy, Childbirth

and the Puerperium:

ICD-10: O10.011,

O10.012, O10.013,



Preventive Care Services Certain codes may not be payable in all circumstances due to other policies or guidelines. For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer to pharmacy plan administrator. O10.019, O10.02, O10.03, O10.111, O10.112, O10.113, O10.119, O10.12, O10.13, O10.211, O10.212, O10.213, O10.219, O10.22, O10.23, O10.311, O10.312, O10.313, O10.319, O10.32, O10.33, O10.411, O10.412, O10.413, O10.419, O10.42, O10.43, O10.911, O10.912, O10.913, O10.919, O10.92, O10.93, O11.1, O11.2, 011.3, 011.9, 013.1, O13.2, O13.3, O13.9, O16.1, O16.2, O16.3, O16.9 **Secondary Diabetes Mellitus**: See Diabetes Diagnosis Code. **Diabetes Mellitus:** See Diabetes Diagnosis Code List table below. **Coronary Atherosclerosis:** ICD-10: I25.10, I25.110,

I25.111, I25.118,



Certain codes may not be payable in all circumstances due to other policies or guidelines. For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer

| to pharmacy plan adminis | | n administrator. For prevent | ive care medications ferer |
|--------------------------|--------------------------|------------------------------|----------------------------|
| | | I25.119, I25.700, | |
| | | I25.701, I25.708, | |
| | | I25.709, I25.710, | |
| | | I25.711, I25.718, | |
| | | I25.719, I25.720, | |
| | | I25.721, I25.728, | |
| | | 125.729, 125.730, | |
| | | 125.731, 125.738, | |
| | | 125.739, 125.750, | |
| | | 125.751, 125.758, | |
| | | 125.759, 125.760, | |
| | | 125.761, 125.768, | |
| | | 125.769, 125.790, | |
| | | 125.791, 125.798, | |
| | | 125.799, 125.810, | |
| | | I25.811, I25.812. | |
| Hepatitis B screening: | The USPSTF | Procedure Code(s): | |
| nonpregnant adolescents | recommends screening | 86704, 86705, 86706, | |
| and adults | for hepatitis B virus | 87340, 87341, G0499 | |
| | infection in persons at | ICD 10: | |
| | high risk for infection. | Z00.00, Z11.59 | |
| Hepatitis B screening: | The USPSTF strongly | Procedure Code(s): | Hepatitis B Virus |
| pregnant women | recommends screening | Hepatitis B Virus | Infection Screening: |
| | for hepatitis B virus | Infection Screening: | Payable with a |
| | infection in pregnant | 86704, 86705, 86706, | Pregnancy Diagnosis |
| | women at their first | 87340, 87341, G0499 | Code or |
| | prenatal visit. | Blood draw: | One of the Screening |
| | | 36415, 36416 | Diagnosis Codes listed in |
| | | Diagnosis Code(s): | this row. |
| | | Pregnancy Diagnosis | Blood draw: |
| | | Code or Screening: | Payable when billed with |
| | | | one of the listed |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| ICD-10: Z57.8, Z00.00, Z11.59 Infection Screening procedure codes listed in this row AND With a Pregnancy Diagnosis Code or one of the Screening: Diagnosis Code or one of the Screening: Diagnosis Code or one of the Screening: Infection screening: recommends screening for hepatitis C virus (HCV) infection in persons at high risk for infection. The USPSTF also recommends offering one-time screening offering one-time screening offering one-time screening for HCV infection to adults born between 1945 and 1965. Diagnosis Code (s): | to pharmacy plan administ | rator. | <u>udinimistration</u> . I or prevent | |
|--|---------------------------|---------------------------|---------------------------------------|---------------------------|
| Hepatitis C virus infection screening: adults The USPSTF recommends screening for hepatitis C virus (HCV) infection in persons at high risk for infection. The USPSTF also recommends offering one-time screening for hepatitis both and the screening offering one-time screening for hepatitis both and the screening offering one-time between 1945 and 1965. HIV screening: The USPSTF recommends that clinicians screen for HIV infection in adolescents and adults The USPSTF recommends and adults are commends that clinicians screen for HIV infection in adolescents are commends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in this | | | ICD-10: Z57.8, Z00.00, | Hepatitis B Virus |
| this row AND With a Pregnancy Diagnosis Code or one of the Screening Diagnosis Codes listed in this row. Hepatitis C virus infection screening: adults The USPSTF recommends screening for hepatitis C virus (HCV) infection in persons at high risk for infection. The USPSTF also recommends offering one-time screening for HCV infection to adults born between 1945 and 1965. HiV screening: The USPSTF recommends that The USPSTF Th | | | Z00.01, Z11.59 | Infection Screening |
| Hepatitis C virus infection screening: adults The USPSTF for hepatitis C virus infection screening: adults For hepatitis C virus infection in persons at high risk for infection. The USPSTF also recommends offering one-time screening for HCV infection to adults born between 1945 and 1965. HIV screening: The USPSTF | | | | procedure codes listed in |
| Hepatitis C virus infection screening: | | | | this row AND |
| Hepatitis C virus infection screening: adults The USPSTF recommends screening for hepatitis C virus infection Screening: adults For hepatitis C virus infection Screening: adults For hepatitis C virus infection Screening: Africation Screening: Infection Screening: Infection Screening: Preventive with one of the Hepatitis C Virus Infection Diagnosis Infection Diagnosis Infection Diagnosis Codes refer to Appendix Section For HCV Infection to adults born between 1945 and 1965. Blood draw: Z00.00, Z11.59 Hepatitis C Virus Infection Diagnosis Codes refer to Appendix Section Infection Screening Preventive with one of the Hepatitis C Virus Infection Screening Diagnosis Code(s): Infection Screening Preventive with one of the Hepatitis C Virus Infection Screening Diagnosis Code refer to Appendix Section No age limits. HIV screening: The USPSTF recommends that clinicians screen for HIV infection in adolescents Immunodeficiency Virus – Screening: One of the Screening | | | | With a Pregnancy |
| Hepatitis C virus Infection screening: adults The USPSTF for hepatitis C virus Infection Screening: adults For hepatitis C virus Infection Screening: Also recommends offering one-time screening for HCV infection to adults born between 1945 and 1965. HIV screening: The USPSTF The USP | | | | Diagnosis Code or one |
| Hepatitis C virus Infection screening: Infection Diagnosis Infection Sereining Infection Screening Infe | | | | of the Screening |
| Hepatitis C virus infection screening: adults for hepatitis C virus (HCV) infection in persons at high risk for infection. The USPSTF also recommends offering one-time screening for HCV infection to adults born between 1945 and 1965. HIV screening: The USPSTF The | | | | Diagnosis Codes listed in |
| infection screening: adults for hepatitis C virus (HCV) infection in persons at high risk for infection. The USPSTF also recommends offering one-time screening for HCV infection to adults born between 1945 and 1965. Hepatitis C Virus Infection Screening: Preventive with one of the Hepatitis C Virus Infection Diagnosis codes refer to Appendix Section Blood draw: Section Blood draw: Preventive with one of the Hepatitis C Virus Infection Diagnosis codes refer to Appendix Section Blood draw: Journal of the Hepatitis C Virus Infection Screening procedure codes listed in this row AND a Hepatitis C Virus Infection Screening Diagnosis Code refer to Appendix Section No age limits. HIV screening: nonpregnant adolescents and adults recommends that clinicians screen for HIV infection in adolescents Virus – Screening: One of the Screening: | | | | this row. |
| adults for hepatitis C virus (HCV) infection in persons at high risk for infection. The USPSTF also recommends offering one-time screening for HCV infection to adults born between 1945 and 1965. HIV screening: The USPSTF nonpregnant adolescents and adults To hepatitis C virus (HCV) infection in nection in nection. The USPSTF also recommends offer HCV infection to adults born between 1945 and 1965. The USPSTF recommends of the Hepatitis C virus of the Hepatitis C | Hepatitis C virus | The USPSTF | Procedure Code(s): | Hepatitis C Virus |
| (HCV) infection in persons at high risk for infection. The USPSTF also recommends offering one-time screening for HCV infection to adults born between 1945 and 1965. HIV screening: nonpregnant adolescents and adults (HCV) infection in persons at high risk for infection. The USPSTF also recommends offering one-time screening one-time screening for HCV infection to adults born between 1945 and 1965. HIV screening: The USPSTF recommends that clinicians screen for HIV infection in adolescents HIV - Human Immunodeficiency infection in adolescents Infection Diagnosis codes refer to Appendix Section No age limits. HIV - Human Immunodeficiency Virus Infection Diagnosis codes refer to Appendix Section No age limits. HIV - Human Immunodeficiency Virus Immunodeficiency Virus One of the Screening: | infection screening: | recommends screening | Hepatitis C Virus | Infection Screening: |
| persons at high risk for infection. The USPSTF also recommends offering one-time screening for HCV infection to adults born between 1945 and 1965. HIV screening: The USPSTF recommends offering one-time screening: The USPSTF recommends offering one-time screen for HIV infection in adolescents and adults The USPSTF recommends offering one-time screening one-time screening offering one-time screening also draw: Section Blood draw: Section Blood draw: Preventive with one of the Hepatitis C Virus Infection Screening procedure codes listed in this row AND a Hepatitis C Virus Infection Screening Diagnosis Code refer to Appendix Section No age limits. HIV - Human Immunodeficiency Virus Immunodeficiency Virus Clinicians screen for HIV infection in adolescents of the Hiv - Screening: One of the Screening | adults | for hepatitis C virus | Infection Screening: | Preventive with one of |
| infection. The USPSTF also recommends offering one-time screening for HCV infection to adults born between 1945 and 1965. HIV screening: nonpregnant adolescents and adults The USPSTF clinicians screen for HIV infection in adolescents and adults The USPSTF clinicians screen for HIV infection in adolescents also recommends Blood draw: Section Blood draw: Section Blood draw: Section Preventive with one of the Hepatitis C Virus Infection Screening procedure codes listed in this row AND a Hepatitis C Virus Infection Screening Diagnosis Code refer to Appendix Section No age limits. HIV – Human Immunodeficiency Virus (HIV) Screening: One of the Screening: One of the Screening | | (HCV) infection in | 86704, 86705, | the Hepatitis C Virus |
| also recommends offering one-time screening for HCV infection to adults born between 1945 and 1965. HIV screening: nonpregnant adolescents and adults also recommends offering one-time screening for HCV infection to adults born between 1945 and 1965. Blood draw: Section Blood draw: Preventive with one of the Hepatitis C Virus Infection Screening procedure codes listed in this row AND a Hepatitis C Virus Infection Screening Diagnosis Code refer to Appendix Section No age limits. HIV screening: recommends that clinicians screen for HIV infection in adolescents Virus – Screening: One of the Screening | | persons at high risk for | 86706,86803, 86804 | Infection Diagnosis |
| offering one-time screening for HCV infection to adults born between 1945 and 1965. Hepatitis C Virus Infection Screening procedure codes listed in this row AND a Hepatitis C Virus Infection Screening proadure codes listed in this row AND a Hepatitis C Virus Infection Screening Diagnosis Code refer to Appendix Section No age limits. HIV screening: nonpregnant adolescents and adults Clinicians screen for HIV infection in adolescents Virus – Screening: One of the Screening | | infection. The USPSTF | 87340, 87341, G0499 | codes refer to Appendix |
| screening for HCV infection to adults born between 1945 and 1965. HIV screening: nonpregnant adolescents and adults clinicians screen for HIV infection in adolescents and adults Screening for HCV infection to adults born between 1945 and 1965. Diagnosis Code(s): Z00.00, Z11.59 Hepatitis C Virus Infection Screening Diagnosis Code refer to Appendix Section No age limits. HIV - Human Immunodeficiency Virus Infection in adolescents Immunodeficiency Virus - Screening: One of the Screening | | also recommends | Blood draw: | Section |
| infection to adults born between 1945 and 1965. HIV screening: nonpregnant adolescents and adults The USPSTF clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF Recodure Code(s): Human Immunodeficiency Virus (HIV) Screening: One of the Screening | | offering one-time | 36415, 36416 | Blood draw: |
| between 1945 and 1965. Infection Screening procedure codes listed in this row AND a Hepatitis C Virus Infection Screening Diagnosis Code refer to Appendix Section No age limits. HIV screening: The USPSTF Procedure Code(s): Human Immunodeficiency Virus and adults Clinicians screen for HIV Immunodeficiency (HIV) Screening: One of the Screening | | screening for HCV | Diagnosis Code(s): | Preventive with one of |
| procedure codes listed in this row AND a Hepatitis C Virus Infection Screening Diagnosis Code refer to Appendix Section No age limits. HIV screening: nonpregnant adolescents and adults The USPSTF recommends that HIV – Human Immunodeficiency Virus Immunodeficiency infection in adolescents Virus – Screening: One of the Screening | | infection to adults born | Z00.00, Z11.59 | the Hepatitis C Virus |
| this row AND a Hepatitis C Virus Infection Screening Diagnosis Code refer to Appendix Section No age limits. HIV screening: nonpregnant adolescents and adults The USPSTF recommends that HIV – Human Immunodeficiency Virus Immunodeficiency infection in adolescents Virus – Screening: One of the Screening | | between 1945 and 1965. | | Infection Screening |
| Hepatitis C Virus Infection Screening Diagnosis Code refer to Appendix Section No age limits. HIV screening: nonpregnant adolescents and adults The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF recommends that HIV – Human Immunodeficiency Virus (HIV) Screening: One of the Screening | | | | procedure codes listed in |
| Infection Screening Diagnosis Code refer to Appendix Section No age limits. HIV screening: nonpregnant adolescents and adults The USPSTF recommends that HIV – Human Immunodeficiency Virus (HIV) Screening: infection in adolescents Virus – Screening: One of the Screening | | | | this row AND a |
| Diagnosis Code refer to Appendix Section No age limits. HIV screening: nonpregnant adolescents and adults The USPSTF recommends that HIV – Human Immunodeficiency Virus Immunodeficiency infection in adolescents Virus – Screening: One of the Screening | | | | Hepatitis C Virus |
| Appendix Section No age limits. HIV screening: nonpregnant adolescents and adults The USPSTF recommends that HIV – Human Immunodeficiency Virus Immunodeficiency infection in adolescents Virus – Screening: One of the Screening | | | | Infection Screening |
| HIV screening: nonpregnant adolescents and adults The USPSTF recommends that clinicians screen for HIV infection in adolescents The USPSTF Procedure Code(s): Human Immunodeficiency Virus (HIV) Screening: One of the Screening | | | | Diagnosis Code refer to |
| HIV screening: nonpregnant adolescents and adults The USPSTF recommends that clinicians screen for HIV infection in adolescents Procedure Code(s): Human Immunodeficiency Virus (HIV) Screening: One of the Screening | | | | Appendix Section |
| nonpregnant adolescents recommends that clinicians screen for HIV Immunodeficiency Virus (HIV) Screening: One of the Screening | | | | No age limits. |
| and adults clinicians screen for HIV Immunodeficiency infection in adolescents Virus – Screening: One of the Screening | HIV screening: | The USPSTF | Procedure Code(s): | Human |
| infection in adolescents Virus – Screening: One of the Screening | nonpregnant adolescents | recommends that | HIV – Human | Immunodeficiency Virus |
| | and adults | clinicians screen for HIV | Immunodeficiency | (HIV) Screening: |
| and adults ages 15 to 65 86689, 86701, 86702, Diagnosis Codes listed in | | infection in adolescents | Virus – Screening: | One of the Screening |
| | | and adults ages 15 to 65 | 86689, 86701, 86702, | Diagnosis Codes listed in |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer to pharmacy plan administrator

| to pharmacy plan administ | | | |
|---------------------------|--------------------------|---------------------------|---------------------------|
| | years. Younger | 86703, 87389, 87390, | this row. |
| | adolescents and older | 87391, 87806, G0432, | Blood draw: |
| | adults who are at | G0433, G0435, G0475, | Payable when billed with |
| | increased risk should | S3645 | both of the following: |
| | also be screened. | Blood draw: | 1. With one of the listed |
| | | 36415, 36416 | HIV Screening |
| | | Diagnosis Code(s): | procedure codes listed in |
| | | ICD-10: Z00.00, Z00.01, | this row and |
| | | Z22.6, Z22.8, Z22.9, | 2. With one of the |
| | | Z11.3, Z11.4, Z11.59, | following: |
| | | Z11.9, Z20.6 | one of the Screening |
| | | | Diagnosis Codes listed in |
| | | | this row. |
| HIV screening: pregnant | The USPSTF | Procedure Code(s): | HIV – Human |
| women | recommends that | HIV – Human | Immunodeficiency Virus |
| | clinicians screen all | Immunodeficiency | Screening: |
| | pregnant women for | Virus – Screening: | Preventive when billed |
| | HIV, including those | 86689, 86701, 86702, | with a Pregnancy |
| | who present in labor who | 86703, 87389, 87390, | Diagnosis Code or One |
| | are untested and whose | 87391, 87806, G0432, | of the Screening |
| | HIV status is unknown. | G0433, G0435, G0475, | Diagnosis Codes listed in |
| | | S3645 | this row. |
| | | Blood draw: | Blood draw: |
| | | 36415, 36416 | Payable when billed with |
| | | Diagnosis Code(s): | both of the following: |
| | | Pregnancy Diagnosis | 1. With one of the listed |
| | | Code OR Screening: | HIV Screening |
| | | ICD-10: Z00.00, | procedure codes listed in |
| | | Z00.01, Z22.6, Z22.8, | this row and |
| | | Z22.9, Z11.3, Z11.4, | 2. With one of the |
| | | Z11.59, Z11.9, Z20.6 | following: |
| | | | o one of the Screening |
| L | | | 1 |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| to pharmacy plan administ | rator. | | |
|---------------------------|---------------------------|---------------------------|---------------------------|
| | | | Diagnosis Codes listed in |
| | | | this row, or with a |
| | | | Pregnancy Diagnosis |
| | | | Code refer to Appendix |
| | | | Section. |
| Intimate partner violence | The USPSTF | Procedure Code(s): | This service is included |
| screening: women of | recommends that | n/a | in a preventive care |
| childbearing age | clinicians screen women | Diagnosis Code(s): | wellness examination. |
| | of childbearing age for | n/a | |
| | intimate partner | | |
| | violence, such as | | |
| | domestic violence, and | | |
| | provide or refer women | | |
| | who screen positive to | | |
| | intervention services. | | |
| | This recommendation | | |
| | applies to women who | | |
| | do not have signs or | | |
| | symptoms of abuse. | | |
| Lung cancer screening | The USPSTF | Procedure Code(s): | Requires one of the |
| | recommends annual | G0297 | listed diagnosis codes in |
| | screening for lung cancer | Diagnosis Code(s): | this row. |
| | with low-dose computed | ICD-10: F17.210, | Limitations: |
| | tomography in adult's | F17.211, F17.213, | Limited to one per year, |
| | ages 55 to 80 years who | F17.218, F17.219, | and |
| | have a 30 pack-year | Z87.891 | All of the following |
| | smoking history and | Codes for Reporting | criteria: |
| | currently smoke or have | Purposes: | 1. Age 55 to 80 years |
| | quit within the past 15 | G9275, G9276, G9458, | (ends on 81st birthday), |
| | years. Screening should | G9459, G9460 | and |
| | be discontinued once a | Note: codes G9275, | 2. At least 30 pack- |
| | person has not smoked | G9276, G9458, G9459, | years* of smoking |
| | l . | I | <u> </u> |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer to pharmacy plan administrator.

| to pharmacy plan adminis | for 15 years or develops | and G9460 are for | history, and |
|--------------------------|---------------------------|-------------------------------|---------------------------|
| | a health problem that | reporting purposes only, | 3. Either a current |
| | substantially limits life | if applicable. These | smoker, or have quit |
| | expectancy or the ability | codes are not separately | within the past 15 years. |
| | or willingness to have | reimbursable. | A pack-year is a way to |
| | curative lung surgery. | | measure calculated by |
| | | | multiplying the number |
| | | | of packs of cigarettes |
| | | | smoked per day by the |
| | | | number of years the |
| | | | person has smoked. For |
| | | | example, 1 pack year is |
| | | | equal to smoking 1 pack |
| | | | per day for 1 year, or 2 |
| | | | packs per day for half a |
| | | | year, and so on. Source: |
| | | | National Institutes of |
| | | | Health, National Cancer |
| | | | Institute Dictionary of |
| | | | Cancer Terms, pack year |
| | | | definition web page. |
| Obesity screening and | The USPSTF | Procedure Code(s): | G0446 is limited to once |
| counseling: adults | recommends screening | Medical Nutrition | per year. |
| | all adults for obesity. | Therapy: | |
| | Clinicians should offer | 97802, 97803, 97804 | One of the Diagnosis |
| | or refer patients with a | Preventive Medicine | Codes listed in this row |
| | body mass index of 30 | Individual Counseling: | are: |
| | kg/m2 or higher to | 99401, 99402, 99403, | Required for 97802- |
| | intensive, | 99404, 99411, 99412, | 97804 and 99401-99404. |
| | multicomponent | S9470 | NOT required for |
| | behavioral interventions. | Behavioral Counseling | G0446, G0447 and |
| | | or Therapy: | G0473. |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| For preventive care medic to pharmacy plan administ | | n administrator. For prevent | ve care medications refer |
|---|--------------------------|------------------------------|---------------------------|
| | | G0270, G0271, G0446, | |
| | | G0447, G0473 | |
| | | Diagnosis Code(s): | |
| | | Body Mass Index 30.0 – | |
| | | 39.9: | |
| | | ICD-10: Z68.30, Z68.31, | |
| | | Z68.32, Z68.33, Z68.34, | |
| | | Z68.35, Z68.36, Z68.37, | |
| | | Z68.38, Z68.39 | |
| | | Body Mass Index 40.0 | |
| | | and over: | |
| | | ICD-10: Z68.41, Z68.42, | |
| | | Z68.43, Z68.44, Z68.45 | |
| | | Obesity: | |
| | | ICD-10: E66.01, | |
| | | E66.09, E66.1, E66.8, | |
| | | E66.9 | |
| Obesity screening: | The USPSTF | Procedure Code(s): | G0446 is limited to once |
| children and adolescents | recommends that | Medical Nutrition | per year. |
| | clinicians screen for | Therapy: | |
| | obesity in children and | 97802, 97803, 97804 | One of the Diagnosis |
| | adolescents 6 years and | Preventive Medicine | Codes listed in this row |
| | older and offer or refer | Individual Counseling: | are: |
| | them to comprehensive, | 99401, 99402, 99403, | Required for 97802- |
| | intensive behavioral | 99404, 99411, 99412, | 97804 and 99401-99404. |
| | interventions to promote | S9470 | NOT required for |
| | improvements in weight | Behavioral Counseling | G0446, G0447 and |
| | status. | or Therapy: | G0473. |
| | | G0270, G0271, G0446, | |
| | | G0447, G0473 | |
| | | Diagnosis Code(s): | |
| | | Obesity: | |



Certain codes may not be payable in all circumstances due to other policies or guidelines. For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer

| to pharmacy plan administ | ations refer to pharmacy plai rator. | if administrator, For prevent | ive care medications ferei |
|---------------------------|---|-------------------------------|----------------------------|
| | | ICD-10: Z68.30, Z68.31, | |
| | | Z68.32, Z68.33, Z68.34, | |
| | | Z68.35, Z68.36, Z68.37, | |
| | | Z68.38, Z68.39, Z68.41, | |
| | | Z68.42, Z68.43, Z68.44, | |
| | | Z68.45, E66.01, E66.09, | |
| | | E66.1, E66.8, E66.9 | |
| Osteoporosis screening: | The USPSTF | Procedure Code(s): | Preventive with one of |
| women | recommends screening | 76977, 77078, 77080, | the Diagnosis Codes |
| | for osteoporosis in | 77081, 77085, 78350, | listed in this row. |
| | women age 65 years and | G0130 | |
| | older and in younger | Diagnosis Code(s): | |
| | women whose fracture | ICD-10: Z00.00, | |
| | risk is equal to or greater | Z00.01, Z13.820, Z82.62 | |
| | than that of a 65-year-old | | |
| | white woman who has | | |
| | no additional risk | | |
| | factors. | | |
| | | | |
| Preeclampsia prevention: | The USPSTF | Procedure Code(s): | This service is included |
| aspirin | recommends the use of | n/a | in a preventive care |
| | low-dose aspirin (81 | Diagnosis Code(s): | wellness examination or |
| | mg/d) as preventive | n/a | focused E&M visit. |
| | medication after 12 | | |
| | weeks of gestation in | | |
| | women who are at high | | |
| | risk for preeclampsia. | | |
| Preeclampsia: screening | The USPSTF | Procedure Code(s): | This service is included |
| | recommends screening | n/a | in a preventive care |
| | for preeclampsia in | Diagnosis Code(s): | wellness |
| | pregnant women with | n/a | examination or focused |
| | blood pressure | | E&M visit. |
| | | | 30 |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| to pharmacy plan administrator. | | | | | |
|---------------------------------|--------------------------|----------------------------|---------------------------|--|--|
| | measurements | | | | |
| | throughout pregnancy. | | | | |
| Rh incompatibility | The USPSTF strongly | Procedure Code(s): | RH Incompatibility | | |
| screening: first | recommends Rh (D) | RH Incompatibility | Screening: | | |
| pregnancy visit | blood typing and | Screening: | Payable with a | | |
| | antibody testing for all | 86900, 86901 | Pregnancy Diagnosis | | |
| | pregnant women during | Blood draw: | Code refers to Appendix | | |
| | their first visit for | 36415, 36416 | Section. | | |
| | pregnancy-related care. | Diagnosis Code(s): | | | |
| | | Pregnancy Diagnosis | Blood draw: | | |
| | | Code | Payable when billed | | |
| | | | with 86900, 86901 AND | | |
| | | | with a Pregnancy | | |
| | | | Diagnosis Code refer to | | |
| | | | Appendix Section. | | |
| Rh incompatibility | The USPSTF | Procedures Code(s): | | | |
| screening: 24–28 weeks' | recommends repeated Rh | 86900, 86901 | | | |
| gestation | (D) antibody testing for | ICD 10: | | | |
| | all unsensitized Rh (D)- | Pregnancy diagnosis | | | |
| | negative women at 24 to | code | | | |
| | 28 weeks' gestation, | | | | |
| | unless the biological | | | | |
| | father is known to be Rh | | | | |
| | (D)-negative. | | | | |
| Sexually transmitted | The USPSTF | Procedure Code(s): | G0445 is limited to twice | | |
| infections counseling | recommends intensive | 99401, 99402, 99403, | per year. | | |
| | behavioral counseling | 99404, G0445 | Does not have diagnosis | | |
| | for all sexually active | Diagnosis Code(s): | code requirements for | | |
| | adolescents and for | Payable as preventive | preventive benefit to | | |
| | adults who are at | regardless of diagnosis | apply. | | |
| | increased risk for | code | | | |
| | l . | I | | | |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| to pharmacy plan adminis | | | |
|--------------------------|---------------------------|----------------------------|--------------------------|
| | sexually transmitted | | |
| | infections. | | |
| Skin cancer behavioral | The USPSTF | Procedure Code(s): | This service is included |
| counseling | recommends counseling | n/a | in a preventive care |
| | children, adolescents, | Diagnosis Code(s): | wellness |
| | and young adult's ages | n/a | examination or focused |
| | 10 to 24 years who have | | E&M visit. |
| | fair skin about | | |
| | minimizing their | | |
| | exposure to ultraviolet | | |
| | radiation to reduce risk | | |
| | for skin cancer. | | |
| Statin preventive | The USPSTF | Procedures Code(s): | Does not have diagnosis |
| medication: adults ages | recommends that adults | G0438, G0439 | code requirements for |
| 40–75 years with no | without a history of | | preventive benefit. |
| history of CVD, 1 or | cardiovascular disease | | |
| more CVD risk factors, | (CVD) (i.e., | | |
| and a calculated 10-year | symptomatic coronary | | |
| CVD event risk of 10% | artery disease or | | |
| or greater | ischemic stroke) use a | | |
| | low- to moderate-dose | | |
| | statin for the prevention | | |
| | of CVD events and | | |
| | mortality when all of the | | |
| | following criteria are | | |
| | met: 1) they are ages 40 | | |
| | to 75 years; 2) they have | | |
| | 1 or more CVD risk | | |
| | factors (i.e., | | |
| | dyslipidemia, diabetes, | | |
| | hypertension, or | | |
| | smoking); and 3) they | | |
| | 1 | l | 32 |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer to pharmacy plan administrator. | | | | | |
|---|---------------------------|-----------------------------|-------------------------|--|--|
| F | have a calculated 10-year | | | | |
| | risk of a cardiovascular | | | | |
| | event of 10% or greater. | | | | |
| | Identification of | | | | |
| | dyslipidemia and | | | | |
| | calculation of 10-year | | | | |
| | CVD event risk requires | | | | |
| | universal lipids | | | | |
| | screening in adults ages | | | | |
| | 40 to 75 years. | | | | |
| Tobacco use counseling | The USPSTF | Procedures Code(s) : | Does not have diagnosis | | |
| and interventions: | recommends that | 99401, 99402, 99403, | code requirements for | | |
| nonpregnant adults | clinicians ask all adults | 99404, 99406, 99407, | preventive benefit. | | |
| | about tobacco use, | S9075, S9453 | | | |
| | advise them to stop using | ICD 10: | | | |
| | tobacco, and provide | any diagnosis code | | | |
| | behavioral interventions | | | | |
| | and U.S. Food and Drug | | | | |
| | Administration (FDA)– | | | | |
| | approved | | | | |
| | pharmacotherapy for | | | | |
| | cessation to adults who | | | | |
| | use tobacco. | | | | |
| Tobacco use counseling: | The USPSTF | Procedures Code(s): | For pregnancy diagnosis | | |
| pregnant women | recommends that | 99401, 99402, 99403, | refer to Appendix | | |
| | clinicians ask all | 99404, 99406, 99407, | Section. | | |
| | pregnant women about | S9075, S9453 | | | |
| | tobacco use, advise them | ICD 10: | | | |
| | to stop using tobacco, | Pregnancy code | | | |
| | and provide behavioral | | | | |
| | interventions for | | | | |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer

to pharmacy plan administrator

| interventions: children and adolescents recommends that clinicians provide interventions, including education or brief counseling, to prevent initiation of tobacco use in school-aged children and adolescents. Tuberculosis screening: adults The USPSTF recommends screening infection in populations at increased risk. The USPSTF recommends screening: at increased risk. The USPSTF recommends screening infection in populations at increased risk. The USPSTF recommends screening infection in populations at increased risk. The USPSTF recommends screening infection in populations at increased risk. The USPSTF recommends screening infection in populations at increased risk. The USPSTF recommends screening infection in populations at increased risk. The USPSTF recommends screening in populations at increased risk. The USPSTF recommends screening in school-aged children and adolescents. The USPSTF recodure Code(s): Syphilis screening: The USPSTF recommends screening in preventive benefit. Today 99401, 99406, 99407 Payable as preventive regardless of diagnosis code recode (s): 86580, 99211 Diagnosis Code: ICD 10: R76.11, R76.12, Z11.1, Z20.1, Z00.129 Syphilis screening: Syphilis Screening: | to pharmacy plan administ | | | |
|--|---------------------------|---------------------------|----------------------------|-------------------------|
| Tobacco use interventions: children and adolescents clinicians provide interventions; children and adolescents clinicians provide interventions, including education or brief counseling, to prevent initiation of tobacco use in school-aged children and adolescents. Tuberculosis screening: The USPSTF recommends screening for latent tuberculosis infection in populations at increased risk. Syphilis screening: The USPSTF recommends screening recommends screening: The USPSTF recommends screening: The USPSTF recommends screening at increased risk. Syphilis screening: The USPSTF recommends screening recommends screening: Syphilis Screening: Syphilis Screening: Syphilis Screening: Syphilis Screening: Syphilis Screening: | | cessation to pregnant | | |
| interventions: children and adolescents Clinicians provide clinicians provide interventions, including education or brief counseling, to prevent initiation of tobacco use in school-aged children and adolescents. Tuberculosis screening: Tuberculosis screening: adults The USPSTF | | women who use tobacco. | | |
| and adolescents clinicians provide interventions, including education or brief counseling, to prevent initiation of tobacco use in school-aged children and adolescents. Tuberculosis screening: Trecommends screening for latent tuberculosis infection in populations at increased risk. Syphilis screening: The USPSTF Th | Tobacco use | The USPSTF | Behavioral | Does not have diagnosis |
| interventions, including education or brief counseling, to prevent initiation of tobacco use in school-aged children and adolescents. Tuberculosis screening: The USPSTF adults Tecommends screening for latent tuberculosis infection in populations at increased risk. Tobacco use regardless of diagnosis code Procedures Code(s): 86580, 99211 Diagnosis Code: ICD 10: R76.11, R76.12, Z11.1, Z20.1, Z00.129 Syphilis screening: The USPSTF Procedure Code(s): Syphilis Screening: Syphilis Screening: Syphilis Screening: Procedure Code(s): Syphilis Screening: Syphilis Screening: | interventions: children | recommends that | Interventions: | code requirements for |
| education or brief counseling, to prevent initiation of tobacco use in school-aged children and adolescents. Tuberculosis screening: The USPSTF recommends screening for latent tuberculosis infection in populations at increased risk. Syphilis screening: The USPSTF The USPSTF Procedures Code(s): R6580, 99211 Diagnosis Code: ICD 10: R76.11, R76.12, Z11.1, Z20.1, Z00.129 Syphilis screening: The USPSTF Procedure Code(s): Syphilis Screening: Syphilis Screening: Syphilis Screening: | and adolescents | clinicians provide | 99401, 99402, 99403, | preventive benefit. |
| counseling, to prevent initiation of tobacco use in school-aged children and adolescents. Tuberculosis screening: The USPSTF adults Toberculosis screening: Toberculosis screening: The USPSTF Toberculosis precommends screening for latent tuberculosis infection in populations infection in populations at increased risk. Toberculosis screening: The USPSTF Toberculosis Code(s): Toberculosis screening: Toberculo | | interventions, including | 99404, 99406, 99407 | |
| initiation of tobacco use in school-aged children and adolescents. Tuberculosis screening: The USPSTF adults Tecommends screening for latent tuberculosis infection in populations at increased risk. The USPSTF Procedures Code(s): 86580, 99211 Diagnosis Code: ICD 10: R76.11, R76.12, Z11.1, Z20.1, Z00.129 Syphilis screening: The USPSTF Procedure Code(s): Syphilis Screening: Syphilis Screening: The USPSTF Procedure Code(s): Syphilis Screening: | | education or brief | Diagnosis Code(s): | |
| in school-aged children and adolescents. Tuberculosis screening: The USPSTF recommends screening for latent tuberculosis infection in populations at increased risk. Syphilis screening: The USPSTF The USPSTF R76.12, Z11.1, Z20.1, Z00.129 Syphilis screening: The USPSTF Th | | counseling, to prevent | Payable as preventive | |
| Tuberculosis screening: and adolescents. The USPSTF recommends screening for latent tuberculosis infection in populations at increased risk. Syphilis screening: The USPSTF T | | initiation of tobacco use | regardless of diagnosis | |
| Tuberculosis screening: adults recommends screening for latent tuberculosis infection in populations at increased risk. Syphilis screening: The USPSTF Procedures Code(s): 86580, 99211 Diagnosis Code: ICD 10: R76.11, R76.12, Z11.1, Z20.1, Z00.129 Syphilis screening: Procedure Code(s): Syphilis Screening: Syphilis Screening: | | in school-aged children | code | |
| adults recommends screening for latent tuberculosis infection in populations at increased risk. R76.12, Z11.1, Z20.1, Z00.129 Syphilis screening: nonpregnant persons R6580, 99211 Diagnosis Code: ICD 10: R76.11, R76.12, Z11.1, Z20.1, Z00.129 Procedure Code(s): Syphilis Screening: | | and adolescents. | | |
| for latent tuberculosis infection in populations at increased risk. Syphilis screening: nonpregnant persons Piagnosis Code: ICD 10: R76.11, R76.12, Z11.1, Z20.1, Z00.129 Procedure Code(s): Syphilis Screening: Syphilis Screening: | Tuberculosis screening: | The USPSTF | Procedures Code(s): | |
| infection in populations at increased risk. R76.12, Z11.1, Z20.1, Z00.129 Syphilis screening: The USPSTF Procedure Code(s): Syphilis Screening: Syphilis Screening: | adults | recommends screening | 86580, 99211 | |
| at increased risk. R76.12, Z11.1, Z20.1, Z00.129 Syphilis screening: The USPSTF recommends screening Syphilis Screening: Syphilis Screening: | | for latent tuberculosis | Diagnosis Code: | |
| Z00.129 Syphilis screening: The USPSTF Procedure Code(s): nonpregnant persons recommends screening Syphilis Screening: | | infection in populations | ICD 10: R76.11, | |
| Syphilis screening: The USPSTF Procedure Code(s): nonpregnant persons recommends screening Syphilis Screening: | | at increased risk. | R76.12, Z11.1, Z20.1, | |
| nonpregnant persons recommends screening Syphilis Screening: | | | Z00.129 | |
| | Syphilis screening: | The USPSTF | Procedure Code(s): | |
| for syphilis infection in 86592, 86593 | nonpregnant persons | recommends screening | Syphilis Screening: | |
| | | for syphilis infection in | 86592, 86593 | |
| persons who are at Blood draw: | | persons who are at | Blood draw: | |
| increased risk for 36415, 36416 | | increased risk for | 36415, 36416 | |
| infection. Diagnosis Code(s): | | infection. | Diagnosis Code(s): | |
| ICD-10: Z00.00, Z00.01, | | | ICD-10: Z00.00, Z00.01, | |
| Z11.2, Z11.3, Z11.9, | | | Z11.2, Z11.3, Z11.9, | |
| Z20.2 | | | Z20.2 | |
| | | | | |
| | | | | |
| Syphilis screening: The USPSTF Procedure Code(s): Syphilis Screening: | Syphilis screening: | The USPSTF | Procedure Code(s): | Syphilis Screening: |
| pregnant women recommends that Syphilis Screening: Payable with a | pregnant women | recommends that | Syphilis Screening: | Payable with a |
| clinicians screen all 86592, 86593 Pregnancy Diagnosis | | clinicians screen all | 86592, 86593 | Pregnancy Diagnosis |
| Blood draw: Code or | | | Blood draw: | Code or |



Certain codes may not be payable in all circumstances due to other policies or guidelines. For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer

| | n administrator. For prevent | ive care medications refer |
|----------------------------|--|--|
| pregnant women for | 36415, 36416 | One of the Screening |
| syphilis infection. | Diagnosis Code(s): | Diagnosis Code listed in |
| | Pregnancy: | this row. |
| | Pregnancy Diagnosis | Blood draw: |
| | Code or Screening: | Payable when billed with |
| | ICD-10: Z00.00, Z00.01, | both of the following: |
| | Z11.2, Z11.3, Z11.9, | 1. With one of the listed |
| | Z20.2 | Syphilis Screening |
| | | procedure codes listed in |
| | | this row and |
| | | 2. With one of the |
| | | following: |
| | | o one of the listed |
| | | Screening diagnosis |
| | | codes in this row or with |
| | | a Pregnancy Diagnosis |
| | | Code refer to Appendix |
| | | Section. |
| The USPSTF | Procedure Code(s): | Age Limit (99173, |
| recommends vision | 99173, 99174, 99177 | 99174 and 99177): |
| screening at least once in | Diagnosis Code(s): | Less than age 6 years |
| all children ages 3 to 5 | See Criteria column. | (ends on 6th birthday). |
| years to detect | | Code 99173: |
| amblyopia or its risk | | Does not have diagnosis |
| factors. | | code requirements for |
| | | preventive benefit to |
| | | apply. |
| | | Code 99174 and 99177: |
| | | for ocular diagnosis |
| | | codes refer to Appendix |
| | | Section |
| | The USPSTF recommends vision screening at least once in all children ages 3 to 5 years to detect amblyopia or its risk | pregnant women for syphilis infection. Diagnosis Code(s): Pregnancy: Pregnancy Diagnosis Code or Screening: ICD-10: Z00.00, Z00.01, Z11.2, Z11.3, Z11.9, Z20.2 The USPSTF recommends vision screening at least once in all children ages 3 to 5 years to detect amblyopia or its risk 36415, 36416 Diagnosis Code(s): Pregnancy: Pregnancy: Pregna |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| to pharmacy plan administ | | | |
|---------------------------|----------------------------|---------------------------|---------------------------|
| Hypothyroidism | The USPSTF | Hypothyroidism | Newborn Screenings: |
| screening: newborns | recommends screening | Screening: | Age $0-90$ days |
| | for congenital | 84437, 84443 | Does not have diagnosis |
| | hypothyroidism in | Blood draw: | code requirements for |
| | newborns. | 36415, 36416 | preventive benefit to |
| | | ICD 10: | apply. |
| | | Payable as preventive | |
| | | regardless of diagnosis | Blood draw: |
| | | code | Age 0-90 days, payable |
| | | | when billed with one of |
| | | | the listed |
| | | | Hypothyroidism |
| | | | Screening, |
| | | | Phenylketonuria |
| | | | Screening, or Sickle Cell |
| | | | Screening procedure |
| | | | codes. |
| Gonorrhea prophylactic | The USPSTF | Procedure Code(s): | |
| medication: newborns | recommends | 99381 | |
| | prophylactic ocular | ICD 10: | |
| | topical medication for all | Z00.121, Z00.129 | |
| | newborns for the | | |
| | prevention of gonococcal | | |
| | ophthalmia neonatorum. | | |
| Phenylketonuria | The USPSTF | Phenylketonuria | Newborn Screenings: |
| screening: newborns | recommends screening | Screening: | Age 0 – 90 days |
| | for phenylketonuria in | S3620, 84030 | Does not have diagnosis |
| | newborns. | Blood draw: | code requirements for |
| | | 36415, 36416 | preventive benefit to |
| | | | apply. |
| | | | Blood draw: |
| | | | Age 0-90 days, payable |
| L | 1 | l | 1 |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

| For preventive care med to pharmacy plan admin | ications refer to pharmacy pla istrator. | n administrator. For preven | tive care medications refer |
|--|---|-----------------------------|---|
| | | | when billed with one of |
| | | | the listed |
| | | | Hypothyroidism |
| | | | Screening, |
| | | | Phenylketonuria |
| | | | Screening, or Sickle Cell |
| | | | Screening procedure |
| | | | codes. |
| Hemoglobinopathies | The USPSTF | Procedures Code(s): | |
| screening: newborns | recommends screening | 85013, 85014, 85018, | |
| | for sickle cell disease in | 85025, 85027, 85041, | |
| | newborns. | G0306, G0307 | |
| | | ICD 10: | |
| | | Z00.129, Pregnancy | |
| | | diagnosis codes | |
| Metabolic screening: | | Procedures Code(s): | Newborn Screenings: |
| newborn | | 80047, 80048, 80053, | Age 0 – 90 days |
| | | 82016, 82017, 82136, | |
| | | 82261, 82775, 83020, | |
| | | 83498, 83516, 84030, | |
| | | 84437, 84443, S3620 | |
| | | ICD 10: | |
| | | Z00.129 | |
| Hearing Test | USPSTF Rating (July | Procedure Code(s): | Newborn Screenings: |
| | 2008): B | 92551, 92552, 92553, | Age 0-90 days. Does not |
| | Hearing Screening: | 92558, 92585, 92586, | have diagnosis |
| | Screening for | 92587, 92588, V5008 | code requirements for the |
| | hearing loss in all | Diagnosis Code(s): | preventive |
| | newborn | Z00.00, Z00.01, Z00.129, | benefit to apply Ages 91 days to 21 years |
| | infants | Z77.011 | (ends on 22nd |
| | | | (|



Certain codes may not be payable in all circumstances due to other policies or guidelines.

For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer

| to pharmacy plan adminis | trator. | | |
|--------------------------|----------------------------|---------------------------|----------------------------|
| | | | birthday). Requires one of |
| | | | the diagnosis |
| | | | codes listed in this row. |
| | | | Limit of once per year |
| Lead Screening | Screening Lab Work: | Procedure Code(s): | Ages 6 months through |
| | Conduct risk | 83655 | age 6 years (ends on 7th |
| | assessment or screening, | Diagnosis Code(s): | birthday). No frequency |
| | as appropriate, at the | Z00.121, Z00.129, Z77.011 | limit. Requires one of the |
| | following intervals: 12 | | diagnosis codes listed in |
| | months and 24 months. | | this row |
| Screening for Visual | The USPSTF | Procedure Code(s): | Code 99173 Does not |
| Impairment in Children | recommends vision | 99173, 99174, 99177 | have diagnosis code |
| | screening at least once in | | requirements for |
| | all children aged 3 to 5 | | preventives benefit to |
| | years to detect | | apply |
| | amblyopia or its risk | | For Codes 99174 and |
| | factors. | | 99177 |
| | | | Age 1 to 5 (ends on 6th |
| | | | birthday): Does not have |
| | | | diagnosis code |
| | | | requirements for |
| | | | preventive benefits to |
| | | | apply. |
| | | | Age 6 to 21 years (ends |
| | | | on 22nd birthday): Refer |
| | | | to the ocular diagnoses |
| Autism screening | | Procedure Code(s): | Ages prenatal to 2 years |
| | | 96110, G0451 | (ends on 3rd birthday). |
| | | Diagnosis Code(s): | No frequency limit. |
| | | Z00.121, Z00.129, | Requires one of the |
| | | Z13.40, Z13.41, Z13.42, | diagnosis codes listed in |
| | | Z13.49 | this row. |
| | 1 | l | <u> </u> |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer

| to pharmacy plan administrator. | | |
|---------------------------------|---------------------------|---------------------------|
| Wellness Examinations | Procedure Code(s): | G0445 is limited to twice |
| (well baby, well child, | Wellness visit: | per year. |
| well adult) | 99201 – 99205, 99211 – | G0344 is limited to new |
| | 99215, | beneficiary during the |
| | Medicare wellness | first six months of |
| | exams: G0101, G0402, | enrollment |
| | G0438, G0439 | |
| | STIs behavioral | |
| | counseling: G0445 | |
| | S0610, S0612, S0613 | |
| | Preventive medicine | |
| | services (evaluation and | |
| | management): 99381, | |
| | 99382, 99383, 99384, | |
| | 99385, 99386, 99387, | |
| | 99391, 99392, 99393, | |
| | 99394, 99395, 99396, | |
| | 99397 | |
| | Preventive medicine, | |
| | individual counseling: | |
| | 99401, 99402, 99403, | |
| | 99404 | |
| | Preventive medicine, | |
| | group counseling: 99411, | |
| | 99412 | |
| | Newborn Care | |
| | (evaluation and | |
| | management): 99461 | |
| | Diagnosis Code(s): | |
| | Does not have diagnosis | |
| | code requirements for | |
| | î | |



Certain codes may not be payable in all circumstances due to other policies or guidelines.

For preventive care medications refer to pharmacy plan administrator. For preventive care medications refer

| rator. | | |
|--------------------------|---|--|
| | the preventive benefit to | |
| | apply | |
| The U.S. Preventive | Procedure Code(s): | Prostate-specific antigen |
| Services Task Force | Code Group 1: | (PSA) screening a |
| (USPSTF) recommends | G0102, G0103 | medically necessary |
| that adults between 55 | Blood draw: | preventive service for |
| and 69 should discuss | 36415, 36416 | men 45 years of age and |
| the pros and cons of PSA | | older who are |
| screening with their | Code Group 2: | considered average-risk |
| doctor before making a | (requires diagnosis | for prostate cancer, and |
| decision about | code) | for men 40 years of age |
| screening. People who | 84152, 84153, 84154 | and older who are |
| are 70 and older should | Blood draw: | considered at high-risk |
| not have routine PSA | 36415, 36416 | for prostate cancer. |
| screenings for prostate | | Note : Routine prostate |
| cancer. | Diagnosis Code(s): | cancer screening for |
| | Code Group 1: | members 75 years of |
| | C61, D07.5, D29.1, | age or older is |
| | D40.0, N40.0, N40.1, | considered not medically |
| | N40.2, N40.3, N41.0, | necessary unless life |
| | N41.1,N41.2, N41.3, | expectancy is greater |
| | N41.4, N41.8, N41.9, | than or equal to 10 |
| | N42.1, N42.31, N42.32, | years. |
| | N42.39, N42.81, N42.89, | |
| | R86.0, R86.7, R86.8, | |
| | R97.20, R97.21, Z12.5, | |
| | Z15.03, Z80.42, Z85.46, | |
| | Z87.430 | |
| | The U.S. Preventive Services Task Force (USPSTF) recommends that adults between 55 and 69 should discuss the pros and cons of PSA screening with their doctor before making a decision about screening. People who are 70 and older should not have routine PSA screenings for prostate | the preventive benefit to apply The U.S. Preventive Services Task Force (USPSTF) recommends that adults between 55 and 69 should discuss the pros and cons of PSA screening with their doctor before making a decision about screening. People who are 70 and older should not have routine PSA screenings for prostate cancer. Diagnosis Code(s): Code Group 1: (requires diagnosis de152, 84153, 84154 Blood draw: 36415, 36416 Blood draw: 36415, 36416 Code Group 1: Code Group 2: Code Group 1: Cod |



APPENDICES

First MEDICAL HEALTH PLAN INC.

Preventive Immunizations

An immunization (vaccine) that does not fall under one of the exclusions in the Certificate of Coverage is considered covered after the following conditions are satisfied:

(1) FDA approval; or

(2) Explicit ACIP recommendation published in the Morbidity & Mortality Weekly Report (MMWR) of the CDC. Implementation will typically occur within 60 days after publication in the MMWR. In the case of a public health emergency (as defined by the CDC or local public health departments).

First Medical may choose to apply preventive benefits to a new vaccine if the vaccine has FDA approval, even if an ACIP recommendation has not been announced.

NOTE:

- Trade Name(s) <u>column:</u> brand names/trade names are included, when available, **as examples** for convenience only. Coverage pursuant to this Coverage Determination Guideline is based solely on the procedure codes.
- Age Group <u>column</u>: This column is provided for **informational use only**. For purposes of this document: Adult means 18 years of age and up; Pediatric means 0-18 years of age.
- Benefit Limits <u>column</u>: Benefit Limits in bold text are from FDA labeling and ACIP recommendations. <u>Codes that indicate "For applicable age see code description" are limited to the age(s) listed in the code description.</u>



Preventive Immunizations (Vaccines)

These codes do not have a diagnosis code requirement for preventive benefits to apply

| Category: | Code(s): | Description: | Trade Name(s) (See Note above) | Age Group: • Adult (18yr.+) • Pediatric (0-18yr),Both | Benefit Limits: Age/Other (See Note above) |
|--|---------------------------|--|--------------------------------------|---|---|
| Immunization Administration Preventive when included as part of a preventive | 90460 | Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; first or only component of each vaccine or toxoid administered. | n/a | Pediatric | For applicable age see code description. |
| immunization. | 90461 | Immunization administration through 18 years of age via any route of administration, with counseling by physician or other qualified health care professional; each additional vaccine or toxoid component administered (List separately in addition to code for primary procedure). | n/a | Pediatric | For applicable age see code description. |
| | 90471 | Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); one vaccine (single or combination vaccine/toxoid). | n/a | Both | - |
| | 90472 | Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); each additional vaccine (single or combination vaccine/toxoid) (List separately in addition to code for primary procedure). | n/a | Both | - |
| | 90473 | Immunization administration by intranasal or oral route; one vaccine (single or combination vaccine/toxoid). | n/a | Both | - |
| | 90474 | Immunization administration by intranasal or oral route; each additional vaccine (single or combination vaccine/toxoid) (List separately in addition to code for primary procedure). | n/a | Both | - |
| | G0008 | Administration of influenza virus vaccine. | n/a | Both | - |
| | G0009 | Administration of pneumococcal vaccine. | n/a | Both | - |
| | G0010 | Administration of hepatitis B vaccine. | n/a | Both | - |
| | 0771 (revenue code) | Vaccine administration. | n/a | Both | - |
| Meningococcal | 90620 | Meningococcal recombinant protein and outer membrane vesicle vaccine, Serogroup B, 2 dose schedule, for intramuscular use. | Bexsero® | Both | Benefit Limit: Age 10 and up |
| | 90621 | Meningococcal recombinant lipoprotein vaccine, serogroup B, 3 dose schedule, for intramuscular use. | Trumenba® | Both | Benefit Limit: Age 10 and up |
| | 90644 | Meningococcal conjugate vaccine, serogroups C & Y and Haemophilus influenza b vaccine (Hib-MenCY), 4 dose schedule, when administered to children 2-15 months of age, for intramuscular use. | MenHibrix® | Pediatric | For applicable age see code description. |



Preventive Immunizations (Vaccines)

These codes do not have a diagnosis code requirement for preventive benefits to apply.

| These codes do | not nave a | diagnosis code requirement for preventive be | enetits to apply. | | |
|-----------------------------------|------------|---|--------------------------------------|---|--|
| Category: | Code(s): | Description: | Trade Name(s) (See Note above) | Age Group: • Adult (18yr.+) • Pediatric (0-18yr),Both | Benefit Limits: Age/Other (See Note above) |
| | 90733 | Meningococcal polysaccharide vaccine, serogroups A, C, Y, W-135, quadrivalent (MPSV4) for subcutaneous use. | Menomune® | Both | - |
| | 90734 | Meningococcal conjugate vaccine, serogroups A, C, Y and W-135, quadrivalent (MenACWY), for intramuscular use. | Menactra® Menveo® | Both | - |
| Hepatitis A | 90632 | Hepatitis A vaccine (HepA), adult dosage, for intramuscular use. | Havrix® VAQTA® | Adult | For applicable age see code description. |
| | 90633 | Hepatitis A vaccine (HepA), pediatric/ adolescent dosage-2 dose schedule, for intramuscular use. | Havrix® VAQTA® | Pediatric | For applicable age see code description. |
| | 90634 | Hepatitis A vaccine (HepA), Pediatric/adolescent dosage-3 dose schedule, for intramuscular use. | Havrix® | Pediatric | For applicable age see code description. |
| | 90636 | Hepatitis A and hepatitis B vaccine (HepA-HepB), adult dosage, for intramuscular use. | Twinrix® | Adult | For applicable age see code description. |
| Haemophilus influenza b (Hib): | 90647 | Haemophilus influenza b vaccine (Hib), PRP- OMP conjugate, 3 dose schedules, for intramuscular use. | PedvaxHIB® | Both | - |
| | 90648 | Haemophilus influenza b vaccine (Hib), PRP-T conjugate, 4 dose schedules, for intramuscular use. | ActHIB® Hiberix® | Both | - |
| Human Papilloma Virus (HPV) | 90649 | Human Papilloma virus vaccine, types 6, 11, 16, 18, quadrivalent (HPV4), 3 dose schedule, for intramuscular use. | Gardasil4® | Both | Benefit Limit: Ages 9-45yrs*. Ends on 46th birthday. *CDC and FDA recommended ages |
| | 90650 | Human Papilloma virus vaccine, types 16, 18, bivalent (HPV2), 3 dose schedule, for intramuscular use. | Cervarix® | Both | Benefit Limit: Ages 9-45yrs*. Ends on 46 th birthday. *CDC and FDA recommended ages |



Preventive Immunizations (Vaccines) These codes do not have a diagnosis code.

| These codes do i | not have a | diagnosis code requirement for preventive be | enefits to apply. | | |
|---|------------|---|--|---|--|
| Category: | Code(s): | Description: | Trade Name(s) (See Note above) | Age Group: • Adult (18yr.+) • Pediatric (0-18yr),Both | Benefit Limits: Age/Other (See Note above) |
| | 90651 | Human Papillomavirus vaccine types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonavalent (9vHPV), 3 dose schedule, for intramuscular use. | Gardasil9® | Both | Benefit Limit: Ages 9-45yrs*. Ends on 46 th birthday. *CDC and FDA recommended ages |
| Seasonal Influenza ('flu') | 90630 | Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, for intradermal use. | Fluzone ® Intradermal Quadrivalent | Both | - |
| | 90653 | Influenza vaccine, inactivated (IIV), subunit, adjuvanted, for intramuscular use. | - | Both | - |
| Note: Additional new seasonal flu Immunization | 90654 | Influenza virus vaccine, trivalent (IIV3), split virus, preservative-free, for intradermal use. | Fluzone ® Intradermal Trivalent | Adult | Benefit Limit: 18 years – 64 years. Ends on 65th birthday. |
| codes that are recently FDA- approved, but are not listed here, may be eligible for | 90655 | Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, when administered to children 6-35 months of age, for intramuscular use. | Fluzone ® No Preservativ e Pediatric | Pediatric | For applicable age see code description. |
| preventive benefits as of the FDA approval date. | 90656 | Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, when administered to individuals 3 years and older, for intramuscular use. | Afluria® Fluzone® No preservative Fluvirin® Fluarix® Flulaval® | Both | For applicable age see code description. |
| | 90657 | Influenza virus vaccine, trivalent (IIV3), split virus, when administered to children 6-35 months of age, for intramuscular use. | Fluzone® | Pediatric | For applicable age see code description. |
| | 90658 | Influenza virus vaccine, trivalent (IIV3), split virus, when administered to individuals 3 years of age and older, for intramuscular use. | Afluria® Flulaval® Fluvirin® Fluzone® | Both | For applicable age see code description. |
| | 90660 | Influenza virus vaccine, trivalent, live (LAIV3), for intranasal use. | Flumist® | Both | Benefit Limit: Ages 2 – 49 Years. Ends on 50th birthday. |
| | 90661 | Influenza virus vaccine (ccIIV3), derived from cell cultures, subunit, preservative and antibiotic free, for intramuscular use. | Flucelvax® | Adult | Benefit Limit: Ages 18 years and up. |
| | 90662 | Influenza virus vaccine (IIV), split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use. | High Dose Fluzone ® | Adult | Benefit Limit: Ages 65 years and up. |



Preventive Immunizations (Vaccines)

These codes do not have a diagnosis code requirement for preventive benefits to apply

| Category: | Code(s): | Description: | Trade Name(s) (See Note above) | Age Group: • Adult (18yr.+) • Pediatric (0-18yr),Both | Benefit Limits Age/Other (See Note above) |
|-----------|----------|--|---|---|--|
| | 90664 | Influenza virus vaccine, live (LAIV), pandemic formulation, for intranasal use. | Flumist® | Both | Benefit Limit: Ages 2 – 49 Years. Ends 50th birthday. |
| | 90666 | Influenza virus vaccine (IIV), pandemic formulation, split virus, preservative free, for intramuscular use. | - | Both | - |
| | 90667 | Influenza virus vaccine (IIV), pandemic formulation, split virus, adjuvanted, for intramuscular use. | - | Both | - |
| | 90668 | Influenza virus vaccine (IIV), pandemic formulation, split virus, for intramuscular use. | - | Both | - |
| | 90672 | Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal use. | • Flumist ® (LAIV4) | Both | Benefit Limit Ages 2 – 49 Years. Ends 50 th birthday |
| | 90673 | Influenza virus vaccine, trivalent (RIV3), derived from recombinant DNA (RIV3), hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use. | Flublok ® | Adult | Benefit Limit Age 18 years up. |
| | 90674 | Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, preservative and antibiotic-free, 0.5 mL dosage, for intramuscular use. | • Flucelvax (cclIV4) | | 4 years or older. |
| | 90682 | Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use. | Flublok Quadrivalent | Adult | Benefit limit: Age 18 years and up. |
| | 90685 | Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, when administered to children 6-35 months of age, for intramuscular use. | Fluzone® | Pediatric | For applicable age see code description. |
| | 90686 | Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, when administered to individuals 3 years of age and older, for intramuscular use. | Fluarix® Flulaval® Fluzone Quadrivalent ® | Both | For applicable age see code description. |
| | 90687 | Influenza virus vaccine, quadrivalent (IIV4), split virus, when administered to children 6- 35 months of age, for intramuscular use. | Fluzone Quadrivalent ® | Pediatric | For applicable age see code description. |
| | 90688 | Influenza virus vaccine, quadrivalent (IIV4), split virus, when administered to individuals 3 years of age and older, for intramuscular use. | Flulaval® Fluzone Quadrivalent ® | Both | For applicable age see code description. |



Preventive Immunizations (Vaccines) These codes do not have a diagnosis code

| | | | Tuesde Nieuw () | Age Group: | Benefit Limits: |
|--|----------|--|---|--|--|
| Category: | Code(s): | Description: | Trade Name(s) (See Note above) | Adult (18yr.+)Pediatric (0-18yr),Both | Age/Other (See Note above) |
| | 90689 | Influenza virus vaccine quadrivalent (IIV4), inactivated, adjuvanted, preservative free, 0.25mL dosage, for intramuscular use | | Both | For applicable age see code description. |
| | 90756 | Influenza virus vaccine, quadrivalent (cciiv4), derived from cell cultures, subunit, and antibiotic. | Flucelvax Quadrivalent ® (nonpreservative free) | Both | For applicable age see code description. |
| | Q2034 | Influenza virus vaccine, split virus, for intramuscular use (Agriflu). | Agriflu ® | Adult | Benefit Limit: Ages 18 years and up. |
| | Q2035 | Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (AFLURIA). | Afluria ® | Both | For applicable age see code description. |
| | Q2036 | Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (FLULAVAL). | Flulaval® | Both | For applicable age see code description. |
| | Q2037 | Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (FLUVIRIN). | Fluvirin ® | Both | For applicable age see code description. |
| | Q2038 | Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (Fluzone). | Fluzone ® | Both | For applicable age see code description. |
| | Q2039 | Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (not otherwise specified). | - | Both | For applicable age see code description. |
| Pneumococcal polysaccharide (PPSV23) | 90732 | Pneumococcal polysaccharide vaccine, 23-valent (PPSV23), adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use. | • Pneumovax 23® | Both | For applicable age see code description. |
| Pneumococcal conjugate | 90670 | Pneumococcal conjugate vaccine, 13 valent (PCV13), for intramuscular use | Prevnar 13 | Both | - |
| | 90680 | Rotavirus vaccine, pentavalent (RV5), 3 dose schedule, lives, for oral use. | ROTATEQ® | Both | 0 – 8 month old |



Preventive Immunizations (Vaccines)

These codes do not have a diagnosis code requirement for preventive benefits to apply

| Category: | Code(s): | Description: | Trade Name(s) (See Note above) | Age Group: • Adult (18yr.+) • Pediatric (0-18yr),Both | Benefit Limits: Age/Other (See Note above) |
|---|----------|--|--------------------------------------|---|---|
| Rotavirus | 90681 | Rotavirus vaccine, human, attenuated (RV1), 2 dose schedule, live, for oral use. | Rotarix® | Both | 0 – 8 month old |
| Diphtheria, tetanus toxoids, acellular pertussis and polio inactive (DTap-IPV) | 90696 | Diphtheria, tetanus toxoids, acellular pertussis vaccine and inactivated poliovirus vaccine (DTaP-IPV), when administered to children 4 through 6 years of age, for intramuscular use. | Kinrix® Quadracel® | Pediatric | For applicable age see code description. |
| Diphtheria, tetanus toxoids, acellular pertussis, haemophilu s influenza B, and polio inactive (DTap-IPV/Hib) | 90698 | Diphtheria, tetanus toxoids, acellular pertussis vaccine, haemophilus influenzae Type b, and inactivated poliovirus vaccine (DTaP – IPV/Hib), for intramuscular use. | Pentacel® | Both | - |
| Diphtheria, tetanus, acellular pertussis (DTap) | 90700 | Diphtheria, tetanus toxoids, and acellular pertussis vaccine (DTaP), when administered to individuals younger than 7 years, for intramuscular use. | Daptacel® Infanrix® | Pediatric | For applicable age see code description. |
| Diphtheria and tetanus (DT) | 90702 | Diphtheria and tetanus toxoids adsorbed (DT) when administered to individuals younger than 7 years, for intramuscular use. | - | Pediatric | For applicable age see code description. |
| Measles, Mumps, Rubella (MMR) combination or | 90707 | Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use. | MMR II | Both | - |
| individual | 90710 | Measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use. | ProQuad® | Both | - |
| Polio (IPV) | 90713 | Poliovirus vaccine, inactivated (IPV), for subcutaneous or intramuscular use. | • Ipol® | Both | - |



Preventive Immunizations (Vaccines)

| | | | Trade Name(s) | Age Group: | Benefit Limits |
|---|----------|---|---|--|---|
| Category: | Code(s): | Description: | (See Note above) | Adult (18yr.+)Pediatric (0-18yr),Both | Age/Other (See Note above) |
| Tetanus and diphtheria (Td) | 90714 | Tetanus and diphtheria toxoids adsorbed (Td), preservative free, when administered to individuals 7 years or older, for intramuscular use. | Tenivac® Decavac® | Both | For applicable age see code description. |
| Tetanus, diphtheria toxoids and acellular pertussis (Tdap) | 90715 | Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to individuals 7 years or older, for intramuscular use. | Adacel® Boostrix® | Both | For applicable age see code description. |
| Varicella (VAR) ('chicken pox') | 90716 | Varicella virus vaccine (VAR), live, for subcutaneous use. | Varivax® | Both | - |
| Diphtheria, tetanus and acellular pertussis, hep B, and polio inactive (DTaP-HepB- IPV) | 90723 | Diphtheria, tetanus toxoids, acellular pertussis vaccine, hepatitis B, and inactivated poliovirus vaccine (DTaP-HepB-IPV), for intramuscular use. | PEDIARIX® | Both | Benefit Limit: Ages 0- 6yrs. Ends on 7th birthday. |
| Zoster / Shingles (HZV) | 90736 | Zoster (shingles) vaccine (HZV), live, for subcutaneous injection. | Zostavax | Adult | Benefit Limit: Age 60 years and up |
| | 90750 | Influenza virus vaccine, quadrivalent (cciiv4), derived from cell cultures, subunit, antibiotic free, 0.5 ml dosage, for intramuscular use. | • | Both | For applicable age see code description. |
| Hepatitis B | 90740 | Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 3 dose schedule, for intramuscular use. | Recombivax HB® | Both | - |
| | 90743 | Hepatitis B vaccine (HepB), adolescent, 2 dose schedule, for intramuscular use. | Recombivax HB® | Pediatric (adolescent only) | For applicable age see code description. |
| | 90744 | Hepatitis B vaccine (HepB), Pediatric/adolescent dosage, 3 dose schedule, for intramuscular use. | Recombivax HB®Energix-B® | Pediatric | For applicable age see code |
| | 90746 | Hepatitis B vaccine (HepB), adult dosage, 3 dose schedule, for intramuscular use. | Recombivax HB® Energix-B® | Adult | For applicable age see code description. |
| | 90747 | Hepatitis B vaccine (HepB), dialysis or immunosuppressed patient dosage, 4 dose schedule, for intramuscular use. | Energix-B® | Both | - |



Preventive Immunizations (Vaccines) These codes do not have a diagnosis code requirement for preventive benefits to apply. Benefit Limits: Trade Name(s) (See Note above) Age Group: Category: Code(s): Description: • Adult (18yr.+) Age/Other Pediatric (See Note (0-18yr),Both above) Hepatitis B and Haemophilus influenza b Comvax® 90748 Both vaccine (Hib-HepB), for intramuscular use.



Pregnancy Diagnosis Code List

| ICD 10 | Description |
|--------|--|
| O0000 | Abdominal pregnancy without intrauterine pregnancy |
| O0001 | Abdominal pregnancy with intrauterine pregnancy |
| O00101 | Right tubal pregnancy without intrauterine pregnancy |
| O00102 | Left tubal pregnancy without intrauterine pregnancy |
| O00109 | Unspecified tubal pregnancy without intrauterine pregnancy |
| O00111 | Right tubal pregnancy with intrauterine pregnancy |
| O00112 | Left tubal pregnancy with intrauterine pregnancy |
| O00119 | Unspecified tubal pregnancy with intrauterine pregnancy |
| O00201 | Right ovarian pregnancy without intrauterine pregnancy |
| O00202 | Left ovarian pregnancy without intrauterine pregnancy |
| O00209 | Unspecified ovarian pregnancy without intrauterine pregnancy |
| O00211 | Right ovarian pregnancy with intrauterine pregnancy |
| O00212 | Left ovarian pregnancy without intrauterine pregnancy |
| O00219 | Unspecified ovarian pregnancy with intrauterine pregnancy |
| O0080 | Other ectopic pregnancy without intrauterine pregnancy |
| O0081 | Other ectopic pregnancy with intrauterine pregnancy |
| O0090 | Unspecified ectopic pregnancy without intrauterine pregnancy |
| O0091 | Unspecified ectopic pregnancy with intrauterine pregnancy |
| O010 | Classical hydatidiform mole |
| O011 | Incomplete and partial hydatidiform mole |
| O019 | Hydatidiform mole, unspecified |
| O020 | Blighted ovum and nonhydatidiform mole |
| O021 | Missed abortion |
| O0281 | Inappropriate change in quantitative human chorionic gonadotropin (hCG) in early pregnancy |
| O0289 | Other abnormal products of conception |
| O029 | Abnormal product of conception, unspecified |
| O030 | Genital tract and pelvic infection following incomplete spontaneous abortion |
| O031 | Delayed or excessive hemorrhage following incomplete spontaneous abortion |
| O032 | Embolism following incomplete spontaneous abortion |
| O0330 | Unspecified complication following incomplete spontaneous abortion |
| O0331 | Shock following incomplete spontaneous abortion |
| O0332 | Renal failure following incomplete spontaneous abortion |
| O0333 | Metabolic disorder following incomplete spontaneous abortion |
| O0334 | Damage to pelvic organs following incomplete spontaneous abortion |
| O0335 | Other venous complications following incomplete spontaneous abortion |
| O0336 | Cardiac arrest following incomplete spontaneous abortion |
| O0337 | Sepsis following incomplete spontaneous abortion |
| O0338 | Urinary tract infection following incomplete spontaneous abortion |
| O0339 | Incomplete spontaneous abortion with other complications |



| ICD 10 | Description |
|--------|---|
| O034 | Incomplete spontaneous abortion without complication |
| O035 | Genital tract and pelvic infection following complete or unspecified spontaneous abortion |
| O036 | Delayed or excessive hemorrhage following complete or unspecified spontaneous abortion |
| O037 | Embolism following complete or unspecified spontaneous abortion |
| O0380 | Unspecified complication following complete or unspecified spontaneous abortion |
| O0381 | Shock following complete or unspecified spontaneous abortion |
| O0382 | Renal failure following complete or unspecified spontaneous abortion |
| O0383 | Metabolic disorder following complete or unspecified spontaneous abortion |
| O0384 | Damage to pelvic organs following complete or unspecified spontaneous abortion |
| O0385 | Other venous complications following complete or unspecified spontaneous abortion |
| O0386 | Cardiac arrest following complete or unspecified spontaneous abortion |
| O0387 | Sepsis following complete or unspecified spontaneous abortion |
| O0388 | Urinary tract infection following complete or unspecified spontaneous abortion |
| O0389 | Complete or unspecified spontaneous abortion with other complications |
| O039 | Complete or unspecified spontaneous abortion without complication |
| O045 | Genital tract and pelvic infection following (induced) termination of pregnancy |
| O046 | Delayed or excessive hemorrhage following (induced) termination of pregnancy |
| O047 | Embolism following (induced) termination of pregnancy |
| O0480 | (Induced) termination of pregnancy with unspecified complications |
| O0481 | Shock following (induced) termination of pregnancy |
| O0482 | Renal failure following (induced) termination of pregnancy |
| O0483 | Metabolic disorder following (induced) termination of pregnancy |
| O0484 | Damage to pelvic organs following (induced) termination of pregnancy |
| O0485 | Other venous complications following (induced) termination of pregnancy |
| O0486 | Cardiac arrest following (induced) termination of pregnancy |
| O0487 | Sepsis following (induced) termination of pregnancy |
| O0488 | Urinary tract infection following (induced) termination of pregnancy |
| O0489 | (Induced) termination of pregnancy with other complications |
| O070 | Genital tract and pelvic infection following failed attempted termination of pregnancy |
| O071 | Delayed or excessive hemorrhage following failed attempted termination of pregnancy |
| O072 | Embolism following failed attempted termination of pregnancy |
| O0730 | Failed attempted termination of pregnancy with unspecified complications |
| O0731 | Shock following failed attempted termination of pregnancy |
| O0732 | Renal failure following failed attempted termination of pregnancy |
| O0733 | Metabolic disorder following failed attempted termination of pregnancy |
| O0734 | Damage to pelvic organs following failed attempted termination of pregnancy |
| O0735 | Other venous complications following failed attempted termination of pregnancy |
| O0736 | Cardiac arrest following failed attempted termination of pregnancy |
| O0737 | Sepsis following failed attempted termination of pregnancy |
| O0738 | Urinary tract infection following failed attempted termination of pregnancy |
| O0739 | Failed attempted termination of pregnancy with other complications |



| Pregnancy Diagnosis Code List: | | |
|--------------------------------|--|--|
| ICD 10 | Description | |
| O074 | Failed attempted termination of pregnancy without complication | |
| O080 | Genital tract and pelvic infection following ectopic and molar pregnancy | |
| O081 | Delayed or excessive hemorrhage following ectopic and molar pregnancy | |
| O082 | Embolism following ectopic and molar pregnancy | |
| O083 | Shock following ectopic and molar pregnancy | |
| O084 | Renal failure following ectopic and molar pregnancy | |
| O085 | Metabolic disorders following an ectopic and molar pregnancy | |
| O086 | Damage to pelvic organs and tissues following an ectopic and molar pregnancy | |
| O087 | Other venous complications following an ectopic and molar pregnancy | |
| O0881 | Cardiac arrest following an ectopic and molar pregnancy | |
| O0882 | Sepsis following ectopic and molar pregnancy | |
| O0883 | Urinary tract infection following an ectopic and molar pregnancy | |
| O0889 | Other complications following an ectopic and molar pregnancy | |
| O089 | Unspecified complication following an ectopic and molar pregnancy | |
| O0900 | Supervision of pregnancy with history of infertility, unspecified trimester | |
| O0901 | Supervision of pregnancy with history of infertility, first trimester | |
| O0902 | Supervision of pregnancy with history of infertility, second trimester | |
| O0903 | Supervision of pregnancy with history of infertility, third trimester | |
| O0910 | Supervision of pregnancy with history of ectopic pregnancy, unspecified trimester | |
| O0911 | Supervision of pregnancy with history of ectopic pregnancy, first trimester | |
| O0912 | Supervision of pregnancy with history of ectopic pregnancy, second trimester | |
| O0913 | Supervision of pregnancy with history of ectopic pregnancy, third trimester | |
| O09A0 | Supervision of pregnancy with history of molar pregnancy, unspecified trimester | |
| O09A1 | Supervision of pregnancy with history of molar pregnancy, first trimester | |
| O09A2 | Supervision of pregnancy with history of molar pregnancy, second trimester | |
| O09A3 | Supervision of pregnancy with history of molar pregnancy, third trimester | |
| O09211 | Supervision of pregnancy with history of pre-term labor, first trimester | |
| O09212 | Supervision of pregnancy with history of pre-term labor, second trimester | |
| O09213 | Supervision of pregnancy with history of pre-term labor, third trimester | |
| O09219 | Supervision of pregnancy with history of pre-term labor, unspecified trimester | |
| O09291 | Supervision of pregnancy with other poor reproductive or obstetric history, first trimester | |
| O09292 | Supervision of pregnancy with other poor reproductive or obstetric history, second trimester | |
| O09293 | Supervision of pregnancy with other poor reproductive or obstetric history, third trimester | |
| O09299 | Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimeste | |
| O0930 | Supervision of pregnancy with insufficient antenatal care, unspecified trimester | |
| O0931 | Supervision of pregnancy with insufficient antenatal care, first trimester | |
| O0932 | Supervision of pregnancy with insufficient antenatal care, second trimester | |
| O0933 | Supervision of pregnancy with insufficient antenatal care, third trimester | |
| O0940 | Supervision of pregnancy with grand multiparity, unspecified trimester | |
| O0941 | Supervision of pregnancy with grand multiparity, first trimester | |
| O0942 | Supervision of pregnancy with grand multiparity, second trimester | |



| Pregnancy Diagnosis Code List: | |
|--------------------------------|--|
| ICD 10 | Description |
| O0943 | Supervision of pregnancy with grand multiparity, third trimester |
| O09511 | Supervision of elderly primigravida, first trimester |
| O09512 | Supervision of elderly primigravida, second trimester |
| O09513 | Supervision of elderly primigravida, third trimester |
| O09519 | Supervision of elderly primigravida, unspecified trimester |
| O09521 | Supervision of elderly multigravida, first trimester |
| O09522 | Supervision of elderly multigravida, second trimester |
| O09523 | Supervision of elderly multigravida, third trimester |
| O09529 | Supervision of elderly multigravida, unspecified trimester |
| O09611 | Supervision of young primigravida, first trimester |
| O09612 | Supervision of young primigravida, second trimester |
| O09613 | Supervision of young primigravida, third trimester |
| O09619 | Supervision of young primigravida, unspecified trimester |
| O09621 | Supervision of young multigravida, first trimester |
| O09622 | Supervision of young multigravida, second trimester |
| O09623 | Supervision of young multigravida, third trimester |
| O09629 | Supervision of young multigravida, unspecified trimester |
| O0970 | Supervision of high risk pregnancy due to social problems, unspecified trimester |
| O0971 | Supervision of high risk pregnancy due to social problems, first trimester |
| O0972 | Supervision of high risk pregnancy due to social problems, second trimester |
| O0973 | Supervision of high risk pregnancy due to social problems, third trimester |
| O09811 | Supervision of pregnancy resulting from assisted reproductive technology, first trimester |
| O09812 | Supervision of pregnancy resulting from assisted reproductive technology, second trimester |
| O09813 | Supervision of pregnancy resulting from assisted reproductive technology, third trimester |
| O09819 | Supervision of pregnancy resulting from assisted reproductive technology, unspecified trimester |
| O09821 | Supervision of pregnancy with history of in utero procedure during previous pregnancy, first trimester |
| O09822 | Supervision of pregnancy with history of in utero procedure during previous pregnancy, second trimester |
| O09823 | Supervision of pregnancy with history of in utero procedure during previous pregnancy, third trimester |
| O09829 | Supervision of pregnancy with history of in utero procedure during previous pregnancy, unspecified trimester |
| O09891 | Supervision of other high risk pregnancies, first trimester |
| O09892 | Supervision of other high risk pregnancies, second trimester |
| O09893 | Supervision of other high risk pregnancies, third trimester |
| O09899 | Supervision of other high risk pregnancies, unspecified trimester |
| O0990 | Supervision of high risk pregnancy, unspecified, unspecified trimester |
| O0991 | Supervision of high risk pregnancy, unspecified, first trimester |
| O0992 | Supervision of high risk pregnancy, unspecified, second trimester |
| O0993 | Supervision of high risk pregnancy, unspecified, third trimester |



| Pregnancy Diagnosis Code List: | |
|--------------------------------|--|
| ICD 10 | Description |
| O10011 | Pre-existing essential hypertension complicating pregnancy, first trimester |
| O10012 | Pre-existing essential hypertension complicating pregnancy, second trimester |
| O10013 | Pre-existing essential hypertension complicating pregnancy, third trimester |
| O10019 | Pre-existing essential hypertension complicating pregnancy, unspecified trimester |
| O1002 | Pre-existing essential hypertension complicating childbirth |
| O1003 | Pre-existing essential hypertension complicating the puerperium |
| O10111 | Pre-existing hypertensive heart disease complicating pregnancy, first trimester |
| O10112 | Pre-existing hypertensive heart disease complicating pregnancy, second trimester |
| O10113 | Pre-existing hypertensive heart disease complicating pregnancy, third trimester |
| O10119 | Pre-existing hypertensive heart disease complicating pregnancy, unspecified trimester |
| O1012 | Pre-existing hypertensive heart disease complicating childbirth |
| O1013 | Pre-existing hypertensive heart disease complicating the puerperium |
| O10211 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, first trimester |
| 010212 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, second trimester |
| O10213 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, third trimester |
| O10219 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, unspecified trimester |
| O1022 | Pre-existing hypertensive chronic kidney disease complicating childbirth |
| O1023 | Pre-existing hypertensive chronic kidney disease complicating the puerperium |
| | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, first |
| O10311 | trimester |
| O10312 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, second trimester |
| O10313 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, third trimester |
| O10319 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, unspecified trimester |
| O1032 | Pre-existing hypertensive heart and chronic kidney disease complicating childbirth |
| O1033 | Pre-existing hypertensive heart and chronic kidney disease complicating the puerperium |
| O10411 | Pre-existing secondary hypertension complicating pregnancy, first trimester |
| O10412 | Pre-existing secondary hypertension complicating pregnancy, second trimester |
| O10413 | Pre-existing secondary hypertension complicating pregnancy, third trimester |
| O10419 | Pre-existing secondary hypertension complicating pregnancy, unspecified trimester |
| O1042 | Pre-existing secondary hypertension complicating childbirth |
| O1043 | Pre-existing secondary hypertension complicating the puerperium |
| O10911 | Unspecified pre-existing hypertension complicating pregnancy, first trimester |
| O10912 | Unspecified pre-existing hypertension complicating pregnancy, second trimester |
| O10913 | Unspecified pre-existing hypertension complicating pregnancy, third trimester |
| O10919 | Unspecified pre-existing hypertension complicating pregnancy, unspecified trimester |
| O1092 | Unspecified pre-existing hypertension complicating childbirth |
| O1093 | Unspecified pre-existing hypertension complicating the puerperium |
| 0111 | Pre-existing hypertension with pre-eclampsia, first trimester |
| 0112 | Pre-existing hypertension with pre-eclampsia, second trimester |



| ICD 10 | Description |
|--------------|---|
| O113 | Description Description with an extension with an extension third trimester. |
| 0113 0114 | Pre-existing hypertension with pre-eclampsia, third trimester |
| | Pre-existing hypertension with pre-eclampsia, complicating childbirth |
| O115 | Pre-existing hypertension with pre-eclampsia, complicating the puerperium |
| O119 | Pre-existing hypertension with pre-eclampsia, unspecified trimester |
| O1200 | Gestational edema, unspecified trimester |
| O1201 | Gestational edema, first trimester |
| O1202 | Gestational edema, second trimester |
| O1203 | Gestational edema, third trimester |
| O1204 | Gestational edema, complicating childbirth |
| O1205 | Gestational edema, complicating the puerperium |
| O1210 | Gestational proteinuria, unspecified trimester |
| 01211 | Gestational proteinuria, first trimester |
| O1212 | Gestational proteinuria, second trimester |
| O1213 | Gestational proteinuria, third trimester |
| O1214 | Gestational proteinuria, complicating childbirth |
| O1215 | Gestational proteinuria, complicating the puerperium |
| O1220 | Gestational edema with proteinuria, unspecified trimester |
| O1221 | Gestational edema with proteinuria, first trimester |
| O1222 | Gestational edema with proteinuria, second trimester |
| O1223 | Gestational edema with proteinuria, third trimester |
| O1224 | Gestational edema with proteinuria, complicating childbirth |
| O1225 | Gestational edema with proteinuria, complicating the puerperium |
| O131 | Gestational [pregnancy-induced] hypertension without significant proteinuria, first trimester |
| O132 | Gestational [pregnancy-induced] hypertension without significant proteinuria, second trimeste |
| O133 | Gestational [pregnancy-induced] hypertension without significant proteinuria, third trimester |
| O134 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth |
| O135 | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium |
| O139 | Gestational [pregnancy-induced] hypertension without significant proteinuria, unspecified trimester |
| O1400 | Mild to moderate pre-eclampsia, unspecified trimester |
| O1402 | Mild to moderate pre-eclampsia, second trimester |
| O1403 | Mild to moderate pre-eclampsia, third trimester |
| O1404 | Mild to moderate pre-eclampsia, complicating childbirth |
| O1405 | Mild to moderate pre-eclampsia, complicating the puerperium |
| O1410 | Severe pre-eclampsia, unspecified trimester |
| O1412 | Severe pre-eclampsia, second trimester |
| O1413 | Severe pre-eclampsia, third trimester |
| O1414 | Severe pre-eclampsia complicating childbirth |
| O1415 | Severe pre-eclampsia, complicating the puerperium |
| O1420 | HELLP syndrome (HELLP), unspecified trimester |



| Pregnancy Diagnosis Code List: | |
|--------------------------------|---|
| ICD 10 | Description |
| O1422 | HELLP syndrome (HELLP), second trimester |
| O1423 | HELLP syndrome (HELLP), third trimester |
| O1424 | HELLP syndrome, complicating childbirth |
| O1425 | HELLP syndrome, complicating the puerperium |
| O1490 | Unspecified pre-eclampsia, unspecified trimester |
| O1492 | Unspecified pre-eclampsia, second trimester |
| O1493 | Unspecified pre-eclampsia, third trimester |
| O1494 | Unspecified pre-eclampsia, complicating childbirth |
| O1495 | Unspecified pre-eclampsia, complicating the puerperium |
| O1500 | Eclampsia complicating pregnancy, unspecified trimester |
| O1502 | Eclampsia complicating pregnancy, second trimester |
| O1503 | Eclampsia complicating pregnancy, third trimester |
| O151 | Eclampsia complicating labor |
| O152 | Eclampsia complicating the puerperium |
| O159 | Eclampsia, unspecified as to time period |
| O161 | Unspecified maternal hypertension, first trimester |
| O162 | Unspecified maternal hypertension, second trimester |
| O163 | Unspecified maternal hypertension, third trimester |
| O164 | Unspecified maternal hypertension, complicating childbirth |
| O165 | Unspecified maternal hypertension, complicating the puerperium |
| O169 | Unspecified maternal hypertension, unspecified trimester |
| O200 | Threatened abortion |
| O208 | Other hemorrhage in early pregnancy |
| O209 | Hemorrhage in early pregnancy, unspecified |
| O210 | Mild hyperemesis gravidarum |
| O211 | Hyperemesis gravidarum with metabolic disturbance |
| O212 | Late vomiting of pregnancy |
| O218 | Other vomiting complicating pregnancy |
| O219 | Vomiting of pregnancy, unspecified |
| O2200 | Varicose veins of lower extremity in pregnancy, unspecified trimester |
| O2201 | Varicose veins of lower extremity in pregnancy, first trimester |
| O2202 | Varicose veins of lower extremity in pregnancy, second trimester |
| O2203 | Varicose veins of lower extremity in pregnancy, third trimester |
| O2210 | Genital varices in pregnancy, unspecified trimester |
| O2211 | Genital varices in pregnancy, first trimester |
| O2212 | Genital varices in pregnancy, second trimester |
| O2213 | Genital varices in pregnancy, third trimester |
| O2220 | Superficial thrombophlebitis in pregnancy, unspecified trimester |
| O2221 | Superficial thrombophlebitis in pregnancy, first trimester |
| O2222 | Superficial thrombophlebitis in pregnancy, second trimester |
| O2223 | Superficial thrombophlebitis in pregnancy, third trimester |



| Pregnancy Diagnosis Code List: | | |
|--------------------------------|--|--|
| ICD 10 | Description | |
| O2230 | Deep phlebothrombosis in pregnancy, unspecified trimester | |
| O2231 | Deep phlebothrombosis in pregnancy, first trimester | |
| O2232 | Deep phlebothrombosis in pregnancy, second trimester | |
| O2233 | Deep phlebothrombosis in pregnancy, third trimester | |
| O2240 | Hemorrhoids in pregnancy, unspecified trimester | |
| O2241 | Hemorrhoids in pregnancy, first trimester | |
| O2242 | Hemorrhoids in pregnancy, second trimester | |
| O2243 | Hemorrhoids in pregnancy, third trimester | |
| O2250 | Cerebral venous thrombosis in pregnancy, unspecified trimester | |
| O2251 | Cerebral venous thrombosis in pregnancy, first trimester | |
| O2252 | Cerebral venous thrombosis in pregnancy, second trimester | |
| O2253 | Cerebral venous thrombosis in pregnancy, third trimester | |
| O228X1 | Other venous complications in pregnancy, first trimester | |
| O228X2 | Other venous complications in pregnancy, second trimester | |
| O228X3 | Other venous complications in pregnancy, third trimester | |
| O228X9 | Other venous complications in pregnancy, unspecified trimester | |
| O2290 | Venous complication in pregnancy, unspecified, unspecified trimester | |
| O2291 | Venous complication in pregnancy, unspecified, first trimester | |
| O2292 | Venous complication in pregnancy, unspecified, second trimester | |
| O2293 | Venous complication in pregnancy, unspecified, third trimester | |
| O2300 | Infections of kidney in pregnancy, unspecified trimester | |
| O2301 | Infections of kidney in pregnancy, first trimester | |
| O2302 | Infections of kidney in pregnancy, second trimester | |
| O2303 | Infections of kidney in pregnancy, third trimester | |
| O2310 | Infections of bladder in pregnancy, unspecified trimester | |
| O2311 | Infections of bladder in pregnancy, first trimester | |
| O2312 | Infections of bladder in pregnancy, second trimester | |
| O2313 | Infections of bladder in pregnancy, third trimester | |
| O2320 | Infections of urethra in pregnancy, unspecified trimester | |
| O2321 | Infections of urethra in pregnancy, first trimester | |
| O2322 | Infections of urethra in pregnancy, second trimester | |
| O2323 | Infections of urethra in pregnancy, third trimester | |
| O2330 | Infections of other parts of urinary tract in pregnancy, unspecified trimester | |
| O2331 | Infections of other parts of urinary tract in pregnancy, first trimester | |
| O2332 | Infections of other parts of urinary tract in pregnancy, second trimester | |
| O2333 | Infections of other parts of urinary tract in pregnancy, third trimester | |
| O2340 | Unspecified infection of urinary tract in pregnancy, unspecified trimester | |
| O2341 | Unspecified infection of urinary tract in pregnancy, first trimester | |
| O2342 | Unspecified infection of urinary tract in pregnancy, second trimester | |
| O2343 | Unspecified infection of urinary tract in pregnancy, third trimester | |
| 023511 | Infections of cervix in pregnancy, first trimester | |



| ICD 10 | Description |
|--------|--|
| O23512 | Infections of cervix in pregnancy, second trimester |
| O23512 | Infections of cervix in pregnancy, third trimester |
| O23519 | Infections of cervix in pregnancy, unspecified trimester |
| O23521 | Salpingo-oophoritis in pregnancy, first trimester |
| O23522 | Salpingo-oophoritis in pregnancy, second trimester |
| O23523 | Salpingo-oophoritis in pregnancy, third trimester |
| O23529 | Salpingo-oophoritis in pregnancy, unspecified trimester |
| O23591 | Infection of other part of genital tract in pregnancy, first trimester |
| O23592 | Infection of other part of genital tract in pregnancy, second trimester |
| O23593 | Infection of other part of genital tract in pregnancy, third trimester |
| O23599 | Infection of other part of genital tract in pregnancy, unspecified trimester |
| O2390 | Unspecified genitourinary tract infection in pregnancy, unspecified trimester |
| O2391 | Unspecified genitourinary tract infection in pregnancy, first trimester |
| O2392 | Unspecified genitourinary tract infection in pregnancy, second trimester |
| O2393 | Unspecified genitourinary tract infection in pregnancy, third trimester |
| O24011 | Pre-existing type 1 diabetes mellitus, in pregnancy, first trimester |
| O24012 | Pre-existing type 1 diabetes mellitus, in pregnancy, second trimester |
| O24013 | Pre-existing type 1 diabetes mellitus, in pregnancy, third trimester |
| O24019 | Pre-existing type 1 diabetes mellitus, in pregnancy, unspecified trimester |
| O2402 | Pre-existing type 1 diabetes mellitus, in childbirth |
| O2403 | Pre-existing type 1 diabetes mellitus, in the puerperium |
| O24111 | Pre-existing type 2 diabetes mellitus, in pregnancy, first trimester |
| O24112 | Pre-existing type 2 diabetes mellitus, in pregnancy, second trimester |
| O24113 | Pre-existing type 2 diabetes mellitus, in pregnancy, third trimester |
| O24119 | Pre-existing type 2 diabetes mellitus, in pregnancy, unspecified trimester |
| O2412 | Pre-existing type 2 diabetes mellitus, in childbirth |
| O2413 | Pre-existing type 2 diabetes mellitus, in the puerperium |
| O24311 | Unspecified pre-existing diabetes mellitus in pregnancy, first trimester |
| O24312 | Unspecified pre-existing diabetes mellitus in pregnancy, second trimester |
| O24313 | Unspecified pre-existing diabetes mellitus in pregnancy, third trimester |
| O24319 | Unspecified pre-existing diabetes mellitus in pregnancy, unspecified trimester |
| O2432 | Unspecified pre-existing diabetes mellitus in childbirth |
| O2433 | Unspecified pre-existing diabetes mellitus in the puerperium |
| O24410 | Gestational diabetes mellitus in pregnancy, diet controlled |
| O24414 | Gestational diabetes mellitus in pregnancy, insulin controlled |
| O24415 | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs |
| O24419 | Gestational diabetes mellitus in pregnancy, unspecified control |
| O24420 | Gestational diabetes mellitus in childbirth, diet controlled |
| O24424 | Gestational diabetes mellitus in childbirth, insulin controlled |
| O24425 | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs |
| O24429 | Gestational diabetes mellitus in childbirth, unspecified control |



| ICD 10 | Description |
|--------|--|
| 024430 | Gestational diabetes mellitus in the puerperium, diet controlled |
| 024434 | Gestational diabetes mellitus in the puerperium, insulin controlled |
| 024435 | Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs |
| 024439 | Gestational diabetes mellitus in the puerperium, unspecified control |
| 024811 | Other pre-existing diabetes mellitus in pregnancy, first trimester |
| 024812 | Other pre-existing diabetes mellitus in pregnancy, second trimester |
| O24813 | Other pre-existing diabetes mellitus in pregnancy, third trimester |
| O24819 | Other pre-existing diabetes mellitus in pregnancy, unspecified trimester |
| O2482 | Other pre-existing diabetes mellitus in childbirth |
| D2483 | Other pre-existing diabetes mellitus in the puerperium |
| O24911 | Unspecified diabetes mellitus in pregnancy, first trimester |
| O24912 | Unspecified diabetes mellitus in pregnancy, second trimester |
| O24913 | Unspecified diabetes mellitus in pregnancy, third trimester |
| O24919 | Unspecified diabetes mellitus in pregnancy, unspecified trimester |
| O2492 | Unspecified diabetes mellitus in childbirth |
| O2493 | Unspecified diabetes mellitus in the puerperium |
| D2510 | Malnutrition in pregnancy, unspecified trimester |
| D2511 | Malnutrition in pregnancy, first trimester |
| O2512 | Malnutrition in pregnancy, second trimester |
| D2513 | Malnutrition in pregnancy, third trimester |
| D252 | Malnutrition in childbirth |
| D253 | Malnutrition in the puerperium |
| O2600 | Excessive weight gain in pregnancy, unspecified trimester |
| O2601 | Excessive weight gain in pregnancy, first trimester |
| O2602 | Excessive weight gain in pregnancy, second trimester |
| O2603 | Excessive weight gain in pregnancy, third trimester |
| O2610 | Low weight gain in pregnancy, unspecified trimester |
| O2611 | Low weight gain in pregnancy, first trimester |
| D2612 | Low weight gain in pregnancy, second trimester |
| D2613 | Low weight gain in pregnancy, third trimester |
| D2620 | Pregnancy care for patient with recurrent pregnancy loss, unspecified trimester |
| D2621 | Pregnancy care for patient with recurrent pregnancy loss, first trimester |
| D2622 | Pregnancy care for patient with recurrent pregnancy loss, second trimester |
| 02623 | Pregnancy care for patient with recurrent pregnancy loss, third trimester |
| 02630 | Retained intrauterine contraceptive device in pregnancy, unspecified trimester |
| 02631 | Retained intrauterine contraceptive device in pregnancy, first trimester |
| O2632 | Retained intrauterine contraceptive device in pregnancy, second trimester |
| O2633 | Retained intrauterine contraceptive device in pregnancy, third trimester |
| O2640 | Herpes gestationis, unspecified trimester |
| O2641 | Herpes gestationis, first trimester |
| O2642 | Herpes gestationis, second trimester |



| Pregnancy Diagnosis Code List: | | |
|--------------------------------|---|--|
| ICD 10 | Description | |
| O2643 | Herpes gestationis, third trimester | |
| O2650 | Maternal hypotension syndrome, unspecified trimester | |
| O2651 | Maternal hypotension syndrome, first trimester | |
| O2652 | Maternal hypotension syndrome, second trimester | |
| O2653 | Maternal hypotension syndrome, third trimester | |
| O26611 | Liver and biliary tract disorders in pregnancy, first trimester | |
| O26612 | Liver and biliary tract disorders in pregnancy, second trimester | |
| O26613 | Liver and biliary tract disorders in pregnancy, third trimester | |
| O26619 | Liver and biliary tract disorders in pregnancy, unspecified trimester | |
| O2662 | Liver and biliary tract disorders in childbirth | |
| O2663 | Liver and biliary tract disorders in the puerperium | |
| O26711 | Subluxation of symphysis (pubis) in pregnancy, first trimester | |
| O26712 | Subluxation of symphysis (pubis) in pregnancy, second trimester | |
| O26713 | Subluxation of symphysis (pubis) in pregnancy, third trimester | |
| O26719 | Subluxation of symphysis (pubis) in pregnancy, unspecified trimester | |
| O2672 | Subluxation of symphysis (pubis) in childbirth | |
| O2673 | Subluxation of symphysis (pubis) in the puerperium | |
| O26811 | Pregnancy related exhaustion and fatigue, first trimester | |
| O26812 | Pregnancy related exhaustion and fatigue, second trimester | |
| O26813 | Pregnancy related exhaustion and fatigue, third trimester | |
| O26819 | Pregnancy related exhaustion and fatigue, unspecified trimester | |
| O26821 | Pregnancy related peripheral neuritis, first trimester | |
| O26822 | Pregnancy related peripheral neuritis, second trimester | |
| O26823 | Pregnancy related peripheral neuritis, third trimester | |
| O26829 | Pregnancy related peripheral neuritis, unspecified trimester | |
| O26831 | Pregnancy related renal disease, first trimester | |
| O26832 | Pregnancy related renal disease, second trimester | |
| O26833 | Pregnancy related renal disease, third trimester | |
| O26839 | Pregnancy related renal disease, unspecified trimester | |
| O26841 | Uterine size-date discrepancy, first trimester | |
| O26842 | Uterine size-date discrepancy, second trimester | |
| O26843 | Uterine size-date discrepancy, third trimester | |
| O26849 | Uterine size-date discrepancy, unspecified trimester | |
| O26851 | Spotting complicating pregnancy, first trimester | |
| O26852 | Spotting complicating pregnancy, second trimester | |
| O26853 | Spotting complicating pregnancy, third trimester | |
| O26859 | Spotting complicating pregnancy, unspecified trimester | |
| O2686 | Pruritic urticarial papules and plaques of pregnancy (PUPPP) | |
| O26872 | Cervical shortening, second trimester | |
| O26873 | Cervical shortening, third trimester | |
| O26879 | Cervical shortening, unspecified trimester | |



| ICD 10 | Description |
|------------------|--|
| O26891 | Other specified pregnancy related conditions, first trimester |
| O26892 | Other specified pregnancy related conditions, second trimester |
| O26893 | Other specified pregnancy related conditions, third trimester |
| O26899 | Other specified pregnancy related conditions, unspecified trimester |
| O2690 | Pregnancy related conditions, unspecified, unspecified trimester |
| O2691 | Pregnancy related conditions, unspecified, first trimester |
| O2692 | Pregnancy related conditions, unspecified, second trimester |
| O2693 | Pregnancy related conditions, unspecified, third trimester |
| O280 | Abnormal hematological finding on antenatal screening of mother |
| O281 | Abnormal biochemical finding on antenatal screening of mother |
| O282 | Abnormal cytological finding on antenatal screening of mother |
| O283 | Abnormal ultrasonic finding on antenatal screening of mother |
| O284 | Abnormal radiological finding on antenatal screening of mother |
| O285 | Abnormal chromosomal and genetic finding on antenatal screening of mother |
| O288 | Other abnormal findings on antenatal screening of mother |
| O289 | Unspecified abnormal findings on antenatal screening of mother |
| O29011 | Aspiration pneumonitis due to anesthesia during pregnancy, first trimester |
| O29012 | Aspiration pneumonitis due to anesthesia during pregnancy, second trimester |
| O29013 | Aspiration pneumonitis due to anesthesia during pregnancy, third trimester |
| O29019 | Aspiration pneumonitis due to anesthesia during pregnancy, unspecified trimester |
| O29021 | Pressure collapse of lung due to anesthesia during pregnancy, first trimester |
| O29022 | Pressure collapse of lung due to anesthesia during pregnancy, second trimester |
| O29023 | Pressure collapse of lung due to anesthesia during pregnancy, third trimester |
| O29029 | Pressure collapse of lung due to anesthesia during pregnancy, unspecified trimester |
| O29091 | Other pulmonary complications of anesthesia during pregnancy, first trimester |
| O29092 | Other pulmonary complications of anesthesia during pregnancy, second trimester |
| O29093 | Other pulmonary complications of anesthesia during pregnancy, third trimester |
| O29099 | Other pulmonary complications of anesthesia during pregnancy, unspecified trimester |
| O29111 | Cardiac arrest due to anesthesia during pregnancy, first trimester |
| O29112 | Cardiac arrest due to anesthesia during pregnancy, second trimester |
| O29113 | Cardiac arrest due to anesthesia during pregnancy, third trimester |
| O29119 | Cardiac arrest due to anesthesia during pregnancy, unspecified trimester |
| O29121 | Cardiac failure due to anesthesia during pregnancy, first trimester |
| O29122 | Cardiac failure due to anesthesia during pregnancy, second trimester |
| O29123 | Cardiac failure due to anesthesia during pregnancy, third trimester |
| O29129 | Cardiac failure due to anesthesia during pregnancy, unspecified trimester |
| O29191 | Other cardiac complications of anesthesia during pregnancy, first trimester |
| O29191 | Other cardiac complications of anesthesia during pregnancy, second trimester Other cardiac complications of anesthesia during pregnancy, second trimester |
| O29192 O29193 | Other cardiac complications of anesthesia during pregnancy, third trimester |
| O29193 O29199 | Other cardiac complications of anesthesia during pregnancy, unspecified trimester |
| O29199 O29211 | Cerebral anoxia due to anesthesia during pregnancy, first trimester |



| Trognanoy D | Pregnancy Diagnosis Code List: | | |
|-------------|---|--|--|
| ICD 10 | Description | | |
| O29212 | Cerebral anoxia due to anesthesia during pregnancy, second trimester | | |
| O29213 | Cerebral anoxia due to anesthesia during pregnancy, third trimester | | |
| O29219 | Cerebral anoxia due to anesthesia during pregnancy, unspecified trimester | | |
| O29291 | Other central nervous system complications of anesthesia during pregnancy, first trimester | | |
| O29292 | Other central nervous system complications of anesthesia during pregnancy, second trimester | | |
| O29293 | Other central nervous system complications of anesthesia during pregnancy, third trimester | | |
| O29299 | Other central nervous system complications of anesthesia during pregnancy, unspecified trimester | | |
| O293X1 | Toxic reaction to local anesthesia during pregnancy, first trimester | | |
| O293X2 | Toxic reaction to local anesthesia during pregnancy, second trimester | | |
| O293X3 | Toxic reaction to local anesthesia during pregnancy, third trimester | | |
| O293X9 | Toxic reaction to local anesthesia during pregnancy, unspecified trimester | | |
| O2940 | Spinal and epidural anesthesia induced headache during pregnancy, unspecified trimester | | |
| O2941 | Spinal and epidural anesthesia induced headache during pregnancy, first trimester | | |
| O2942 | Spinal and epidural anesthesia induced headache during pregnancy, second trimester | | |
| O2943 | Spinal and epidural anesthesia induced headache during pregnancy, third trimester | | |
| O295X1 | Other complications of spinal and epidural anesthesia during pregnancy, first trimester | | |
| O295X2 | Other complications of spinal and epidural anesthesia during pregnancy, second trimester | | |
| O295X3 | Other complications of spinal and epidural anesthesia during pregnancy, third trimester | | |
| O295X9 | Other complications of spinal and epidural anesthesia during pregnancy, unspecified trimester | | |
| O2960 | Failed or difficult intubation for anesthesia during pregnancy, unspecified trimester | | |
| O2961 | Failed or difficult intubation for anesthesia during pregnancy, first trimester | | |
| O2962 | Failed or difficult intubation for anesthesia during pregnancy, second trimester | | |
| O2963 | Failed or difficult intubation for anesthesia during pregnancy, third trimester | | |
| O298X1 | Other complications of anesthesia during pregnancy, first trimester | | |
| O298X2 | Other complications of anesthesia during pregnancy, second trimester | | |
| O298X3 | Other complications of anesthesia during pregnancy, third trimester | | |
| O298X9 | Other complications of anesthesia during pregnancy, unspecified trimester | | |
| O2990 | Unspecified complication of anesthesia during pregnancy, unspecified trimester | | |
| O2991 | Unspecified complication of anesthesia during pregnancy, first trimester | | |
| O2992 | Unspecified complication of anesthesia during pregnancy, second trimester | | |
| O2993 | Unspecified complication of anesthesia during pregnancy, third trimester | | |
| O30001 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester | | |
| O30002 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester | | |
| O30003 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester | | |
| O30009 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester | | |
| O30011 | Twin pregnancy, monochorionic/monoamniotic, first trimester | | |
| O30012 | Twin pregnancy, monochorionic/monoamniotic, second trimester | | |



| ICD 10 | Description |
|--------|--|
| O30013 | Twin pregnancy, monochorionic/monoamniotic, third trimester |
| O30019 | Twin pregnancy, monochorionic/monoamniotic, unspecified trimester |
| O30021 | Conjoined twin pregnancy, first trimester |
| 030022 | Conjoined twin pregnancy, second trimester |
| O30023 | Conjoined twin pregnancy, third trimester |
| O30029 | Conjoined twin pregnancy, unspecified trimester |
| O30031 | Twin pregnancy, monochorionic/diamniotic, first trimester |
| O30032 | Twin pregnancy, monochorionic/diamniotic, second trimester |
| O30033 | Twin pregnancy, monochorionic/diamniotic, third trimester |
| O30039 | Twin pregnancy, monochorionic/diamniotic, unspecified trimester |
| O30041 | Twin pregnancy, dichorionic/diamniotic, first trimester |
| O30042 | Twin pregnancy, dichorionic/diamniotic, second trimester |
| O30043 | Twin pregnancy, dichorionic/diamniotic, third trimester |
| O30049 | Twin pregnancy, dichorionic/diamniotic, unspecified trimester |
| O30091 | Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester |
| O30092 | Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester |
| O30093 | Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester |
| O30099 | Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, unspecified trimester |
| O30101 | Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester |
| O30102 | Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester |
| O30103 | Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester |
| O30109 | Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester |
| O30111 | Triplet pregnancy with two or more monochorionic fetuses, first trimester |
| O30112 | Triplet pregnancy with two or more monochorionic fetuses, second trimester |
| O30113 | Triplet pregnancy with two or more monochorionic fetuses, third trimester |
| O30119 | Triplet pregnancy with two or more monochorionic fetuses, unspecified trimester |
| O30121 | Triplet pregnancy with two or more monoamniotic fetuses, first trimester |
| O30122 | Triplet pregnancy with two or more monoamniotic fetuses, second trimester |
| O30123 | Triplet pregnancy with two or more monoamniotic fetuses, third trimester |
| O30129 | Triplet pregnancy with two or more monoamniotic fetuses, unspecified trimester |
| O30131 | Triplet pregnancy, trichorionic/triamniotic, first trimester |
| O30132 | Triplet pregnancy, trichorionic/triamniotic, second trimester |
| O30133 | Triplet pregnancy, trichorionic/triamniotic, third trimester |
| O30139 | Triplet pregnancy, trichorionic/triamniotic, unspecified trimester |
| O30191 | Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, first |



| Pregnancy Di | agnosis Code List: |
|--------------|---|
| | |
| ICD 10 | Description |
| | trimester |
| O30192 | Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester |
| O30193 | Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester |
| O30199 | Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, unspecified trimester |
| O30201 | Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester |
| O30202 | Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester |
| O30203 | Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester |
| O30209 | Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester |
| O30211 | Quadruplet pregnancy with two or more monochorionic fetuses, first trimester |
| O30212 | Quadruplet pregnancy with two or more monochorionic fetuses, second trimester |
| O30213 | Quadruplet pregnancy with two or more monochorionic fetuses, third trimester |
| O30219 | Quadruplet pregnancy with two or more monochorionic fetuses, unspecified trimester |
| O30221 | Quadruplet pregnancy with two or more monoamniotic fetuses, first trimester |
| O30222 | Quadruplet pregnancy with two or more monoamniotic fetuses, second trimester |
| O30223 | Quadruplet pregnancy with two or more monoamniotic fetuses, third trimester |
| O30229 | Quadruplet pregnancy with two or more monoamniotic fetuses, unspecified trimester |
| O30231 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, first trimester |
| O30232 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, second trimester |
| O30233 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, third trimester |
| O30239 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, unspecified trimester |
| O30291 | Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester |
| O30292 | Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester |
| O30293 | Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester |
| O30299 | Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, unspecified trimester |
| O30801 | Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, first trimester |
| O30802 | Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, second trimester |
| O30803 | Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, third trimester |
| O30809 | Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester |
| O30811 | Other specified multiple gestation with two or more monochorionic fetuses, first trimester |
| O30812 | Other specified multiple gestation with two or more monochorionic fetuses, second trimester |



| ICD 10 | Description |
|---------|---|
| O30813 | Other specified multiple gestation with two or more monochorionic fetuses, third trimester |
| O30819 | Other specified multiple gestation with two or more monochorionic fetuses, unspecified trimester |
| O30821 | Other specified multiple gestation with two or more monoamniotic fetuses, first trimester |
| O30822 | Other specified multiple gestation with two or more monoamniotic fetuses, second trimester |
| O30823 | Other specified multiple gestation with two or more monoamniotic fetuses, third trimester |
| O30829 | Other specified multiple gestation with two or more monoamniotic fetuses, unspecified trimeste |
| O30831 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, first trimester |
| O30832 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, second trimester |
| O30833 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, third trimester |
| O30839 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, unspecified trimester |
| O30891 | Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, first trimester |
| O30892 | Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, second trimester |
| O30893 | Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, third trimester |
| O30899 | Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, unspecified trimester |
| O3090 | Multiple gestation, unspecified, unspecified trimester |
| O3091 | Multiple gestation, unspecified, first trimester |
| O3092 | Multiple gestation, unspecified, second trimester |
| O3093 | Multiple gestation, unspecified, third trimester |
| O3100X0 | Papyraceous fetus, unspecified trimester, not applicable or unspecified |
| O3100X1 | Papyraceous fetus, unspecified trimester, fetus 1 |
| O3100X2 | Papyraceous fetus, unspecified trimester, fetus 2 |
| O3100X3 | Papyraceous fetus, unspecified trimester, fetus 3 |
| O3100X4 | Papyraceous fetus, unspecified trimester, fetus 4 |
| O3100X5 | Papyraceous fetus, unspecified trimester, fetus 5 |
| O3100X9 | Papyraceous fetus, unspecified trimester, other fetus |
| O3101X0 | Papyraceous fetus, first trimester, not applicable or unspecified |
| O3101X1 | Papyraceous fetus, first trimester, fetus 1 |
| O3101X2 | Papyraceous fetus, first trimester, fetus 2 |
| O3101X3 | Papyraceous fetus, first trimester, fetus 3 |
| O3101X4 | Papyraceous fetus, first trimester, fetus 4 |
| O3101X5 | Papyraceous fetus, first trimester, fetus 5 |
| O3101X9 | Papyraceous fetus, first trimester, other fetus |
| O3102X0 | Papyraceous fetus, second trimester, not applicable or unspecified |
| O3102X1 | Papyraceous fetus, second trimester, fetus 1 |



| ICD 10 | Description |
|---------|--|
| O3102X2 | Papyraceous fetus, second trimester, fetus 2 |
| O3102X3 | Papyraceous fetus, second trimester, fetus 3 |
| O3102X4 | Papyraceous fetus, second trimester, fetus 4 |
| O3102X5 | Papyraceous fetus, second trimester, fetus 5 |
| O3102X9 | Papyraceous fetus, second trimester, other fetus |
| O3103X0 | Papyraceous fetus, third trimester, not applicable or unspecified |
| O3103X1 | Papyraceous fetus, third trimester, fetus 1 |
| O3103X2 | Papyraceous fetus, third trimester, fetus 2 |
| O3103X3 | Papyraceous fetus, third trimester, fetus 3 |
| O3103X4 | Papyraceous fetus, third trimester, fetus 4 |
| O3103X5 | Papyraceous fetus, third trimester, fetus 5 |
| O3103X9 | Papyraceous fetus, third trimester, other fetus |
| O3110X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, not applicable or unspecified |
| O3110X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 1 |
| O3110X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 2 |
| O3110X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 3 |
| O3110X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 4 |
| O3110X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, fetus 5 |
| O3110X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, unspecified trimester, other fetus |
| O3111X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, not applicable or unspecified |
| O3111X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 1 |
| O3111X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 2 |
| O3111X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 3 |
| O3111X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 4 |
| O3111X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 5 |
| O3111X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, other fetus |
| O3112X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, not applicable or unspecified |
| O3112X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetu 1 |
| O3112X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetu 2 |
| O3112X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetu 3 |
| O3112X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetu 4 |



| ICD 10 | Description |
|---------|--|
| O3112X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 5 |
| O3112X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, othe fetus |
| O3113X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, not applicable or unspecified |
| O3113X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 1 |
| O3113X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 2 |
| O3113X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 3 |
| O3113X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 4 |
| O3113X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 5 |
| O3113X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, other fetus |
| O3120X0 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, not applicable or unspecified |
| O3120X1 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 1 |
| O3120X2 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 2 |
| O3120X3 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 3 |
| O3120X4 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 4 |
| O3120X5 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, fetus 5 |
| O3120X9 | Continuing pregnancy after intrauterine death of one fetus or more, unspecified trimester, othe fetus |
| O3121X0 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, not applicable or unspecified |
| O3121X1 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 1 |
| O3121X2 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 2 |
| O3121X3 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 3 |
| O3121X4 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 4 |
| O3121X5 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 5 |
| O3121X9 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, other fetus |
| O3122X0 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, not applicable or unspecified |
| O3122X1 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 1 |
| O3122X2 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 2 |
| O3122X3 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 3 |
| O3122X4 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 4 |
| O3122X5 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 5 |
| O3122X9 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, other fetus |
| O3123X0 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, not |



| ICD 10 | Description |
|---------|--|
| ICD 10 | applicable or unspecified |
| O3123X1 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 1 |
| O3123X1 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 2 |
| O3123X2 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 3 |
| O3123X4 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 4 |
| O3123X5 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 5 |
| O3123X9 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, other fetus |
| O3130X0 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, not applicable or unspecified |
| O3130X1 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 1 |
| O3130X2 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 2 |
| O3130X3 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 3 |
| O3130X4 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 4 |
| O3130X5 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, fetus 5 |
| O3130X9 | Continuing pregnancy after elective fetal reduction of one fetus or more, unspecified trimester, other fetus |
| O3131X0 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, not applicable or unspecified |
| O3131X1 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 1 |
| O3131X2 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 2 |
| O3131X3 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 3 |
| O3131X4 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 4 |
| O3131X5 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 5 |
| O3131X9 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, other fetus |
| O3132X0 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, not applicable or unspecified |
| O3132X1 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetue |
| O3132X2 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetu 2 |
| O3132X3 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetu 3 |
| O3132X4 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetu 4 |
| O3132X5 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetu 5 |
| O3132X9 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, other fetus |
| O3133X0 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, not |



| ICD 10 | Description |
|---------|--|
| | applicable or unspecified |
| O3133X1 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus |
| O3133X2 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 2 |
| O3133X3 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus |
| O3133X4 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus |
| O3133X5 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus |
| O3133X9 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, other fetus |
| O318X10 | Other complications specific to multiple gestation, first trimester, not applicable or unspecified |
| O318X11 | Other complications specific to multiple gestation, first trimester, fetus 1 |
| O318X12 | Other complications specific to multiple gestation, first trimester, fetus 2 |
| O318X13 | Other complications specific to multiple gestation, first trimester, fetus 3 |
| O318X14 | Other complications specific to multiple gestation, first trimester, fetus 4 |
| O318X15 | Other complications specific to multiple gestation, first trimester, fetus 5 |
| O318X19 | Other complications specific to multiple gestation, first trimester, other fetus |
| O318X20 | Other complications specific to multiple gestation, second trimester, not applicable or unspecified |
| O318X21 | Other complications specific to multiple gestation, second trimester, fetus 1 |
| O318X22 | Other complications specific to multiple gestation, second trimester, fetus 2 |
| O318X23 | Other complications specific to multiple gestation, second trimester, fetus 3 |
| O318X24 | Other complications specific to multiple gestation, second trimester, fetus 4 |
| O318X25 | Other complications specific to multiple gestation, second trimester, fetus 5 |
| O318X29 | Other complications specific to multiple gestation, second trimester, other fetus |
| O318X30 | Other complications specific to multiple gestation, third trimester, not applicable or unspecified |
| O318X31 | Other complications specific to multiple gestation, third trimester, fetus 1 |
| O318X32 | Other complications specific to multiple gestation, third trimester, fetus 2 |
| O318X33 | Other complications specific to multiple gestation, third trimester, fetus 3 |
| O318X34 | Other complications specific to multiple gestation, third trimester, fetus 4 |
| O318X35 | Other complications specific to multiple gestation, third trimester, fetus 5 |
| O318X39 | Other complications specific to multiple gestation, third trimester, other fetus |
| O318X90 | Other complications specific to multiple gestation, unspecified trimester, not applicable or unspecified |
| O318X91 | Other complications specific to multiple gestation, unspecified trimester, fetus 1 |
| O318X92 | Other complications specific to multiple gestation, unspecified trimester, fetus 2 |
| O318X93 | Other complications specific to multiple gestation, unspecified trimester, fetus 3 |
| O318X94 | Other complications specific to multiple gestation, unspecified trimester, fetus 4 |
| O318X95 | Other complications specific to multiple gestation, unspecified trimester, fetus 5 |
| O318X99 | Other complications specific to multiple gestation, unspecified trimester, other fetus |
| O320XX0 | Maternal care for unstable lie, not applicable or unspecified |
| O320XX1 | Maternal care for unstable lie, fetus 1 |
| O320XX2 | Maternal care for unstable lie, fetus 2 |
| O320XX3 | Maternal care for unstable lie, fetus 3 |



| ICD 10 | Description |
|---------|---|
| O320XX4 | Maternal care for unstable lie, fetus 4 |
| O320XX5 | Maternal care for unstable lie, fetus 5 |
| O320XX9 | Maternal care for unstable lie, other fetus |
| O321XX0 | Maternal care for breech presentation, not applicable or unspecified |
| O321XX1 | Maternal care for breech presentation, fetus 1 |
| O321XX2 | Maternal care for breech presentation, fetus 2 |
| O321XX3 | Maternal care for breech presentation, fetus 3 |
| O321XX4 | Maternal care for breech presentation, fetus 4 |
| O321XX5 | Maternal care for breech presentation, fetus 5 |
| O321XX9 | Maternal care for breech presentation, other fetus |
| O322XX0 | Maternal care for transverse and oblique lie, not applicable or unspecified |
| O322XX1 | Maternal care for transverse and oblique lie, fetus 1 |
| O322XX2 | Maternal care for transverse and oblique lie, fetus 2 |
| O322XX3 | Maternal care for transverse and oblique lie, fetus 3 |
| O322XX4 | Maternal care for transverse and oblique lie, fetus 4 |
| O322XX5 | Maternal care for transverse and oblique lie, fetus 5 |
| O322XX9 | Maternal care for transverse and oblique lie, other fetus |
| O323XX0 | Maternal care for face, brow and chin presentation, not applicable or unspecified |
| O323XX1 | Maternal care for face, brow and chin presentation, fetus 1 |
| O323XX2 | Maternal care for face, brow and chin presentation, fetus 2 |
| O323XX3 | Maternal care for face, brow and chin presentation, fetus 3 |
| O323XX4 | Maternal care for face, brow and chin presentation, fetus 4 |
| O323XX5 | Maternal care for face, brow and chin presentation, fetus 5 |
| O323XX9 | Maternal care for face, brow and chin presentation, other fetus |
| O324XX0 | Maternal care for high head at term, not applicable or unspecified |
| O324XX1 | Maternal care for high head at term, fetus 1 |
| O324XX2 | Maternal care for high head at term, fetus 2 |
| O324XX3 | Maternal care for high head at term, fetus 3 |
| O324XX4 | Maternal care for high head at term, fetus 4 |
| O324XX5 | Maternal care for high head at term, fetus 5 |
| O324XX9 | Maternal care for high head at term, other fetus |
| O326XX0 | Maternal care for compound presentation, not applicable or unspecified |
| O326XX1 | Maternal care for compound presentation, fetus 1 |
| O326XX2 | Maternal care for compound presentation, fetus 2 |
| O326XX3 | Maternal care for compound presentation, fetus 3 |
| O326XX4 | Maternal care for compound presentation, fetus 4 |
| O326XX5 | Maternal care for compound presentation, fetus 5 |
| O326XX9 | Maternal care for compound presentation, other fetus |
| O328XX0 | Maternal care for other malpresentation of fetus, not applicable or unspecified |
| O328XX1 | Maternal care for other malpresentation of fetus, fetus 1 |
| O328XX2 | Maternal care for other malpresentation of fetus, fetus 2 |
| | |



| ICD 10 | Description |
|---------|--|
| O328XX3 | Maternal care for other malpresentation of fetus, fetus 3 |
| O328XX4 | Maternal care for other malpresentation of fetus, fetus 4 |
| O328XX5 | Maternal care for other malpresentation of fetus, fetus 5 |
| O328XX9 | Maternal care for other malpresentation of fetus, other fetus |
| O329XX0 | Maternal care for malpresentation of fetus, unspecified, not applicable or unspecified |
| O329XX1 | Maternal care for malpresentation of fetus, unspecified, fetus 1 |
| O329XX2 | Maternal care for malpresentation of fetus, unspecified, fetus 2 |
| O329XX3 | Maternal care for malpresentation of fetus, unspecified, fetus 3 |
| O329XX4 | Maternal care for malpresentation of fetus, unspecified, fetus 4 |
| O329XX5 | Maternal care for malpresentation of fetus, unspecified, fetus 5 |
| O329XX9 | Maternal care for malpresentation of fetus, unspecified, other fetus |
| O330 | Maternal care for disproportion due to deformity of maternal pelvic bones |
| O331 | Maternal care for disproportion due to generally contracted pelvis |
| O332 | Maternal care for disproportion due to inlet contraction of pelvis |
| O333XX0 | Maternal care for disproportion due to outlet contraction of pelvis, not applicable or unspecified |
| O333XX1 | Maternal care for disproportion due to outlet contraction of pelvis, fetus 1 |
| O333XX2 | Maternal care for disproportion due to outlet contraction of pelvis, fetus 2 |
| O333XX3 | Maternal care for disproportion due to outlet contraction of pelvis, fetus 3 |
| O333XX4 | Maternal care for disproportion due to outlet contraction of pelvis, fetus 4 |
| O333XX5 | Maternal care for disproportion due to outlet contraction of pelvis, fetus 5 |
| O333XX9 | Maternal care for disproportion due to outlet contraction of pelvis, other fetus |
| O334XX0 | Maternal care for disproportion of mixed maternal and fetal origin, not applicable or unspecified |
| O334XX1 | Maternal care for disproportion of mixed maternal and fetal origin, fetus 1 |
| O334XX2 | Maternal care for disproportion of mixed maternal and fetal origin, fetus 2 |
| O334XX3 | Maternal care for disproportion of mixed maternal and fetal origin, fetus 3 |
| O334XX4 | Maternal care for disproportion of mixed maternal and fetal origin, fetus 4 |
| O334XX5 | Maternal care for disproportion of mixed maternal and fetal origin, fetus 5 |
| O334XX9 | Maternal care for disproportion of mixed maternal and fetal origin, other fetus |
| O335XX0 | Maternal care for disproportion due to unusually large fetus, not applicable or unspecified |
| O335XX1 | Maternal care for disproportion due to unusually large fetus, fetus 1 |
| O335XX2 | Maternal care for disproportion due to unusually large fetus, fetus 2 |
| O335XX3 | Maternal care for disproportion due to unusually large fetus, fetus 3 |
| O335XX4 | Maternal care for disproportion due to unusually large fetus, fetus 4 |
| O335XX5 | Maternal care for disproportion due to unusually large fetus, fetus 5 |
| O335XX9 | Maternal care for disproportion due to unusually large fetus, other fetus |
| O336XX0 | Maternal care for disproportion due to hydrocephalic fetus, not applicable or unspecified |
| O336XX1 | Maternal care for disproportion due to hydrocephalic fetus, fetus 1 |
| O336XX2 | Maternal care for disproportion due to hydrocephalic fetus, fetus 2 |
| O336XX3 | Maternal care for disproportion due to hydrocephalic fetus, fetus 3 |
| O336XX4 | Maternal care for disproportion due to hydrocephalic fetus, fetus 4 |
| O336XX5 | Maternal care for disproportion due to hydrocephalic fetus, fetus 5 |



| ICD 10 | Description |
|---------|---|
| O336XX9 | Maternal care for disproportion due to hydrocephalic fetus, other fetus |
| O337XX0 | Maternal care for disproportion due to other fetal deformities, not applicable or unspecified |
| O337XX1 | Maternal care for disproportion due to other fetal deformities, fetus 1 |
| O337XX2 | Maternal care for disproportion due to other fetal deformities, fetus 2 |
| O337XX3 | Maternal care for disproportion due to other fetal deformities, fetus 3 |
| O337XX4 | Maternal care for disproportion due to other fetal deformities, fetus 4 |
| O337XX5 | Maternal care for disproportion due to other fetal deformities, fetus 5 |
| O337XX9 | Maternal care for disproportion due to other fetal deformities, other fetus |
| O338 | Maternal care for disproportion of other origin |
| O339 | Maternal care for disproportion, unspecified |
| O3400 | Maternal care for unspecified congenital malformation of uterus, unspecified trimester |
| O3401 | Maternal care for unspecified congenital malformation of uterus, first trimester |
| O3402 | Maternal care for unspecified congenital malformation of uterus, second trimester |
| O3403 | Maternal care for unspecified congenital malformation of uterus, third trimester |
| O3410 | Maternal care for benign tumor of corpus uteri, unspecified trimester |
| O3411 | Maternal care for benign tumor of corpus uteri, first trimester |
| O3412 | Maternal care for benign tumor of corpus uteri, second trimester |
| O3413 | Maternal care for benign tumor of corpus uteri, third trimester |
| O34211 | Maternal care for low transverse scar from previous cesarean delivery |
| O34212 | Maternal care for vertical scar from previous cesarean delivery |
| O34218 | Maternal care for other type scar from previous cesarean delivery |
| O34219 | Maternal care for unspecified type scar from previous cesarean delivery |
| O3422 | Maternal care for cesarean scar defect (isthmocele) |
| O3429 | Maternal care due to uterine scar from other previous surgery |
| O3430 | Maternal care for cervical incompetence, unspecified trimester |
| O3431 | Maternal care for cervical incompetence, first trimester |
| O3432 | Maternal care for cervical incompetence, second trimester |
| O3433 | Maternal care for cervical incompetence, third trimester |
| O3440 | Maternal care for other abnormalities of cervix, unspecified trimester |
| O3441 | Maternal care for other abnormalities of cervix, first trimester |
| O3442 | Maternal care for other abnormalities of cervix, second trimester |
| O3443 | Maternal care for other abnormalities of cervix, third trimester |
| O34511 | Maternal care for incarceration of gravid uterus, first trimester |
| O34512 | Maternal care for incarceration of gravid uterus, second trimester |
| O34513 | Maternal care for incarceration of gravid uterus, third trimester |
| O34519 | Maternal care for incarceration of gravid uterus, unspecified trimester |
| O34521 | Maternal care for prolapse of gravid uterus, first trimester |
| O34522 | Maternal care for prolapse of gravid uterus, second trimester |
| O34523 | Maternal care for prolapse of gravid uterus, third trimester |
| O34529 | Maternal care for prolapse of gravid uterus, unspecified trimester |
| O34531 | Maternal care for retroversion of gravid uterus, first trimester |



| ICD 10 | Description |
|---------|---|
| O34532 | Maternal care for retroversion of gravid uterus, second trimester |
| O34533 | Maternal care for retroversion of gravid uterus, third trimester |
| O34539 | Maternal care for retroversion of gravid uterus, unspecified trimester |
| O34591 | Maternal care for other abnormalities of gravid uterus, first trimester |
| O34592 | Maternal care for other abnormalities of gravid uterus, second trimester |
| O34593 | Maternal care for other abnormalities of gravid uterus, third trimester |
| O34599 | Maternal care for other abnormalities of gravid uterus, unspecified trimester |
| O3460 | Maternal care for abnormality of vagina, unspecified trimester |
| O3461 | Maternal care for abnormality of vagina, first trimester |
| O3462 | Maternal care for abnormality of vagina, second trimester |
| O3463 | Maternal care for abnormality of vagina, third trimester |
| O3470 | Maternal care for abnormality of vulva and perineum, unspecified trimester |
| 03471 | Maternal care for abnormality of vulva and perineum, first trimester |
| 03472 | Maternal care for abnormality of vulva and perineum, second trimester |
| 03473 | Maternal care for abnormality of vulva and perineum, third trimester |
| O3480 | Maternal care for other abnormalities of pelvic organs, unspecified trimester |
| O3481 | Maternal care for other abnormalities of pelvic organs, first trimester |
| O3482 | Maternal care for other abnormalities of pelvic organs, second trimester |
| O3483 | Maternal care for other abnormalities of pelvic organs, third trimester |
| O3490 | Maternal care for abnormality of pelvic organ, unspecified, unspecified trimester |
| O3491 | Maternal care for abnormality of pelvic organ, unspecified, first trimester |
| O3492 | Maternal care for abnormality of pelvic organ, unspecified, second trimester |
| O3493 | Maternal care for abnormality of pelvic organ, unspecified, third trimester |
| O350XX0 | Maternal care for (suspected) central nervous system malformation in fetus, not applicable or unspecified |
| O350XX1 | Maternal care for (suspected) central nervous system malformation in fetus, fetus 1 |
| O350XX2 | Maternal care for (suspected) central nervous system malformation in fetus, fetus 2 |
| O350XX3 | Maternal care for (suspected) central nervous system malformation in fetus, fetus 3 |
| O350XX4 | Maternal care for (suspected) central nervous system malformation in fetus, fetus 4 |
| O350XX5 | Maternal care for (suspected) central nervous system malformation in fetus, fetus 5 |
| O350XX9 | Maternal care for (suspected) central nervous system malformation in fetus, other fetus |
| O351XX0 | Maternal care for (suspected) chromosomal abnormality in fetus, not applicable or unspecified |
| O351XX1 | Maternal care for (suspected) chromosomal abnormality in fetus, fetus 1 |
| O351XX2 | Maternal care for (suspected) chromosomal abnormality in fetus, fetus 2 |
| O351XX3 | Maternal care for (suspected) chromosomal abnormality in fetus, fetus 3 |
| O351XX4 | Maternal care for (suspected) chromosomal abnormality in fetus, fetus 4 |
| O351XX5 | Maternal care for (suspected) chromosomal abnormality in fetus, fetus 5 |
| O351XX9 | Maternal care for (suspected) chromosomal abnormality in fetus, other fetus |
| O352XX0 | Maternal care for (suspected) hereditary disease in fetus, not applicable or unspecified |
| O352XX1 | Maternal care for (suspected) hereditary disease in fetus, fetus 1 |
| O352XX2 | Maternal care for (suspected) hereditary disease in fetus, fetus 2 |



| ICD 10 | Description |
|---------|---|
| O352XX3 | Maternal care for (suspected) hereditary disease in fetus, fetus 3 |
| O352XX4 | Maternal care for (suspected) hereditary disease in fetus, fetus 4 |
| O352XX5 | Maternal care for (suspected) hereditary disease in fetus, fetus 5 |
| O352XX9 | Maternal care for (suspected) hereditary disease in fetus, other fetus |
| O353XX0 | Maternal care for (suspected) damage to fetus from viral disease in mother, not applicable or unspecified |
| O353XX1 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 1 |
| O353XX2 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 2 |
| O353XX3 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 3 |
| O353XX4 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 4 |
| O353XX5 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 5 |
| O353XX9 | Maternal care for (suspected) damage to fetus from viral disease in mother, other fetus |
| O354XX0 | Maternal care for (suspected) damage to fetus from alcohol, not applicable or unspecified |
| O354XX1 | Maternal care for (suspected) damage to fetus from alcohol, fetus 1 |
| O354XX2 | Maternal care for (suspected) damage to fetus from alcohol, fetus 2 |
| O354XX3 | Maternal care for (suspected) damage to fetus from alcohol, fetus 3 |
| O354XX4 | Maternal care for (suspected) damage to fetus from alcohol, fetus 4 |
| O354XX5 | Maternal care for (suspected) damage to fetus from alcohol, fetus 5 |
| O354XX9 | Maternal care for (suspected) damage to fetus from alcohol, other fetus |
| O355XX0 | Maternal care for (suspected) damage to fetus by drugs, not applicable or unspecified |
| O355XX1 | Maternal care for (suspected) damage to fetus by drugs, fetus 1 |
| O355XX2 | Maternal care for (suspected) damage to fetus by drugs, fetus 2 |
| O355XX3 | Maternal care for (suspected) damage to fetus by drugs, fetus 3 |
| O355XX4 | Maternal care for (suspected) damage to fetus by drugs, fetus 4 |
| O355XX5 | Maternal care for (suspected) damage to fetus by drugs, fetus 5 |
| O355XX9 | Maternal care for (suspected) damage to fetus by drugs, other fetus |
| O356XX0 | Maternal care for (suspected) damage to fetus by radiation, not applicable or unspecified |
| O356XX1 | Maternal care for (suspected) damage to fetus by radiation, fetus 1 |
| O356XX2 | Maternal care for (suspected) damage to fetus by radiation, fetus 2 |
| O356XX3 | Maternal care for (suspected) damage to fetus by radiation, fetus 3 |
| O356XX4 | Maternal care for (suspected) damage to fetus by radiation, fetus 4 |
| O356XX5 | Maternal care for (suspected) damage to fetus by radiation, fetus 5 |
| O356XX9 | Maternal care for (suspected) damage to fetus by radiation, other fetus |
| O357XX0 | Maternal care for (suspected) damage to fetus by other medical procedures, not applicable or unspecified |
| O357XX1 | Maternal care for (suspected) damage to fetus by other medical procedures, fetus 1 |
| O357XX2 | Maternal care for (suspected) damage to fetus by other medical procedures, fetus 2 |
| O357XX3 | Maternal care for (suspected) damage to fetus by other medical procedures, fetus 3 |
| O357XX4 | Maternal care for (suspected) damage to fetus by other medical procedures, fetus 4 |
| O357XX5 | Maternal care for (suspected) damage to fetus by other medical procedures, fetus 5 |
| O357XX9 | Maternal care for (suspected) damage to fetus by other medical procedures, other fetus |



| ICD 10 | Description |
|--------------------|---|
| O358XX0 | Maternal care for other (suspected) fetal abnormality and damage, not applicable or unspecified |
| O358XX1 | Maternal care for other (suspected) fetal abnormality and damage, fetus 1 |
| O358XX2 | Maternal care for other (suspected) fetal abnormality and damage, fetus 2 |
| O358XX3 | Maternal care for other (suspected) fetal abnormality and damage, fetus 3 |
| O358XX4 | |
| O358XX5 | Maternal care for other (suspected) fetal abnormality and damage, fetus 4 |
| | Maternal care for other (suspected) fetal abnormality and damage, fetus 5 |
| O358XX9 O359XX0 | Maternal care for other (suspected) fetal abnormality and damage, other fetus Maternal care for (suspected) fetal abnormality and damage, unspecified, not applicable or |
| O359XX1 | unspecified Maternal care for (suspected) fetal abnormality and damage, unspecified, fetus 1 |
| O359XX1 | Maternal care for (suspected) fetal abnormality and damage, unspecified, fetus 2 |
| O359XX3 | Maternal care for (suspected) fetal abnormality and damage, unspecified, fetus 3 |
| O359XX4 | Maternal care for (suspected) fetal abnormality and damage, unspecified, fetus 4 |
| O359XX5 | Maternal care for (suspected) fetal abnormality and damage, unspecified, fetus 5 |
| O359XX9 | Maternal care for (suspected) fetal abnormality and damage, unspecified, refus 5 Maternal care for (suspected) fetal abnormality and damage, unspecified, other fetus |
| O360110 | , |
| | Maternal care for anti-D [Rh] antibodies, first trimester, not applicable or unspecified |
| O360111 | Maternal care for anti-D [Rh] antibodies, first trimester, fetus 1 |
| O360112 | Maternal care for anti-D [Rh] antibodies, first trimester, fetus 2 |
| O360113 | Maternal care for anti-D [Rh] antibodies, first trimester, fetus 3 |
| O360114 | Maternal care for anti-D [Rh] antibodies, first trimester, fetus 4 |
| O360115 | Maternal care for anti-D [Rh] antibodies, first trimester, fetus 5 |
| O360119 | Maternal care for anti-D [Rh] antibodies, first trimester, other fetus |
| O360120 | Maternal care for anti-D [Rh] antibodies, second trimester, not applicable or unspecified |
| O360121 | Maternal care for anti-D [Rh] antibodies, second trimester, fetus 1 |
| O360122 | Maternal care for anti-D [Rh] antibodies, second trimester, fetus 2 |
| O360123 | Maternal care for anti-D [Rh] antibodies, second trimester, fetus 3 |
| O360124 | Maternal care for anti-D [Rh] antibodies, second trimester, fetus 4 |
| O360125 | Maternal care for anti-D [Rh] antibodies, second trimester, fetus 5 |
| O360129 | Maternal care for anti-D [Rh] antibodies, second trimester, other fetus |
| O360130 | Maternal care for anti-D [Rh] antibodies, third trimester, not applicable or unspecified |
| O360131 | Maternal care for anti-D [Rh] antibodies, third trimester, fetus 1 |
| O360132 | Maternal care for anti-D [Rh] antibodies, third trimester, fetus 2 |
| O360133 | Maternal care for anti-D [Rh] antibodies, third trimester, fetus 3 |
| O360134 | Maternal care for anti-D [Rh] antibodies, third trimester, fetus 4 |
| O360135 | Maternal care for anti-D [Rh] antibodies, third trimester, fetus 5 |
| O360139 | Maternal care for anti-D [Rh] antibodies, third trimester, other fetus |
| O360190 | Maternal care for anti-D [Rh] antibodies, unspecified trimester, not applicable or unspecified |
| O360191 | Maternal care for anti-D [Rh] antibodies, unspecified trimester, fetus 1 |
| O360192 | Maternal care for anti-D [Rh] antibodies, unspecified trimester, fetus 2 |
| O360193 | Maternal care for anti-D [Rh] antibodies, unspecified trimester, fetus 3 |



| ICD 10 | Description |
|---------|--|
| O360194 | Maternal care for anti-D [Rh] antibodies, unspecified trimester, fetus 4 |
| O360195 | Maternal care for anti-D [Rh] antibodies, unspecified trimester, fetus 5 |
| O360199 | Maternal care for anti-D [Rh] antibodies, unspecified trimester, other fetus |
| O360910 | Maternal care for other rhesus isoimmunization, first trimester, not applicable or unspecified |
| O360911 | Maternal care for other rhesus isoimmunization, first trimester, fetus 1 |
| O360912 | Maternal care for other rhesus isoimmunization, first trimester, fetus 2 |
| O360913 | Maternal care for other rhesus isoimmunization, first trimester, fetus 3 |
| O360914 | Maternal care for other rhesus isoimmunization, first trimester, fetus 4 |
| O360915 | Maternal care for other rhesus isoimmunization, first trimester, fetus 5 |
| O360919 | Maternal care for other rhesus isoimmunization, first trimester, other fetus |
| O360920 | Maternal care for other rhesus isoimmunization, second trimester, not applicable or unspecified |
| O360921 | Maternal care for other mesus isoimmunization, second trimester, fetus 1 |
| O360922 | Maternal care for other rhesus isoimmunization, second trimester, fetus 2 |
| O360923 | Maternal care for other rhesus isoimmunization, second trimester, fetus 3 |
| O360924 | Maternal care for other rhesus isoimmunization, second trimester, fetus 4 |
| O360925 | Maternal care for other rhesus isoimmunization, second trimester, fetus 5 |
| O360929 | Maternal care for other rhesus isoimmunization, second trimester, other fetus |
| O360930 | Maternal care for other rhesus isoimmunization, third trimester, not applicable or unspecified |
| O360931 | Maternal care for other rhesus isoimmunization, third trimester, fetus 1 |
| O360932 | Maternal care for other rhesus isoimmunization, third trimester, fetus 2 |
| O360933 | Maternal care for other rhesus isoimmunization, third trimester, fetus 3 |
| O360934 | Maternal care for other rhesus isoimmunization, third trimester, fetus 4 |
| O360935 | Maternal care for other rhesus isoimmunization, third trimester, fetus 5 |
| O360939 | Maternal care for other rhesus isoimmunization, third trimester, other fetus |
| O360990 | Maternal care for other rhesus isoimmunization, unspecified trimester, not applicable or unspecified |
| O360991 | Maternal care for other rhesus isoimmunization, unspecified trimester, fetus 1 |
| O360992 | Maternal care for other rhesus isoimmunization, unspecified trimester, fetus 2 |
| O360993 | Maternal care for other rhesus isoimmunization, unspecified trimester, fetus 3 |
| O360994 | Maternal care for other rhesus isoimmunization, unspecified trimester, fetus 4 |
| O360995 | Maternal care for other rhesus isoimmunization, unspecified trimester, fetus 5 |
| O360999 | Maternal care for other rhesus isoimmunization, unspecified trimester, other fetus |
| O361110 | Maternal care for Anti-A sensitization, first trimester, not applicable or unspecified |
| O361111 | Maternal care for Anti-A sensitization, first trimester, fetus 1 |
| O361112 | Maternal care for Anti-A sensitization, first trimester, fetus 2 |
| O361113 | Maternal care for Anti-A sensitization, first trimester, fetus 3 |
| O361114 | Maternal care for Anti-A sensitization, first trimester, fetus 4 |
| O361115 | Maternal care for Anti-A sensitization, first trimester, fetus 5 |
| O361119 | Maternal care for Anti-A sensitization, first trimester, other fetus |
| O361120 | Maternal care for Anti-A sensitization, second trimester, not applicable or unspecified |
| O361121 | Maternal care for Anti-A sensitization, second trimester, fetus 1 |



| ICD 10 | Description |
|---------|---|
| O361122 | Maternal care for Anti-A sensitization, second trimester, fetus 2 |
| O361123 | Maternal care for Anti-A sensitization, second trimester, fetus 3 |
| O361124 | Maternal care for Anti-A sensitization, second trimester, fetus 4 |
| O361125 | Maternal care for Anti-A sensitization, second trimester, fetus 5 |
| O361129 | Maternal care for Anti-A sensitization, second trimester, other fetus |
| O361130 | Maternal care for Anti-A sensitization, third trimester, not applicable or unspecified |
| O361131 | Maternal care for Anti-A sensitization, third trimester, fetus 1 |
| O361132 | Maternal care for Anti-A sensitization, third trimester, fetus 2 |
| O361133 | Maternal care for Anti-A sensitization, third trimester, fetus 3 |
| O361134 | Maternal care for Anti-A sensitization, third trimester, fetus 4 |
| O361135 | Maternal care for Anti-A sensitization, third trimester, fetus 5 |
| O361139 | Maternal care for Anti-A sensitization, third trimester, other fetus |
| O361190 | Maternal care for Anti-A sensitization, unspecified trimester, not applicable or unspecified |
| O361191 | Maternal care for Anti-A sensitization, unspecified trimester, fetus 1 |
| O361192 | Maternal care for Anti-A sensitization, unspecified trimester, fetus 2 |
| O361193 | Maternal care for Anti-A sensitization, unspecified trimester, fetus 3 |
| O361194 | Maternal care for Anti-A sensitization, unspecified trimester, fetus 4 |
| O361195 | Maternal care for Anti-A sensitization, unspecified trimester, fetus 5 |
| O361199 | Maternal care for Anti-A sensitization, unspecified trimester, other fetus |
| O361910 | Maternal care for other isoimmunization, first trimester, not applicable or unspecified |
| O361911 | Maternal care for other isoimmunization, first trimester, fetus 1 |
| O361912 | Maternal care for other isoimmunization, first trimester, fetus 2 |
| O361913 | Maternal care for other isoimmunization, first trimester, fetus 3 |
| O361914 | Maternal care for other isoimmunization, first trimester, fetus 4 |
| O361915 | Maternal care for other isoimmunization, first trimester, fetus 5 |
| O361919 | Maternal care for other isoimmunization, first trimester, other fetus |
| O361920 | Maternal care for other isoimmunization, second trimester, not applicable or unspecified |
| O361921 | Maternal care for other isoimmunization, second trimester, fetus 1 |
| O361922 | Maternal care for other isoimmunization, second trimester, fetus 2 |
| O361923 | Maternal care for other isoimmunization, second trimester, fetus 3 |
| O361924 | Maternal care for other isoimmunization, second trimester, fetus 4 |
| O361925 | Maternal care for other isoimmunization, second trimester, fetus 5 |
| O361929 | Maternal care for other isoimmunization, second trimester, other fetus |
| O361930 | Maternal care for other isoimmunization, third trimester, not applicable or unspecified |
| O361931 | Maternal care for other isoimmunization, third trimester, fetus 1 |
| O361932 | Maternal care for other isoimmunization, third trimester, fetus 2 |
| O361933 | Maternal care for other isoimmunization, third trimester, fetus 3 |
| O361934 | Maternal care for other isoimmunization, third trimester, fetus 4 |
| O361935 | Maternal care for other isoimmunization, third trimester, fetus 5 |
| O361939 | Maternal care for other isoimmunization, third trimester, other fetus |
| O361990 | Maternal care for other isoimmunization, unspecified trimester, not applicable or unspecified |



| ICD 10 | Description |
|---------|---|
| O361991 | Maternal care for other isoimmunization, unspecified trimester, fetus 1 |
| O361992 | Maternal care for other isoimmunization, unspecified trimester, fetus 2 |
| O361993 | Maternal care for other isoimmunization, unspecified trimester, fetus 3 |
| O361994 | Maternal care for other isoimmunization, unspecified trimester, fetus 4 |
| O361995 | Maternal care for other isoimmunization, unspecified trimester, fetus 5 |
| O361999 | Maternal care for other isoimmunization, unspecified trimester, other fetus |
| O3620X0 | Maternal care for hydrops fetalis, unspecified trimester, not applicable or unspecified |
| O3620X1 | Maternal care for hydrops fetalis, unspecified trimester, fetus 1 |
| O3620X2 | Maternal care for hydrops fetalis, unspecified trimester, fetus 2 |
| O3620X3 | Maternal care for hydrops fetalis, unspecified trimester, fetus 3 |
| O3620X4 | Maternal care for hydrops fetalis, unspecified trimester, fetus 4 |
| O3620X5 | Maternal care for hydrops fetalis, unspecified trimester, fetus 5 |
| O3620X9 | Maternal care for hydrops fetalis, unspecified trimester, other fetus |
| O3621X0 | Maternal care for hydrops fetalis, first trimester, not applicable or unspecified |
| O3621X1 | Maternal care for hydrops fetalis, first trimester, fetus 1 |
| O3621X2 | Maternal care for hydrops fetalis, first trimester, fetus 2 |
| O3621X3 | Maternal care for hydrops fetalis, first trimester, fetus 3 |
| O3621X4 | Maternal care for hydrops fetalis, first trimester, fetus 4 |
| O3621X5 | Maternal care for hydrops fetalis, first trimester, fetus 5 |
| O3621X9 | Maternal care for hydrops fetalis, first trimester, other fetus |
| O3622X0 | Maternal care for hydrops fetalis, second trimester, not applicable or unspecified |
| O3622X1 | Maternal care for hydrops fetalis, second trimester, fetus 1 |
| O3622X2 | Maternal care for hydrops fetalis, second trimester, fetus 2 |
| O3622X3 | Maternal care for hydrops fetalis, second trimester, fetus 3 |
| O3622X4 | Maternal care for hydrops fetalis, second trimester, fetus 4 |
| O3622X5 | Maternal care for hydrops fetalis, second trimester, fetus 5 |
| O3622X9 | Maternal care for hydrops fetalis, second trimester, other fetus |
| O3623X0 | Maternal care for hydrops fetalis, third trimester, not applicable or unspecified |
| O3623X1 | Maternal care for hydrops fetalis, third trimester, fetus 1 |
| O3623X2 | Maternal care for hydrops fetalis, third trimester, fetus 2 |
| O3623X3 | Maternal care for hydrops fetalis, third trimester, fetus 3 |
| O3623X4 | Maternal care for hydrops fetalis, third trimester, fetus 4 |
| O3623X5 | Maternal care for hydrops fetalis, third trimester, fetus 5 |
| O3623X9 | Maternal care for hydrops fetalis, third trimester, other fetus |
| O364XX0 | Maternal care for intrauterine death, not applicable or unspecified |
| O364XX1 | Maternal care for intrauterine death, fetus 1 |
| O364XX2 | Maternal care for intrauterine death, fetus 2 |
| O364XX3 | Maternal care for intrauterine death, fetus 3 |
| O364XX4 | Maternal care for intrauterine death, fetus 4 |
| O364XX5 | Maternal care for intrauterine death, fetus 5 |
| O364XX9 | Maternal care for intrauterine death, other fetus |



| ICD 10 | Description |
|---------|--|
| O365110 | Maternal care for known or suspected placental insufficiency, first trimester, not applicable or unspecified |
| O365111 | Maternal care for known or suspected placental insufficiency, first trimester, fetus 1 |
| O365112 | Maternal care for known or suspected placental insufficiency, first trimester, fetus 2 |
| O365113 | Maternal care for known or suspected placental insufficiency, first trimester, fetus 3 |
| O365114 | Maternal care for known or suspected placental insufficiency, first trimester, fetus 4 |
| O365115 | Maternal care for known or suspected placental insufficiency, first trimester, fetus 5 |
| O365119 | Maternal care for known or suspected placental insufficiency, first trimester, other fetus |
| O365120 | Maternal care for known or suspected placental insufficiency, second trimester, not applicable or unspecified |
| O365121 | Maternal care for known or suspected placental insufficiency, second trimester, fetus 1 |
| O365122 | Maternal care for known or suspected placental insufficiency, second trimester, fetus 2 |
| O365123 | Maternal care for known or suspected placental insufficiency, second trimester, fetus 3 |
| O365124 | Maternal care for known or suspected placental insufficiency, second trimester, fetus 4 |
| O365125 | Maternal care for known or suspected placental insufficiency, second trimester, fetus 5 |
| O365129 | Maternal care for known or suspected placental insufficiency, second trimester, other fetus |
| O365130 | Maternal care for known or suspected placental insufficiency, third trimester, not applicable or unspecified |
| O365131 | Maternal care for known or suspected placental insufficiency, third trimester, fetus 1 |
| O365132 | Maternal care for known or suspected placental insufficiency, third trimester, fetus 2 |
| O365133 | Maternal care for known or suspected placental insufficiency, third trimester, fetus 3 |
| O365134 | Maternal care for known or suspected placental insufficiency, third trimester, fetus 4 |
| O365135 | Maternal care for known or suspected placental insufficiency, third trimester, fetus 5 |
| O365139 | Maternal care for known or suspected placental insufficiency, third trimester, other fetus |
| O365190 | Maternal care for known or suspected placental insufficiency, unspecified trimester, not applicable or unspecified |
| O365191 | Maternal care for known or suspected placental insufficiency, unspecified trimester, fetus 1 |
| O365192 | Maternal care for known or suspected placental insufficiency, unspecified trimester, fetus 2 |
| O365193 | Maternal care for known or suspected placental insufficiency, unspecified trimester, fetus 3 |
| O365194 | Maternal care for known or suspected placental insufficiency, unspecified trimester, fetus 4 |
| O365195 | Maternal care for known or suspected placental insufficiency, unspecified trimester, fetus 5 |
| O365199 | Maternal care for known or suspected placental insufficiency, unspecified trimester, other fetus |
| O365910 | Maternal care for other known or suspected poor fetal growth, first trimester, not applicable or unspecified |
| O365911 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 1 |
| O365912 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 2 |
| O365913 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 3 |
| O365914 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 4 |
| O365915 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 5 |
| O365919 | Maternal care for other known or suspected poor fetal growth, first trimester, other fetus |
| O365920 | Maternal care for other known or suspected poor fetal growth, second trimester, not applicable or unspecified |



| ICD 10 | Description |
|---------|--|
| O365921 | Description |
| O365922 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 2 |
| O365923 | |
| O365924 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 3 |
| O365925 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 4 |
| | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 5 |
| O365929 | Maternal care for other known or suspected poor fetal growth, second trimester, other fetus |
| O365930 | Maternal care for other known or suspected poor fetal growth, third trimester, not applicable or unspecified |
| O365931 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 1 |
| O365932 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 2 |
| O365933 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 3 |
| O365934 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 4 |
| O365935 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 5 |
| O365939 | Maternal care for other known or suspected poor fetal growth, third trimester, other fetus |
| O365990 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, not applicable or unspecified |
| O365991 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, fetus 1 |
| O365992 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, fetus 2 |
| O365993 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, fetus 3 |
| O365994 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, fetus 4 |
| O365995 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, fetus 5 |
| O365999 | Maternal care for other known or suspected poor fetal growth, unspecified trimester, other fetus |
| O3660X0 | Maternal care for excessive fetal growth, unspecified trimester, not applicable or unspecified |
| O3660X1 | Maternal care for excessive fetal growth, unspecified trimester, fetus 1 |
| O3660X2 | Maternal care for excessive fetal growth, unspecified trimester, fetus 2 |
| O3660X3 | Maternal care for excessive fetal growth, unspecified trimester, fetus 3 |
| O3660X4 | Maternal care for excessive fetal growth, unspecified trimester, fetus 4 |
| O3660X5 | Maternal care for excessive fetal growth, unspecified trimester, fetus 5 |
| O3660X9 | Maternal care for excessive fetal growth, unspecified trimester, other fetus |
| O3661X0 | Maternal care for excessive fetal growth, first trimester, not applicable or unspecified |
| O3661X1 | Maternal care for excessive fetal growth, first trimester, fetus 1 |
| O3661X2 | Maternal care for excessive fetal growth, first trimester, fetus 2 |
| O3661X3 | Maternal care for excessive fetal growth, first trimester, fetus 3 |
| O3661X4 | Maternal care for excessive fetal growth, first trimester, fetus 4 |
| O3661X5 | Maternal care for excessive fetal growth, first trimester, fetus 5 |
| O3661X9 | Maternal care for excessive fetal growth, first trimester, other fetus |
| O3662X0 | Maternal care for excessive fetal growth, second trimester, not applicable or unspecified |
| O3662X1 | Maternal care for excessive fetal growth, second trimester, fetus 1 |
| O3662X2 | Maternal care for excessive fetal growth, second trimester, fetus 2 |
| O3662X3 | Maternal care for excessive fetal growth, second trimester, fetus 3 |
| O3662X4 | Maternal care for excessive fetal growth, second trimester, fetus 4 |



| ICD 10 | Description |
|---------|---|
| O3662X5 | Maternal care for excessive fetal growth, second trimester, fetus 5 |
| O3662X9 | Maternal care for excessive fetal growth, second trimester, other fetus |
| O3663X0 | Maternal care for excessive fetal growth, third trimester, not applicable or unspecified |
| O3663X1 | Maternal care for excessive fetal growth, third trimester, fetus 1 |
| O3663X2 | Maternal care for excessive fetal growth, third trimester, fetus 2 |
| O3663X3 | Maternal care for excessive fetal growth, third trimester, fetus 3 |
| O3663X4 | Maternal care for excessive fetal growth, third trimester, fetus 4 |
| O3663X5 | Maternal care for excessive fetal growth, third trimester, fetus 5 |
| O3663X9 | Maternal care for excessive fetal growth, third trimester, other fetus |
| O3670X0 | Maternal care for viable fetus in abdominal pregnancy, unspecified trimester, not applicable or unspecified |
| O3670X1 | Maternal care for viable fetus in abdominal pregnancy, unspecified trimester, fetus 1 |
| O3670X2 | Maternal care for viable fetus in abdominal pregnancy, unspecified trimester, fetus 2 |
| O3670X3 | Maternal care for viable fetus in abdominal pregnancy, unspecified trimester, fetus 3 |
| O3670X4 | Maternal care for viable fetus in abdominal pregnancy, unspecified trimester, fetus 4 |
| O3670X5 | Maternal care for viable fetus in abdominal pregnancy, unspecified trimester, fetus 5 |
| O3670X9 | Maternal care for viable fetus in abdominal pregnancy, unspecified trimester, other fetus |
| O3671X0 | Maternal care for viable fetus in abdominal pregnancy, first trimester, not applicable or unspecified |
| O3671X1 | Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 1 |
| O3671X2 | Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 2 |
| O3671X3 | Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 3 |
| O3671X4 | Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 4 |
| O3671X5 | Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 5 |
| O3671X9 | Maternal care for viable fetus in abdominal pregnancy, first trimester, other fetus |
| O3672X0 | Maternal care for viable fetus in abdominal pregnancy, second trimester, not applicable or unspecified |
| O3672X1 | Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 1 |
| O3672X2 | Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 2 |
| O3672X3 | Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 3 |
| O3672X4 | Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 4 |
| O3672X5 | Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 5 |
| O3672X9 | Maternal care for viable fetus in abdominal pregnancy, second trimester, other fetus |
| O3673X0 | Maternal care for viable fetus in abdominal pregnancy, third trimester, not applicable or unspecified |
| O3673X1 | Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 1 |
| O3673X2 | Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 2 |
| O3673X3 | Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 3 |
| O3673X4 | Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 4 |
| O3673X5 | Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 5 |
| O3673X9 | Maternal care for viable fetus in abdominal pregnancy, third trimester, other fetus |
| O3680X0 | Pregnancy with inconclusive fetal viability, not applicable or unspecified |



| ICD 40 | Description |
|---------|--|
| O3680X1 | Description Description |
| | Pregnancy with inconclusive fetal viability, fetus 1 |
| O3680X2 | Pregnancy with inconclusive fetal viability, fetus 2 |
| O3680X3 | Pregnancy with inconclusive fetal viability, fetus 3 |
| O3680X4 | Pregnancy with inconclusive fetal viability, fetus 4 |
| O3680X5 | Pregnancy with inconclusive fetal viability, fetus 5 |
| O3680X9 | Pregnancy with inconclusive fetal viability, other fetus |
| O368120 | Decreased fetal movements, second trimester, not applicable or unspecified |
| O368121 | Decreased fetal movements, second trimester, fetus 1 |
| O368122 | Decreased fetal movements, second trimester, fetus 2 |
| O368123 | Decreased fetal movements, second trimester, fetus 3 |
| O368124 | Decreased fetal movements, second trimester, fetus 4 |
| O368125 | Decreased fetal movements, second trimester, fetus 5 |
| O368129 | Decreased fetal movements, second trimester, other fetus |
| O368130 | Decreased fetal movements, third trimester, not applicable or unspecified |
| O368131 | Decreased fetal movements, third trimester, fetus 1 |
| O368132 | Decreased fetal movements, third trimester, fetus 2 |
| O368133 | Decreased fetal movements, third trimester, fetus 3 |
| O368134 | Decreased fetal movements, third trimester, fetus 4 |
| O368135 | Decreased fetal movements, third trimester, fetus 5 |
| O368139 | Decreased fetal movements, third trimester, other fetus |
| O368190 | Decreased fetal movements, unspecified trimester, not applicable or unspecified |
| O368191 | Decreased fetal movements, unspecified trimester, fetus 1 |
| O368192 | Decreased fetal movements, unspecified trimester, fetus 2 |
| O368193 | Decreased fetal movements, unspecified trimester, fetus 3 |
| O368194 | Decreased fetal movements, unspecified trimester, fetus 4 |
| O368195 | Decreased fetal movements, unspecified trimester, fetus 5 |
| O368199 | Decreased fetal movements, unspecified trimester, other fetus |
| O368210 | Fetal anemia and thrombocytopenia, first trimester, not applicable or unspecified |
| O368211 | Fetal anemia and thrombocytopenia, first trimester, fetus 1 |
| O368212 | Fetal anemia and thrombocytopenia, first trimester, fetus 2 |
| O368213 | Fetal anemia and thrombocytopenia, first trimester, fetus 3 |
| O368214 | Fetal anemia and thrombocytopenia, first trimester, fetus 4 |
| O368215 | Fetal anemia and thrombocytopenia, first trimester, fetus 5 |
| O368219 | Fetal anemia and thrombocytopenia, first trimester, other fetus |
| O368220 | Fetal anemia and thrombocytopenia, second trimester, not applicable or unspecified |
| O368221 | Fetal anemia and thrombocytopenia, second trimester, fetus 1 |
| O368222 | Fetal anemia and thrombocytopenia, second trimester, fetus 2 |
| O368223 | Fetal anemia and thrombocytopenia, second trimester, fetus 3 |
| O368224 | Fetal anemia and thrombocytopenia, second trimester, fetus 4 |
| O368225 | Fetal anemia and thrombocytopenia, second trimester, fetus 5 |
| O368229 | Fetal anemia and thrombocytopenia, second trimester, other fetus |



| O269220 | Description |
|---------|---|
| O368230 | Fetal anemia and thrombocytopenia, third trimester, not applicable or unspecified |
| O368231 | Fetal anemia and thrombocytopenia, third trimester, fetus 1 |
| O368232 | Fetal anemia and thrombocytopenia, third trimester, fetus 2 |
| O368233 | Fetal anemia and thrombocytopenia, third trimester, fetus 3 |
| O368234 | Fetal anemia and thrombocytopenia, third trimester, fetus 4 |
| O368235 | Fetal anemia and thrombocytopenia, third trimester, fetus 5 |
| O368239 | Fetal anemia and thrombocytopenia, third trimester, other fetus |
| O368290 | Fetal anemia and thrombocytopenia, unspecified trimester, not applicable or unspecified |
| O368291 | Fetal anemia and thrombocytopenia, unspecified trimester, fetus 1 |
| O368292 | Fetal anemia and thrombocytopenia, unspecified trimester, fetus 2 |
| O368293 | Fetal anemia and thrombocytopenia, unspecified trimester, fetus 3 |
| O368294 | Fetal anemia and thrombocytopenia, unspecified trimester, fetus 4 |
| O368295 | Fetal anemia and thrombocytopenia, unspecified trimester, fetus 5 |
| O368299 | Fetal anemia and thrombocytopenia, unspecified trimester, other fetus |
| O368310 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, not applicable or unspecified |
| O368311 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 1 |
| O368312 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 2 |
| O368313 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 3 |
| O368314 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 4 |
| O368315 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 5 |
| O368319 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, other fetus |
| O368320 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, not applicable or unspecified |
| O368321 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 1 |
| O368322 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 2 |
| O368323 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 3 |
| O368324 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 4 |
| O368325 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 5 |
| O368329 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, other fetus |
| O368330 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, not applicable or unspecified |
| O368331 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 1 |
| O368332 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 2 |
| O368333 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 3 |
| O368334 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 4 |
| O368335 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 5 |
| O368339 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, other fetus |
| O368390 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, not applicable or unspecified |
| O368391 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 1 |
| O368392 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 2 |



| ICD 10 | Description |
|---------|--|
| O368393 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 3 |
| O368394 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 4 |
| O368395 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 5 |
| O368399 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, other fetus |
| O368910 | Maternal care for other specified fetal problems, first trimester, not applicable or unspecified |
| O368911 | Maternal care for other specified fetal problems, first trimester, fetus 1 |
| O368912 | Maternal care for other specified fetal problems, first trimester, fetus 2 |
| O368913 | Maternal care for other specified fetal problems, first trimester, fetus 3 |
| O368914 | Maternal care for other specified fetal problems, first trimester, fetus 4 |
| O368915 | Maternal care for other specified fetal problems, first trimester, fetus 5 |
| O368919 | Maternal care for other specified fetal problems, first trimester, other fetus |
| O368920 | Maternal care for other specified fetal problems, second trimester, not applicable or unspecified |
| O368921 | Maternal care for other specified fetal problems, second trimester, fetus 1 |
| O368922 | Maternal care for other specified fetal problems, second trimester, fetus 2 |
| O368923 | Maternal care for other specified fetal problems, second trimester, fetus 3 |
| O368924 | Maternal care for other specified fetal problems, second trimester, fetus 4 |
| O368925 | Maternal care for other specified fetal problems, second trimester, fetus 5 |
| O368929 | Maternal care for other specified fetal problems, second trimester, other fetus |
| O368930 | Maternal care for other specified fetal problems, third trimester, not applicable or unspecified |
| O368931 | Maternal care for other specified fetal problems, third trimester, fetus 1 |
| O368932 | Maternal care for other specified fetal problems, third trimester, fetus 2 |
| O368933 | Maternal care for other specified fetal problems, third trimester, fetus 3 |
| O368934 | Maternal care for other specified fetal problems, third trimester, fetus 4 |
| O368935 | Maternal care for other specified fetal problems, third trimester, fetus 5 |
| O368939 | Maternal care for other specified fetal problems, third trimester, other fetus |
| O368990 | Maternal care for other specified fetal problems, unspecified trimester, not applicable or unspecified |
| O368991 | Maternal care for other specified fetal problems, unspecified trimester, fetus 1 |
| O368992 | Maternal care for other specified fetal problems, unspecified trimester, fetus 2 |
| O368993 | Maternal care for other specified fetal problems, unspecified trimester, fetus 3 |
| O368994 | Maternal care for other specified fetal problems, unspecified trimester, fetus 4 |
| O368995 | Maternal care for other specified fetal problems, unspecified trimester, fetus 5 |
| O368999 | Maternal care for other specified fetal problems, unspecified trimester, other fetus |
| O3690X0 | Maternal care for fetal problem, unspecified, unspecified trimester, not applicable or unspecified |
| O3690X1 | Maternal care for fetal problem, unspecified, unspecified trimester, fetus 1 |
| O3690X2 | Maternal care for fetal problem, unspecified, unspecified trimester, fetus 2 |
| O3690X3 | Maternal care for fetal problem, unspecified, unspecified trimester, fetus 3 |
| O3690X4 | Maternal care for fetal problem, unspecified, unspecified trimester, fetus 4 |
| O3690X5 | Maternal care for fetal problem, unspecified, unspecified trimester, fetus 5 |
| O3690X9 | Maternal care for fetal problem, unspecified, unspecified trimester, other fetus |



| ICD 10 | Description |
|---------|---|
| O3691X0 | Maternal care for fetal problem, unspecified, first trimester, not applicable or unspecified |
| O3691X1 | Maternal care for fetal problem, unspecified, first trimester, fetus 1 |
| O3691X2 | Maternal care for fetal problem, unspecified, first trimester, fetus 2 |
| O3691X3 | Maternal care for fetal problem, unspecified, first trimester, fetus 3 |
| O3691X4 | Maternal care for fetal problem, unspecified, first trimester, fetus 4 |
| O3691X5 | Maternal care for fetal problem, unspecified, first trimester, fetus 5 |
| O3691X9 | Maternal care for fetal problem, unspecified, first trimester, other fetus |
| O3692X0 | Maternal care for fetal problem, unspecified, second trimester, not applicable or unspecified |
| O3692X1 | Maternal care for fetal problem, unspecified, second trimester, fetus 1 |
| O3692X2 | Maternal care for fetal problem, unspecified, second trimester, fetus 2 |
| O3692X3 | Maternal care for fetal problem, unspecified, second trimester, fetus 3 |
| O3692X4 | Maternal care for fetal problem, unspecified, second trimester, fetus 4 |
| O3692X5 | Maternal care for fetal problem, unspecified, second trimester, fetus 5 |
| O3692X9 | Maternal care for fetal problem, unspecified, second trimester, other fetus |
| O3693X0 | Maternal care for fetal problem, unspecified, third trimester, not applicable or unspecified |
| O3693X1 | Maternal care for fetal problem, unspecified, third trimester, fetus 1 |
| O3693X2 | Maternal care for fetal problem, unspecified, third trimester, fetus 2 |
| O3693X3 | Maternal care for fetal problem, unspecified, third trimester, fetus 3 |
| O3693X4 | Maternal care for fetal problem, unspecified, third trimester, fetus 4 |
| O3693X5 | Maternal care for fetal problem, unspecified, third trimester, fetus 5 |
| O3693X9 | Maternal care for fetal problem, unspecified, third trimester, other fetus |
| O401XX0 | Polyhydramnios, first trimester, not applicable or unspecified |
| O401XX1 | Polyhydramnios, first trimester, fetus 1 |
| O401XX2 | Polyhydramnios, first trimester, fetus 2 |
| O401XX3 | Polyhydramnios, first trimester, fetus 3 |
| O401XX4 | Polyhydramnios, first trimester, fetus 4 |
| O401XX5 | Polyhydramnios, first trimester, fetus 5 |
| O401XX9 | Polyhydramnios, first trimester, other fetus |
| O402XX0 | Polyhydramnios, second trimester, not applicable or unspecified |
| O402XX1 | Polyhydramnios, second trimester, fetus 1 |
| O402XX2 | Polyhydramnios, second trimester, fetus 2 |
| O402XX3 | Polyhydramnios, second trimester, fetus 3 |
| O402XX4 | Polyhydramnios, second trimester, fetus 4 |
| O402XX5 | Polyhydramnios, second trimester, fetus 5 |
| O402XX9 | Polyhydramnios, second trimester, other fetus |
| O403XX0 | Polyhydramnios, third trimester, not applicable or unspecified |
| O403XX1 | Polyhydramnios, third trimester, fetus 1 |
| O403XX2 | Polyhydramnios, third trimester, fetus 2 |
| O403XX3 | Polyhydramnios, third trimester, fetus 3 |
| O403XX4 | Polyhydramnios, third trimester, fetus 4 |
| O403XX5 | Polyhydramnios, third trimester, fetus 5 |



| Pregnancy Diagnosis Code List: | |
|--------------------------------|--|
| ICD 10 | Description |
| O403XX9 | Polyhydramnios, third trimester, other fetus |
| O409XX0 | Polyhydramnios, unspecified trimester, not applicable or unspecified |
| O409XX1 | Polyhydramnios, unspecified trimester, fetus 1 |
| O409XX2 | Polyhydramnios, unspecified trimester, fetus 2 |
| O409XX3 | Polyhydramnios, unspecified trimester, fetus 3 |
| O409XX4 | Polyhydramnios, unspecified trimester, fetus 4 |
| O409XX5 | Polyhydramnios, unspecified trimester, fetus 5 |
| O409XX9 | Polyhydramnios, unspecified trimester, other fetus |
| O4100X0 | Oligohydramnios, unspecified trimester, not applicable or unspecified |
| O4100X1 | Oligohydramnios, unspecified trimester, fetus 1 |
| O4100X2 | Oligohydramnios, unspecified trimester, fetus 2 |
| O4100X3 | Oligohydramnios, unspecified trimester, fetus 3 |
| O4100X4 | Oligohydramnios, unspecified trimester, fetus 4 |
| O4100X5 | Oligohydramnios, unspecified trimester, fetus 5 |
| O4100X9 | Oligohydramnios, unspecified trimester, other fetus |
| O4101X0 | Oligohydramnios, first trimester, not applicable or unspecified |
| O4101X1 | Oligohydramnios, first trimester, fetus 1 |
| O4101X2 | Oligohydramnios, first trimester, fetus 2 |
| O4101X3 | Oligohydramnios, first trimester, fetus 3 |
| O4101X4 | Oligohydramnios, first trimester, fetus 4 |
| O4101X5 | Oligohydramnios, first trimester, fetus 5 |
| O4101X9 | Oligohydramnios, first trimester, other fetus |
| O4102X0 | Oligohydramnios, second trimester, not applicable or unspecified |
| O4102X1 | Oligohydramnios, second trimester, fetus 1 |
| O4102X2 | Oligohydramnios, second trimester, fetus 2 |
| O4102X3 | Oligohydramnios, second trimester, fetus 3 |
| O4102X4 | Oligohydramnios, second trimester, fetus 4 |
| O4102X5 | Oligohydramnios, second trimester, fetus 5 |
| O4102X9 | Oligohydramnios, second trimester, other fetus |
| O4103X0 | Oligohydramnios, third trimester, not applicable or unspecified |
| O4103X1 | Oligohydramnios, third trimester, fetus 1 |
| O4103X2 | Oligohydramnios, third trimester, fetus 2 |
| O4103X3 | Oligohydramnios, third trimester, fetus 3 |
| O4103X4 | Oligohydramnios, third trimester, fetus 4 |
| O4103X5 | Oligohydramnios, third trimester, fetus 5 |
| O4103X9 | Oligohydramnios, third trimester, other fetus |
| O411010 | Infection of amniotic sac and membranes, unspecified, first trimester, not applicable or unspecified |
| O411011 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 1 |
| O411012 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 2 |
| O411013 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 3 |



| ICD 10 | Description |
|---------|--|
| O411014 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 4 |
| O411015 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 5 |
| O411019 | Infection of amniotic sac and membranes, unspecified, first trimester, other fetus |
| O411020 | Infection of amniotic sac and membranes, unspecified, second trimester, not applicable or unspecified |
| O411021 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 1 |
| O411022 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 2 |
| O411023 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 3 |
| O411024 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 4 |
| O411025 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 5 |
| O411029 | Infection of amniotic sac and membranes, unspecified, second trimester, other fetus |
| O411030 | Infection of amniotic sac and membranes, unspecified, third trimester, not applicable or unspecified |
| O411031 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 1 |
| O411032 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 2 |
| O411033 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 3 |
| O411034 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 4 |
| O411035 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 5 |
| O411039 | Infection of amniotic sac and membranes, unspecified, third trimester, other fetus |
| O411090 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, not applicable or unspecified |
| O411091 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 1 |
| O411092 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 2 |
| O411093 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 3 |
| O411094 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 4 |
| O411095 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 5 |
| O411099 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, other fetus |
| O411210 | Chorioamnionitis, first trimester, not applicable or unspecified |
| O411211 | Chorioamnionitis, first trimester, fetus 1 |
| O411212 | Chorioamnionitis, first trimester, fetus 2 |
| O411213 | Chorioamnionitis, first trimester, fetus 3 |
| O411214 | Chorioamnionitis, first trimester, fetus 4 |
| O411215 | Chorioamnionitis, first trimester, fetus 5 |
| O411219 | Chorioamnionitis, first trimester, other fetus |
| O411220 | Chorioamnionitis, second trimester, not applicable or unspecified |
| O411221 | Chorioamnionitis, second trimester, fetus 1 |
| O411222 | Chorioamnionitis, second trimester, fetus 2 |
| O411223 | Chorioamnionitis, second trimester, fetus 3 |
| O411224 | Chorioamnionitis, second trimester, fetus 4 |
| O411225 | Chorioamnionitis, second trimester, fetus 5 |
| O411229 | Chorioamnionitis, second trimester, other fetus |
| O411230 | Chorioamnionitis, third trimester, not applicable or unspecified |



| Pregnancy Diagnosis Code List: | |
|--------------------------------|--|
| ICD 10 | Description |
| O411231 | Chorioamnionitis, third trimester, fetus 1 |
| O411232 | Chorioamnionitis, third trimester, fetus 2 |
| O411233 | Chorioamnionitis, third trimester, fetus 3 |
| O411234 | Chorioamnionitis, third trimester, fetus 4 |
| O411235 | Chorioamnionitis, third trimester, fetus 5 |
| O411239 | Chorioamnionitis, third trimester, other fetus |
| O411290 | Chorioamnionitis, unspecified trimester, not applicable or unspecified |
| O411291 | Chorioamnionitis, unspecified trimester, fetus 1 |
| O411292 | Chorioamnionitis, unspecified trimester, fetus 2 |
| O411293 | Chorioamnionitis, unspecified trimester, fetus 3 |
| O411294 | Chorioamnionitis, unspecified trimester, fetus 4 |
| O411295 | Chorioamnionitis, unspecified trimester, fetus 5 |
| O411299 | Chorioamnionitis, unspecified trimester, other fetus |
| O411410 | Placentitis, first trimester, not applicable or unspecified |
| O411411 | Placentitis, first trimester, fetus 1 |
| O411412 | Placentitis, first trimester, fetus 2 |
| O411413 | Placentitis, first trimester, fetus 3 |
| O411414 | Placentitis, first trimester, fetus 4 |
| O411415 | Placentitis, first trimester, fetus 5 |
| O411419 | Placentitis, first trimester, other fetus |
| O411420 | Placentitis, second trimester, not applicable or unspecified |
| O411421 | Placentitis, second trimester, fetus 1 |
| O411422 | Placentitis, second trimester, fetus 2 |
| O411423 | Placentitis, second trimester, fetus 3 |
| O411424 | Placentitis, second trimester, fetus 4 |
| O411425 | Placentitis, second trimester, fetus 5 |
| O411429 | Placentitis, second trimester, other fetus |
| O411430 | Placentitis, third trimester, not applicable or unspecified |
| O411431 | Placentitis, third trimester, fetus 1 |
| O411432 | Placentitis, third trimester, fetus 2 |
| O411433 | Placentitis, third trimester, fetus 3 |
| O411434 | Placentitis, third trimester, fetus 4 |
| O411435 | Placentitis, third trimester, fetus 5 |
| O411439 | Placentitis, third trimester, other fetus |
| O411490 | Placentitis, unspecified trimester, not applicable or unspecified |
| O411491 | Placentitis, unspecified trimester, fetus 1 |
| O411492 | Placentitis, unspecified trimester, fetus 2 |
| O411493 | Placentitis, unspecified trimester, fetus 3 |
| O411494 | Placentitis, unspecified trimester, fetus 4 |
| O411495 | Placentitis, unspecified trimester, fetus 5 |
| O411499 | Placentitis, unspecified trimester, other fetus |



| 100.40 | |
|---------|---|
| ICD 10 | Other an effect discusses of amnietic fluid and membranes first trimester, not applicable as |
| O418X10 | Other specified disorders of amniotic fluid and membranes, first trimester, not applicable or unspecified |
| O418X11 | Other specified disorders of amniotic fluid and membranes, first trimester, fetus 1 |
| O418X12 | Other specified disorders of amniotic fluid and membranes, first trimester, fetus 2 |
| O418X13 | Other specified disorders of amniotic fluid and membranes, first trimester, fetus 3 |
| O418X14 | Other specified disorders of amniotic fluid and membranes, first trimester, fetus 4 |
| O418X15 | Other specified disorders of amniotic fluid and membranes, first trimester, fetus 5 |
| O418X19 | Other specified disorders of amniotic fluid and membranes, first trimester, other fetus |
| O418X20 | Other specified disorders of amniotic fluid and membranes, second trimester, not applicable or unspecified |
| O418X21 | Other specified disorders of amniotic fluid and membranes, second trimester, fetus 1 |
| O418X22 | Other specified disorders of amniotic fluid and membranes, second trimester, fetus 2 |
| O418X23 | Other specified disorders of amniotic fluid and membranes, second trimester, fetus 3 |
| O418X24 | Other specified disorders of amniotic fluid and membranes, second trimester, fetus 4 |
| O418X25 | Other specified disorders of amniotic fluid and membranes, second trimester, fetus 5 |
| O418X29 | Other specified disorders of amniotic fluid and membranes, second trimester, other fetus |
| O418X30 | Other specified disorders of amniotic fluid and membranes, third trimester, not applicable or unspecified |
| O418X31 | Other specified disorders of amniotic fluid and membranes, third trimester, fetus 1 |
| O418X32 | Other specified disorders of amniotic fluid and membranes, third trimester, fetus 2 |
| O418X33 | Other specified disorders of amniotic fluid and membranes, third trimester, fetus 3 |
| O418X34 | Other specified disorders of amniotic fluid and membranes, third trimester, fetus 4 |
| O418X35 | Other specified disorders of amniotic fluid and membranes, third trimester, fetus 5 |
| O418X39 | Other specified disorders of amniotic fluid and membranes, third trimester, other fetus |
| O418X90 | Other specified disorders of amniotic fluid and membranes, unspecified trimester, not applicable or unspecified |
| O418X91 | Other specified disorders of amniotic fluid and membranes, unspecified trimester, fetus 1 |
| O418X92 | Other specified disorders of amniotic fluid and membranes, unspecified trimester, fetus 2 |
| O418X93 | Other specified disorders of amniotic fluid and membranes, unspecified trimester, fetus 3 |
| O418X94 | Other specified disorders of amniotic fluid and membranes, unspecified trimester, fetus 4 |
| O418X95 | Other specified disorders of amniotic fluid and membranes, unspecified trimester, fetus 5 |
| O418X99 | Other specified disorders of amniotic fluid and membranes, unspecified trimester, other fetus |
| O4190X0 | Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, not applicable or unspecified |
| O4190X1 | Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, fetus 1 |
| O4190X2 | Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, fetus 2 |
| O4190X3 | Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, fetus 3 |
| O4190X4 | Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, fetus 4 |
| O4190X5 | Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, fetus 5 |
| O4190X9 | Disorder of amniotic fluid and membranes, unspecified, unspecified trimester, other fetus |
| O4191X0 | Disorder of amniotic fluid and membranes, unspecified, first trimester, not applicable or unspecified |



| Pregnancy Diagnosis Code List: | |
|--------------------------------|---|
| ICD 10 | Description |
| O4191X1 | Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 1 |
| O4191X2 | Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 2 |
| O4191X3 | Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 3 |
| O4191X4 | Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 4 |
| O4191X5 | Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 5 |
| O4191X9 | Disorder of amniotic fluid and membranes, unspecified, first trimester, other fetus |
| O4192X0 | Disorder of amniotic fluid and membranes, unspecified, second trimester, not applicable or unspecified |
| O4192X1 | Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 1 |
| O4192X2 | Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 2 |
| O4192X3 | Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 3 |
| O4192X4 | Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 4 |
| O4192X5 | Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 5 |
| O4192X9 | Disorder of amniotic fluid and membranes, unspecified, second trimester, other fetus |
| O4193X0 | Disorder of amniotic fluid and membranes, unspecified, third trimester, not applicable or unspecified |
| O4193X1 | Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 1 |
| O4193X2 | Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 2 |
| O4193X3 | Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 3 |
| O4193X4 | Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 4 |
| O4193X5 | Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 5 |
| O4193X9 | Disorder of amniotic fluid and membranes, unspecified, third trimester, other fetus |
| O4200 | Premature rupture of membranes, onset of labor within 24 hours of rupture, unspecified weeks of gestation |
| O42011 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, first trimester |
| O42012 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, second trimester |
| O42013 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, third trimester |
| O42019 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, unspecified trimester |
| O4202 | Full-term premature rupture of membranes, onset of labor within 24 hours of rupture |
| O4210 | Premature rupture of membranes, onset of labor more than 24 hours following rupture, unspecified weeks of gestation |
| O42111 | Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, first trimester |
| O42112 | Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, second trimester |
| O42113 | Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, third trimester |
| O42119 | Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, unspecified trimester |
| O4212 | Full-term premature rupture of membranes, onset of labor more than 24 hours following rupture |



| Pregnancy Di | Pregnancy Diagnosis Code List: | |
|--------------|---|--|
| ICD 10 | Description | |
| O4290 | Premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, unspecified weeks of gestation | |
| O42911 | Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, first trimester | |
| O42912 | Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, second trimester | |
| O42913 | Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, third trimester | |
| O42919 | Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, unspecified trimester | |
| O4292 | Full-term premature rupture of membranes, unspecified as to length of time between rupture and onset of labor | |
| O43011 | Fetomaternal placental transfusion syndrome, first trimester | |
| O43012 | Fetomaternal placental transfusion syndrome, second trimester | |
| O43013 | Fetomaternal placental transfusion syndrome, third trimester | |
| O43019 | Fetomaternal placental transfusion syndrome, unspecified trimester | |
| O43021 | Fetus-to-fetus placental transfusion syndrome, first trimester | |
| O43022 | Fetus-to-fetus placental transfusion syndrome, second trimester | |
| O43023 | Fetus-to-fetus placental transfusion syndrome, third trimester | |
| O43029 | Fetus-to-fetus placental transfusion syndrome, unspecified trimester | |
| O43101 | Malformation of placenta, unspecified, first trimester | |
| O43102 | Malformation of placenta, unspecified, second trimester | |
| O43103 | Malformation of placenta, unspecified, third trimester | |
| O43109 | Malformation of placenta, unspecified, unspecified trimester | |
| O43111 | Circumvallate placenta, first trimester | |
| O43112 | Circumvallate placenta, second trimester | |
| O43113 | Circumvallate placenta, third trimester | |
| O43119 | Circumvallate placenta, unspecified trimester | |
| O43121 | Velamentous insertion of umbilical cord, first trimester | |
| O43122 | Velamentous insertion of umbilical cord, second trimester | |
| O43123 | Velamentous insertion of umbilical cord, third trimester | |
| O43129 | Velamentous insertion of umbilical cord, unspecified trimester | |
| O43191 | Other malformation of placenta, first trimester | |
| O43192 | Other malformation of placenta, second trimester | |
| O43193 | Other malformation of placenta, third trimester | |
| O43199 | Other malformation of placenta, unspecified trimester | |
| O43211 | Placenta accreta, first trimester | |
| O43212 | Placenta accreta, second trimester | |
| O43213 | Placenta accreta, third trimester | |
| O43219 | Placenta accreta, unspecified trimester | |
| O43221 | Placenta increta, first trimester | |
| 043222 | Placenta increta, second trimester | |
| JIVELL | 1. Idealita mareta, accord dimental | |



| Pregnancy Diagnosis Code List: | |
|--------------------------------|---|
| ICD 10 | Description |
| O43223 | Placenta increta, third trimester |
| O43229 | Placenta increta, unspecified trimester |
| O43231 | Placenta percreta, first trimester |
| O43232 | Placenta percreta, second trimester |
| O43233 | Placenta percreta, third trimester |
| O43239 | Placenta percreta, unspecified trimester |
| O43811 | Placental infarction, first trimester |
| O43812 | Placental infarction, second trimester |
| O43813 | Placental infarction, third trimester |
| O43819 | Placental infarction, unspecified trimester |
| O43891 | Other placental disorders, first trimester |
| O43892 | Other placental disorders, second trimester |
| O43893 | Other placental disorders, third trimester |
| O43899 | Other placental disorders, unspecified trimester |
| O4390 | Unspecified placental disorder, unspecified trimester |
| O4391 | Unspecified placental disorder, first trimester |
| O4392 | Unspecified placental disorder, second trimester |
| O4393 | Unspecified placental disorder, third trimester |
| O4400 | Complete placenta previa NOS or without hemorrhage, unspecified trimester |
| O4401 | Complete placenta previa NOS or without hemorrhage, first trimester |
| O4402 | Complete placenta previa NOS or without hemorrhage, second trimester |
| O4403 | Complete placenta previa NOS or without hemorrhage, third trimester |
| O4410 | Complete placenta previa with hemorrhage, unspecified trimester |
| O4411 | Complete placenta previa with hemorrhage, first trimester |
| O4412 | Complete placenta previa with hemorrhage, second trimester |
| O4413 | Complete placenta previa with hemorrhage, third trimester |
| O4420 | Partial placenta previa NOS or without hemorrhage, unspecified trimester |
| O4421 | Partial placenta previa NOS or without hemorrhage, first trimester |
| O4422 | Partial placenta previa NOS or without hemorrhage, second trimester |
| O4423 | Partial placenta previa NOS or without hemorrhage, third trimester |
| O4430 | Partial placenta previa with hemorrhage, unspecified trimester |
| O4431 | Partial placenta previa with hemorrhage, first trimester |
| O4432 | Partial placenta previa with hemorrhage, second trimester |
| O4433 | Partial placenta previa with hemorrhage, third trimester |
| O4440 | Low lying placenta NOS or without hemorrhage, unspecified trimester |
| O4441 | Low lying placenta NOS or without hemorrhage, first trimester |
| O4442 | Low lying placenta NOS or without hemorrhage, second trimester |
| O4443 | Low lying placenta NOS or without hemorrhage, third trimester |
| O4450 | Low lying placenta with hemorrhage, unspecified trimester |
| O4451 | Low lying placenta with hemorrhage, first trimester |
| O4452 | Low lying placenta with hemorrhage, second trimester |



| ICD 10 | Description |
|--------|---|
| O4453 | Low lying placenta with hemorrhage, third trimester |
| O45001 | Premature separation of placenta with coagulation defect, unspecified, first trimester |
| O45002 | Premature separation of placenta with coagulation defect, unspecified, second trimester |
| O45003 | Premature separation of placenta with coagulation defect, unspecified, third trimester |
| O45009 | Premature separation of placenta with coagulation defect, unspecified, unspecified trimester |
| O45011 | Premature separation of placenta with afibrinogenemia, first trimester |
| O45012 | Premature separation of placenta with afibrinogenemia, second trimester |
| O45013 | Premature separation of placenta with afibrinogenemia, third trimester |
| O45019 | Premature separation of placenta with afibrinogenemia, unspecified trimester |
| O45021 | Premature separation of placenta with disseminated intravascular coagulation, first trimester |
| O45022 | Premature separation of placenta with disseminated intravascular coagulation, second trimester |
| O45023 | Premature separation of placenta with disseminated intravascular coagulation, third trimester |
| O45029 | Premature separation of placenta with disseminated intravascular coagulation, unspecified trimester |
| O45091 | Premature separation of placenta with other coagulation defect, first trimester |
| O45092 | Premature separation of placenta with other coagulation defect, second trimester |
| O45093 | Premature separation of placenta with other coagulation defect, third trimester |
| O45099 | Premature separation of placenta with other coagulation defect, unspecified trimester |
| O458X1 | Other premature separation of placenta, first trimester |
| O458X2 | Other premature separation of placenta, second trimester |
| O458X3 | Other premature separation of placenta, third trimester |
| O458X9 | Other premature separation of placenta, unspecified trimester |
| O4590 | Premature separation of placenta, unspecified, unspecified trimester |
| O4591 | Premature separation of placenta, unspecified, first trimester |
| O4592 | Premature separation of placenta, unspecified, second trimester |
| O4593 | Premature separation of placenta, unspecified, third trimester |
| O46001 | Antepartum hemorrhage with coagulation defect, unspecified, first trimester |
| O46002 | Antepartum hemorrhage with coagulation defect, unspecified, second trimester |
| O46003 | Antepartum hemorrhage with coagulation defect, unspecified, third trimester |
| O46009 | Antepartum hemorrhage with coagulation defect, unspecified, unspecified trimester |
| O46011 | Antepartum hemorrhage with afibrinogenemia, first trimester |
| O46011 | Antepartum hemorrhage with afibrinogenemia, second trimester |
| O46012 | Antepartum hemorrhage with afibrinogenemia, third trimester |
| O46019 | Antepartum hemorrhage with afibrinogenemia, unspecified trimester |
| O46019 | |
| | Antepartum hemorrhage with disseminated intravascular coagulation, first trimester |
| O46022 | Antepartum hemorrhage with disseminated intravascular coagulation, second trimester |
| O46023 | Antepartum hemorrhage with disseminated intravascular coagulation, third trimester |
| O46029 | Antepartum hemorrhage with disseminated intravascular coagulation, unspecified trimester |
| O46091 | Antepartum hemorrhage with other coagulation defect, first trimester |



| Pregnancy Diagnosis Code List: | |
|--------------------------------|--|
| ICD 10 | Description |
| O46093 | Antepartum hemorrhage with other coagulation defect, third trimester |
| O46099 | Antepartum hemorrhage with other coagulation defect, unspecified trimester |
| O468X1 | Other antepartum hemorrhage, first trimester |
| O468X2 | Other antepartum hemorrhage, second trimester |
| O468X3 | Other antepartum hemorrhage, third trimester |
| O468X9 | Other antepartum hemorrhage, unspecified trimester |
| O4690 | Antepartum hemorrhage, unspecified, unspecified trimester |
| O4691 | Antepartum hemorrhage, unspecified, first trimester |
| O4692 | Antepartum hemorrhage, unspecified, second trimester |
| O4693 | Antepartum hemorrhage, unspecified, third trimester |
| O4700 | False labor before 37 completed weeks of gestation, unspecified trimester |
| O4702 | False labor before 37 completed weeks of gestation, second trimester |
| O4703 | False labor before 37 completed weeks of gestation, third trimester |
| O471 | False labor at or after 37 completed weeks of gestation |
| O479 | False labor, unspecified |
| O480 | Post-term pregnancy |
| O481 | Prolonged pregnancy |
| O6000 | Preterm labor without delivery, unspecified trimester |
| O6002 | Preterm labor without delivery, second trimester |
| O6003 | Preterm labor without delivery, third trimester |
| O6010X0 | Preterm labor with preterm delivery, unspecified trimester, not applicable or unspecified |
| O6010X1 | Preterm labor with preterm delivery, unspecified trimester, fetus 1 |
| O6010X2 | Preterm labor with preterm delivery, unspecified trimester, fetus 2 |
| O6010X3 | Preterm labor with preterm delivery, unspecified trimester, fetus 3 |
| O6010X4 | Preterm labor with preterm delivery, unspecified trimester, fetus 4 |
| O6010X5 | Preterm labor with preterm delivery, unspecified trimester, fetus 5 |
| O6010X9 | Preterm labor with preterm delivery, unspecified trimester, other fetus |
| O6012X0 | Preterm labor second trimester with preterm delivery second trimester, not applicable or unspecified |
| O6012X1 | Preterm labor second trimester with preterm delivery second trimester, fetus 1 |
| O6012X2 | Preterm labor second trimester with preterm delivery second trimester, fetus 2 |
| O6012X3 | Preterm labor second trimester with preterm delivery second trimester, fetus 3 |
| O6012X4 | Preterm labor second trimester with preterm delivery second trimester, fetus 4 |
| O6012X5 | Preterm labor second trimester with preterm delivery second trimester, fetus 5 |
| O6012X9 | Preterm labor second trimester with preterm delivery second trimester, other fetus |
| O6013X0 | Preterm labor second trimester with preterm delivery third trimester, not applicable or unspecified |
| O6013X1 | Preterm labor second trimester with preterm delivery third trimester, fetus 1 |
| O6013X2 | Preterm labor second trimester with preterm delivery third trimester, fetus 2 |
| O6013X3 | Preterm labor second trimester with preterm delivery third trimester, fetus 3 |
| O6013X4 | Preterm labor second trimester with preterm delivery third trimester, fetus 4 |



| ICD 10 | Description | |
|---------|--|--|
| O6013X5 | Preterm labor second trimester with preterm delivery third trimester, fetus 5 | |
| O6013X9 | Preterm labor second trimester with preterm delivery third trimester, other fetus | |
| O6014X0 | Preterm labor third trimester with preterm delivery third trimester, not applicable or unspecified | |
| O6014X1 | Preterm labor third trimester with preterm delivery third trimester, fetus 1 | |
| O6014X2 | Preterm labor third trimester with preterm delivery third trimester, fetus 2 | |
| O6014X3 | Preterm labor third trimester with preterm delivery third trimester, fetus 3 | |
| O6014X4 | Preterm labor third trimester with preterm delivery third trimester, fetus 4 | |
| O6014X5 | Preterm labor third trimester with preterm delivery third trimester, fetus 5 | |
| O6014X9 | Preterm labor third trimester with preterm delivery third trimester, other fetus | |
| O6020X0 | Term delivery with preterm labor, unspecified trimester, not applicable or unspecified | |
| O6020X1 | Term delivery with preterm labor, unspecified trimester, fetus 1 | |
| O6020X2 | Term delivery with preterm labor, unspecified trimester, fetus 2 | |
| O6020X3 | Term delivery with preterm labor, unspecified trimester, fetus 3 | |
| O6020X4 | Term delivery with preterm labor, unspecified trimester, fetus 4 | |
| O6020X5 | Term delivery with preterm labor, unspecified trimester, fetus 5 | |
| O6020X9 | Term delivery with preterm labor, unspecified trimester, other fetus | |
| O6022X0 | Term delivery with preterm labor, second trimester, not applicable or unspecified | |
| O6022X1 | Term delivery with preterm labor, second trimester, fetus 1 | |
| O6022X2 | Term delivery with preterm labor, second trimester, fetus 2 | |
| O6022X3 | Term delivery with preterm labor, second trimester, fetus 3 | |
| O6022X4 | Term delivery with preterm labor, second trimester, fetus 4 | |
| O6022X5 | Term delivery with preterm labor, second trimester, fetus 5 | |
| O6022X9 | Term delivery with preterm labor, second trimester, other fetus | |
| O6023X0 | Term delivery with preterm labor, second timester, other letes Term delivery with preterm labor, third trimester, not applicable or unspecified | |
| O6023X1 | Term delivery with preterm labor, third trimester, not applicable of unspecified Term delivery with preterm labor, third trimester, fetus 1 | |
| O6023X1 | Term delivery with preterm labor, third trimester, fetus 1 Term delivery with preterm labor, third trimester, fetus 2 | |
| | | |
| O6023X3 | Term delivery with preterm labor, third trimester, fetus 3 | |
| O6023X4 | Term delivery with preterm labor, third trimester, fetus 4 | |
| O6023X5 | Term delivery with preterm labor, third trimester, fetus 5 | |
| O6023X9 | Term delivery with preterm labor, third trimester, other fetus | |
| O610 | Failed medical induction of labor | |
| O611 | Failed instrumental induction of labor | |
| O618 | Other failed induction of labor | |
| O619 | Failed induction of labor, unspecified | |
| O620 | Primary inadequate contractions | |
| 0621 | Secondary uterine inertia | |
| O622 | Other uterine inertia | |
| O623 | Precipitate labor | |
| O624 | Hypertonic, incoordinate, and prolonged uterine contractions | |
| O628 | Other abnormalities of forces of labor | |
| O629 | Abnormality of forces of labor, unspecified | |



| ICD 10 | Description |
|---------|--|
| O630 | Prolonged first stage (of labor) |
| O631 | Prolonged second stage (of labor) |
| O632 | Delayed delivery of second twin, triplet, etc. |
| O639 | Long labor, unspecified |
| O640XX0 | Obstructed labor due to incomplete rotation of fetal head, not applicable or unspecified |
| O640XX1 | Obstructed labor due to incomplete rotation of fetal head, fetus 1 |
| O640XX2 | Obstructed labor due to incomplete rotation of fetal head, fetus 2 |
| O640XX3 | Obstructed labor due to incomplete rotation of fetal head, fetus 3 |
| O640XX4 | Obstructed labor due to incomplete rotation of fetal head, fetus 4 |
| O640XX5 | Obstructed labor due to incomplete rotation of fetal head, fetus 5 |
| O640XX9 | Obstructed labor due to incomplete rotation of fetal head, other fetus |
| O641XX0 | Obstructed labor due to breech presentation, not applicable or unspecified |
| O641XX1 | Obstructed labor due to breech presentation, fetus 1 |
| O641XX2 | Obstructed labor due to breech presentation, fetus 2 |
| O641XX3 | Obstructed labor due to breech presentation, fetus 3 |
| O641XX4 | Obstructed labor due to breech presentation, fetus 4 |
| O641XX5 | Obstructed labor due to breech presentation, fetus 5 |
| O641XX9 | Obstructed labor due to breech presentation, other fetus |
| O642XX0 | Obstructed labor due to face presentation, not applicable or unspecified |
| O642XX1 | Obstructed labor due to face presentation, fetus 1 |
| O642XX2 | Obstructed labor due to face presentation, fetus 2 |
| O642XX3 | Obstructed labor due to face presentation, fetus 3 |
| O642XX4 | Obstructed labor due to face presentation, fetus 4 |
| O642XX5 | Obstructed labor due to face presentation, fetus 5 |
| O642XX9 | Obstructed labor due to face presentation, other fetus |
| O643XX0 | Obstructed labor due to brow presentation, not applicable or unspecified |
| O643XX1 | Obstructed labor due to brow presentation, fetus 1 |
| O643XX2 | Obstructed labor due to brow presentation, fetus 2 |
| O643XX3 | Obstructed labor due to brow presentation, fetus 3 |
| O643XX4 | Obstructed labor due to brow presentation, fetus 4 |
| O643XX5 | Obstructed labor due to brow presentation, retus 4 Obstructed labor due to brow presentation, fetus 5 |
| O643XX9 | Obstructed labor due to brow presentation, retus 5 Obstructed labor due to brow presentation, other fetus |
| O644XX0 | Obstructed labor due to brow presentation, other retus Obstructed labor due to shoulder presentation, not applicable or unspecified |
| O644XX1 | Obstructed labor due to shoulder presentation, not applicable or unspecified Obstructed labor due to shoulder presentation, fetus 1 |
| 0644XX2 | Obstructed labor due to shoulder presentation, letus 1 Obstructed labor due to shoulder presentation, fetus 2 |
| O644XX3 | |
| | Obstructed labor due to shoulder presentation, fetus 3 |
| O644XX4 | Obstructed labor due to shoulder presentation, fetus 4 |
| O644XX5 | Obstructed labor due to shoulder presentation, fetus 5 |
| O644XX9 | Obstructed labor due to shoulder presentation, other fetus |
| O645XX0 | Obstructed labor due to compound presentation, not applicable or unspecified |
| O645XX1 | Obstructed labor due to compound presentation, fetus 1 |



| ICD 10 | Description | |
|---------|---|--|
| O645XX2 | Obstructed labor due to compound presentation, fetus 2 | |
| O645XX3 | Obstructed labor due to compound presentation, fetus 3 | |
| O645XX4 | Obstructed labor due to compound presentation, fetus 4 | |
| O645XX5 | Obstructed labor due to compound presentation, fetus 5 | |
| O645XX9 | Obstructed labor due to compound presentation, other fetus | |
| O648XX0 | Obstructed labor due to other malposition and malpresentation, not applicable or unspecified | |
| O648XX1 | Obstructed labor due to other malposition and malpresentation, fetus 1 | |
| O648XX2 | Obstructed labor due to other malposition and malpresentation, fetus 2 | |
| O648XX3 | Obstructed labor due to other malposition and malpresentation, fetus 3 | |
| O648XX4 | Obstructed labor due to other malposition and malpresentation, fetus 4 | |
| O648XX5 | Obstructed labor due to other malposition and malpresentation, fetus 5 | |
| O648XX9 | Obstructed labor due to other malposition and malpresentation, other fetus | |
| O649XX0 | Obstructed labor due to malposition and malpresentation, unspecified, not applicable or unspecified | |
| O649XX1 | Obstructed labor due to malposition and malpresentation, unspecified, fetus 1 | |
| O649XX2 | Obstructed labor due to malposition and malpresentation, unspecified, fetus 2 | |
| O649XX3 | Obstructed labor due to malposition and malpresentation, unspecified, fetus 3 | |
| O649XX4 | Obstructed labor due to malposition and malpresentation, unspecified, fetus 4 | |
| O649XX5 | Obstructed labor due to malposition and malpresentation, unspecified, fetus 5 | |
| O649XX9 | Obstructed labor due to malposition and malpresentation, unspecified, other fetus | |
| O650 | Obstructed labor due to deformed pelvis | |
| O651 | Obstructed labor due to generally contracted pelvis | |
| O652 | Obstructed labor due to pelvic inlet contraction | |
| O653 | Obstructed labor due to pelvic outlet and mid-cavity contraction | |
| O654 | Obstructed labor due to fetopelvic disproportion, unspecified | |
| O655 | Obstructed labor due to abnormality of maternal pelvic organs | |
| O658 | Obstructed labor due to other maternal pelvic abnormalities | |
| O659 | Obstructed labor due to maternal pelvic abnormality, unspecified | |
| O660 | Obstructed labor due to shoulder dystocia | |
| O661 | Obstructed labor due to locked twins | |
| O662 | Obstructed labor due to unusually large fetus | |
| O663 | Obstructed labor due to other abnormalities of fetus | |
| O6640 | Failed trial of labor, unspecified | |
| O6641 | Failed attempted vaginal birth after previous cesarean delivery | |
| O665 | Attempted application of vacuum extractor and forceps | |
| O666 | Obstructed labor due to other multiple fetuses | |
| O668 | Other specified obstructed labor | |
| O669 | Obstructed labor, unspecified | |
| O670 | Intrapartum hemorrhage with coagulation defect | |
| O678 | Other intrapartum hemorrhage | |
| O679 | Intrapartum hemorrhage, unspecified | |



| ICD 10 | Description | |
|---------|--|--|
| O68 | Labor and delivery complicated by abnormality of fetal acid-base balance | |
| O690XX0 | Labor and delivery complicated by prolapse of cord, not applicable or unspecified | |
| O690XX1 | Labor and delivery complicated by prolapse of cord, fetus 1 | |
| O690XX2 | Labor and delivery complicated by prolapse of cord, fetus 2 | |
| O690XX3 | Labor and delivery complicated by prolapse of cord, fetus 3 | |
| O690XX4 | Labor and delivery complicated by prolapse of cord, fetus 4 | |
| O690XX5 | Labor and delivery complicated by prolapse of cord, fetus 5 | |
| O690XX9 | Labor and delivery complicated by prolapse of cord, other fetus | |
| O691XX0 | Labor and delivery complicated by cord around neck, with compression, not applicable or unspecified | |
| O691XX1 | Labor and delivery complicated by cord around neck, with compression, fetus 1 | |
| O691XX2 | Labor and delivery complicated by cord around neck, with compression, fetus 2 | |
| O691XX3 | Labor and delivery complicated by cord around neck, with compression, fetus 3 | |
| O691XX4 | Labor and delivery complicated by cord around neck, with compression, fetus 4 | |
| O691XX5 | Labor and delivery complicated by cord around neck, with compression, fetus 5 | |
| O691XX9 | Labor and delivery complicated by cord around neck, with compression, other fetus | |
| O692XX0 | Labor and delivery complicated by other cord entanglement, with compression, not applicable or unspecified | |
| O692XX1 | Labor and delivery complicated by other cord entanglement, with compression, fetus 1 | |
| O692XX2 | Labor and delivery complicated by other cord entanglement, with compression, fetus 2 | |
| O692XX3 | Labor and delivery complicated by other cord entanglement, with compression, fetus 3 | |
| O692XX4 | Labor and delivery complicated by other cord entanglement, with compression, fetus 4 | |
| O692XX5 | Labor and delivery complicated by other cord entanglement, with compression, fetus 5 | |
| O692XX9 | Labor and delivery complicated by other cord entanglement, with compression, other fetus | |
| O693XX0 | Labor and delivery complicated by short cord, not applicable or unspecified | |
| O693XX1 | Labor and delivery complicated by short cord, fetus 1 | |
| O693XX2 | Labor and delivery complicated by short cord, fetus 2 | |
| O693XX3 | Labor and delivery complicated by short cord, fetus 3 | |
| O693XX4 | Labor and delivery complicated by short cord, fetus 4 | |
| O693XX5 | Labor and delivery complicated by short cord, fetus 5 | |
| O693XX9 | Labor and delivery complicated by short cord, other fetus | |
| O694XX0 | Labor and delivery complicated by vasa previa, not applicable or unspecified | |
| O694XX1 | Labor and delivery complicated by vasa previa, fetus 1 | |
| O694XX2 | Labor and delivery complicated by vasa previa, fetus 2 | |
| O694XX3 | Labor and delivery complicated by vasa previa, fetus 3 | |
| O694XX4 | Labor and delivery complicated by vasa previa, fetus 4 | |
| O694XX5 | Labor and delivery complicated by vasa previa, fetus 5 | |
| O694XX9 | Labor and delivery complicated by vasa previa, other fetus | |
| O695XX0 | Labor and delivery complicated by vascular lesion of cord, not applicable or unspecified | |
| O695XX1 | Labor and delivery complicated by vascular lesion of cord, fetus 1 | |
| O695XX2 | Labor and delivery complicated by vascular lesion of cord, fetus 2 | |



| | Pregnancy Diagnosis Code List: | | |
|---------|---|--|--|
| ICD 10 | Description | | |
| O695XX3 | Labor and delivery complicated by vascular lesion of cord, fetus 3 | | |
| O695XX4 | Labor and delivery complicated by vascular lesion of cord, fetus 4 | | |
| O695XX5 | Labor and delivery complicated by vascular lesion of cord, fetus 5 | | |
| O695XX9 | Labor and delivery complicated by vascular lesion of cord, other fetus | | |
| O6981X0 | Labor and delivery complicated by cord around neck, without compression, not applicable or unspecified | | |
| O6981X1 | Labor and delivery complicated by cord around neck, without compression, fetus 1 | | |
| O6981X2 | Labor and delivery complicated by cord around neck, without compression, fetus 2 | | |
| O6981X3 | Labor and delivery complicated by cord around neck, without compression, fetus 3 | | |
| O6981X4 | Labor and delivery complicated by cord around neck, without compression, fetus 4 | | |
| O6981X5 | Labor and delivery complicated by cord around neck, without compression, fetus 5 | | |
| O6981X9 | Labor and delivery complicated by cord around neck, without compression, other fetus | | |
| O6982X0 | Labor and delivery complicated by other cord entanglement, without compression, not applicable or unspecified | | |
| O6982X1 | Labor and delivery complicated by other cord entanglement, without compression, fetus 1 | | |
| O6982X2 | Labor and delivery complicated by other cord entanglement, without compression, fetus 2 | | |
| O6982X3 | Labor and delivery complicated by other cord entanglement, without compression, fetus 3 | | |
| O6982X4 | Labor and delivery complicated by other cord entanglement, without compression, fetus 4 | | |
| O6982X5 | Labor and delivery complicated by other cord entanglement, without compression, fetus 5 | | |
| O6982X9 | Labor and delivery complicated by other cord entanglement, without compression, other fetus | | |
| O6989X0 | Labor and delivery complicated by other cord complications, not applicable or unspecified | | |
| O6989X1 | Labor and delivery complicated by other cord complications, fetus 1 | | |
| O6989X2 | Labor and delivery complicated by other cord complications, fetus 2 | | |
| O6989X3 | Labor and delivery complicated by other cord complications, fetus 3 | | |
| O6989X4 | Labor and delivery complicated by other cord complications, fetus 4 | | |
| O6989X5 | Labor and delivery complicated by other cord complications, fetus 5 | | |
| O6989X9 | Labor and delivery complicated by other cord complications, other fetus | | |
| O699XX0 | Labor and delivery complicated by cord complication, unspecified, not applicable or unspecified | | |
| O699XX1 | Labor and delivery complicated by cord complication, unspecified, fetus 1 | | |
| O699XX2 | Labor and delivery complicated by cord complication, unspecified, fetus 2 | | |
| O699XX3 | Labor and delivery complicated by cord complication, unspecified, fetus 3 | | |
| O699XX4 | Labor and delivery complicated by cord complication, unspecified, fetus 4 | | |
| O699XX5 | Labor and delivery complicated by cord complication, unspecified, fetus 5 | | |
| O699XX9 | Labor and delivery complicated by cord complication, unspecified, other fetus | | |
| O700 | First degree perineal laceration during delivery | | |
| 0701 | Second degree perineal laceration during delivery | | |
| O7020 | Third degree perineal laceration during delivery, unspecified | | |
| O7021 | Third degree perineal laceration during delivery, Illa | | |
| 07022 | Third degree perineal laceration during delivery, IIIb | | |
| O7023 | Third degree perineal laceration during delivery, IIIc | | |
| O703 | Fourth degree perineal laceration during delivery | | |



| ICD 10 | Description |
|---------------|--|
| O704 | Description Anal sphincter tear complicating delivery, not associated with third degree laceration |
| O704 O709 | Perineal laceration during delivery, not associated with third degree laceration |
| O7100 | Rupture of uterus before onset of labor, unspecified trimester |
| O7100 | Rupture of uterus before onset of labor, second trimester |
| 07102 | Rupture of uterus before onset of labor, third trimester |
| 07103 | Rupture of uterus during labor |
| 0712 | Postpartum inversion of uterus |
| 0713 | Obstetric laceration of cervix |
| 0714 | Obstetric high vaginal laceration alone |
| 0715 | Other obstetric injury to pelvic organs |
| O716 | Obstetric damage to pelvic joints and ligaments |
| 0710 | Obstetric damage to pervicionits and ligaments Obstetric hematoma of pelvis |
| O717 O7181 | Laceration of uterus, not elsewhere classified |
| O7182 | Other specified trauma to perineum and vulva |
| O7189 | Other specified obstetric trauma |
| O719 | Obstetric trauma, unspecified |
| 0720 | Third-stage hemorrhage |
| O721 | Other immediate postpartum hemorrhage |
| 0722 | Delayed and secondary postpartum hemorrhage |
| 0723 | Postpartum coagulation defects |
| O730 | Retained placenta without hemorrhage |
| 0731 | Retained portions of placenta and membranes, without hemorrhage |
| O740 | Aspiration pneumonitis due to anesthesia during labor and delivery |
| 0741 | Other pulmonary complications of anesthesia during labor and delivery |
| 0742 | Cardiac complications of anesthesia during labor and delivery |
| 0743 | Central nervous system complications of anesthesia during labor and delivery |
| 0744 | Toxic reaction to local anesthesia during labor and delivery |
| 0745 | Spinal and epidural anesthesia-induced headache during labor and delivery |
| O746 | Other complications of spinal and epidural anesthesia during labor and delivery |
| 0747 | Failed or difficult intubation for anesthesia during labor and delivery |
| O748 | Other complications of anesthesia during labor and delivery |
| O749 | Complication of anesthesia during labor and delivery, unspecified |
| O750 | Maternal distress during labor and delivery |
| O751 | Shock during or following labor and delivery |
| O752 | Pyrexia during labor, not elsewhere classified |
| O753 | Other infection during labor |
| O754 | Other complications of obstetric surgery and procedures |
| O755 | Delayed delivery after artificial rupture of membranes |
| O7581 | Maternal exhaustion complicating labor and delivery |
| O7582 | Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 complete weeks gestation, with delivery by (planned) cesarean section |



| Pregnancy D | Pregnancy Diagnosis Code List: | |
|-------------|--|--|
| ICD 10 | Description | |
| O7589 | Other specified complications of labor and delivery | |
| O759 | Complication of labor and delivery, unspecified | |
| O76 | Abnormality in fetal heart rate and rhythm complicating labor and delivery | |
| 0770 | Labor and delivery complicated by meconium in amniotic fluid | |
| 0771 | Fetal stress in labor or delivery due to drug administration | |
| O778 | Labor and delivery complicated by other evidence of fetal stress | |
| O779 | Labor and delivery complicated by fetal stress, unspecified | |
| O80 | Encounter for full-term uncomplicated delivery | |
| O82 | Encounter for cesarean delivery without indication | |
| O85 | Puerperal sepsis | |
| 08600 | Infection of obstetric surgical wound, unspecified | |
| 08601 | Infection of obstetric surgical wound, superficial incisional site | |
| 08602 | Infection of obstetric surgical wound, deep incisional site | |
| 08603 | Infection of obstetric surgical wound, organ and space site | |
| 08604 | Sepsis following an obstetrical procedure | |
| 08609 | Infection of obstetric surgical wound, other surgical site | |
| O8611 | Cervicitis following delivery | |
| O8612 | Endometritis following delivery | |
| O8613 | Vaginitis following delivery | |
| O8619 | Other infection of genital tract following delivery | |
| O8620 | Urinary tract infection following delivery, unspecified | |
| O8621 | Infection of kidney following delivery | |
| O8622 | Infection of bladder following delivery | |
| O8629 | Other urinary tract infection following delivery | |
| O864 | Pyrexia of unknown origin following delivery | |
| O8681 | Puerperal septic thrombophlebitis | |
| O8689 | Other specified puerperal infections | |
| O870 | Superficial thrombophlebitis in the puerperium | |
| O871 | Deep phlebothrombosis in the puerperium | |
| O872 | Hemorrhoids in the puerperium | |
| O873 | Cerebral venous thrombosis in the puerperium | |
| O874 | Varicose veins of lower extremity in the puerperium | |
| O878 | Other venous complications in the puerperium | |
| O879 | Venous complication in the puerperium, unspecified | |
| O88011 | Air embolism in pregnancy, first trimester | |
| O88012 | Air embolism in pregnancy, second trimester | |
| O88013 | Air embolism in pregnancy, third trimester | |
| O88019 | Air embolism in pregnancy, unspecified trimester | |
| O8802 | Air embolism in pregnancy, unspecified trimester Air embolism in childbirth | |
| O8803 | Air embolism in the puerperium | |
| O88111 | Amniotic fluid embolism in pregnancy, first trimester | |
| U00111 | Antinotic naid embolism in pregnancy, first trimester | |



| Pregnancy Di | Pregnancy Diagnosis Code List: | |
|--------------|---|--|
| ICD 10 | Description | |
| O88112 | Amniotic fluid embolism in pregnancy, second trimester | |
| O88113 | Amniotic fluid embolism in pregnancy, third trimester | |
| O88119 | Amniotic fluid embolism in pregnancy, unspecified trimester | |
| O8812 | Amniotic fluid embolism in childbirth | |
| O8813 | Amniotic fluid embolism in the puerperium | |
| O88211 | Thromboembolism in pregnancy, first trimester | |
| O88212 | Thromboembolism in pregnancy, second trimester | |
| O88213 | Thromboembolism in pregnancy, third trimester | |
| O88219 | Thromboembolism in pregnancy, unspecified trimester | |
| O8822 | Thromboembolism in childbirth | |
| O8823 | Thromboembolism in the puerperium | |
| O88311 | Pyemic and septic embolism in pregnancy, first trimester | |
| O88312 | Pyemic and septic embolism in pregnancy, second trimester | |
| O88313 | Pyemic and septic embolism in pregnancy, third trimester | |
| O88319 | Pyemic and septic embolism in pregnancy, unspecified trimester | |
| O8832 | Pyemic and septic embolism in childbirth | |
| O8833 | Pyemic and septic embolism in the puerperium | |
| O88811 | Other embolism in pregnancy, first trimester | |
| O88812 | Other embolism in pregnancy, second trimester | |
| O88813 | Other embolism in pregnancy, third trimester | |
| O88819 | Other embolism in pregnancy, unspecified trimester | |
| O8882 | Other embolism in childbirth | |
| O8883 | Other embolism in the puerperium | |
| O8901 | Aspiration pneumonitis due to anesthesia during the puerperium | |
| O8909 | Other pulmonary complications of anesthesia during the puerperium | |
| O891 | Cardiac complications of anesthesia during the puerperium | |
| O892 | Central nervous system complications of anesthesia during the puerperium | |
| O893 | Toxic reaction to local anesthesia during the puerperium | |
| O894 | Spinal and epidural anesthesia-induced headache during the puerperium | |
| O895 | Other complications of spinal and epidural anesthesia during the puerperium | |
| O896 | Failed or difficult intubation for anesthesia during the puerperium | |
| O898 | Other complications of anesthesia during the puerperium | |
| O899 | Complication of anesthesia during the puerperium, unspecified | |
| O900 | Disruption of cesarean delivery wound | |
| O901 | Disruption of perineal obstetric wound | |
| O902 | Hematoma of obstetric wound | |
| O903 | Peripartum cardiomyopathy | |
| O904 | Postpartum acute kidney failure | |
| O905 | Postpartum thyroiditis | |
| O906 | Postpartum mood disturbance | |
| O9081 | Anemia of the puerperium | |



| Pregnancy Diagnosis Code List: | |
|--------------------------------|---|
| ICD 10 | Description |
| O9089 | Other complications of the puerperium, not elsewhere classified |
| O909 | Complication of the puerperium, unspecified |
| O91011 | Infection of nipple associated with pregnancy, first trimester |
| O91012 | Infection of nipple associated with pregnancy, second trimester |
| O91013 | Infection of nipple associated with pregnancy, third trimester |
| O91019 | Infection of nipple associated with pregnancy, unspecified trimester |
| O9102 | Infection of nipple associated with the puerperium |
| O9103 | Infection of nipple associated with lactation |
| O91111 | Abscess of breast associated with pregnancy, first trimester |
| O91112 | Abscess of breast associated with pregnancy, second trimester |
| O91113 | Abscess of breast associated with pregnancy, third trimester |
| O91119 | Abscess of breast associated with pregnancy, unspecified trimester |
| O9112 | Abscess of breast associated with the puerperium |
| O9113 | Abscess of breast associated with lactation |
| O91211 | Nonpurulent mastitis associated with pregnancy, first trimester |
| O91212 | Nonpurulent mastitis associated with pregnancy, second trimester |
| O91213 | Nonpurulent mastitis associated with pregnancy, third trimester |
| O91219 | Nonpurulent mastitis associated with pregnancy, unspecified trimester |
| O9122 | Nonpurulent mastitis associated with the puerperium |
| O9123 | Nonpurulent mastitis associated with lactation |
| O92011 | Retracted nipple associated with pregnancy, first trimester |
| O92012 | Retracted nipple associated with pregnancy, second trimester |
| O92013 | Retracted nipple associated with pregnancy, third trimester |
| O92019 | Retracted nipple associated with pregnancy, unspecified trimester |
| O9202 | Retracted nipple associated with the puerperium |
| O9203 | Retracted nipple associated with lactation |
| 092111 | Cracked nipple associated with pregnancy, first trimester |
| 092112 | Cracked nipple associated with pregnancy, second trimester |
| 092113 | Cracked nipple associated with pregnancy, third trimester |
| O92119 | Cracked nipple associated with pregnancy, unspecified trimester |
| 09212 | Cracked nipple associated with the puerperium |
| O9213 | Cracked nipple associated with lactation |
| O9220 | Unspecified disorder of breast associated with pregnancy and the puerperium |
| O9229 | Other disorders of breast associated with pregnancy and the puerperium |
| O923 | Agalactia |
| O924 | Hypogalactia |
| O925 | Suppressed lactation |
| O926 | Galactorrhea |
| O9270 | Unspecified disorders of lactation |
| O9279 | Other disorders of lactation |
| O9279 | Sequelae of complication of pregnancy, childbirth, and the puerperium |



| 1 regulation Di | agnosis Code List: |
|-----------------|---|
| ICD 10 | Description |
| O98011 | Tuberculosis complicating pregnancy, first trimester |
| O98012 | Tuberculosis complicating pregnancy, second trimester |
| O98013 | Tuberculosis complicating pregnancy, third trimester |
| O98019 | Tuberculosis complicating pregnancy, unspecified trimester |
| O9802 | Tuberculosis complicating childbirth |
| O9803 | Tuberculosis complicating the puerperium |
| O98111 | Syphilis complicating pregnancy, first trimester |
| O98112 | Syphilis complicating pregnancy, second trimester |
| O98113 | Syphilis complicating pregnancy, third trimester |
| O98119 | Syphilis complicating pregnancy, unspecified trimester |
| O9812 | Syphilis complicating childbirth |
| O9813 | Syphilis complicating the puerperium |
| O98211 | Gonorrhea complicating pregnancy, first trimester |
| O98212 | Gonorrhea complicating pregnancy, second trimester |
| O98213 | Gonorrhea complicating pregnancy, third trimester |
| O98219 | Gonorrhea complicating pregnancy, unspecified trimester |
| O9822 | Gonorrhea complicating childbirth |
| O9823 | Gonorrhea complicating the puerperium |
| O98311 | Other infections with a predominantly sexual mode of transmission complicating pregnancy, first trimester |
| O98312 | Other infections with a predominantly sexual mode of transmission complicating pregnancy, second trimester |
| O98313 | Other infections with a predominantly sexual mode of transmission complicating pregnancy, third trimester |
| O98319 | Other infections with a predominantly sexual mode of transmission complicating pregnancy, unspecified trimester |
| O9832 | Other infections with a predominantly sexual mode of transmission complicating childbirth |
| O9833 | Other infections with a predominantly sexual mode of transmission complicating the puerperium |
| O98411 | Viral hepatitis complicating pregnancy, first trimester |
| O98412 | Viral hepatitis complicating pregnancy, second trimester |
| O98413 | Viral hepatitis complicating pregnancy, third trimester |
| O98419 | Viral hepatitis complicating pregnancy, unspecified trimester |
| O9842 | Viral hepatitis complicating childbirth |
| O9843 | Viral hepatitis complicating the puerperium |
| O98511 | Other viral diseases complicating pregnancy, first trimester |
| O98512 | Other viral diseases complicating pregnancy, second trimester |
| O98513 | Other viral diseases complicating pregnancy, third trimester |
| O98519 | Other viral diseases complicating pregnancy, unspecified trimester |
| O9852 | Other viral diseases complicating childbirth |
| O9853 | Other viral diseases complicating the puerperium |
| O98611 | Protozoal diseases complicating pregnancy, first trimester |



| Tregnancy Di | Pregnancy Diagnosis Code List: | | |
|--------------|---|--|--|
| ICD 10 | Description | | |
| O98612 | Protozoal diseases complicating pregnancy, second trimester | | |
| O98613 | Protozoal diseases complicating pregnancy, third trimester | | |
| O98619 | Protozoal diseases complicating pregnancy, unspecified trimester | | |
| O9862 | Protozoal diseases complicating childbirth | | |
| O9863 | Protozoal diseases complicating the puerperium | | |
| O98711 | Human immunodeficiency virus [HIV] disease complicating pregnancy, first trimester | | |
| O98712 | Human immunodeficiency virus [HIV] disease complicating pregnancy, second trimester | | |
| O98713 | Human immunodeficiency virus [HIV] disease complicating pregnancy, third trimester | | |
| O98719 | Human immunodeficiency virus [HIV] disease complicating pregnancy, unspecified trimester | | |
| O9872 | Human immunodeficiency virus [HIV] disease complicating childbirth | | |
| O9873 | Human immunodeficiency virus [HIV] disease complicating the puerperium | | |
| O98811 | Other maternal infectious and parasitic diseases complicating pregnancy, first trimester | | |
| O98812 | Other maternal infectious and parasitic diseases complicating pregnancy, second trimester | | |
| O98813 | Other maternal infectious and parasitic diseases complicating pregnancy, third trimester | | |
| O98819 | Other maternal infectious and parasitic diseases complicating pregnancy, unspecified trimeste | | |
| O9882 | Other maternal infectious and parasitic diseases complicating childbirth | | |
| O9883 | Other maternal infectious and parasitic diseases complicating the puerperium | | |
| O98911 | Unspecified maternal infectious and parasitic disease complicating pregnancy, first trimeste | | |
| O98912 | Unspecified maternal infectious and parasitic disease complicating pregnancy, second trimester | | |
| O98913 | Unspecified maternal infectious and parasitic disease complicating pregnancy, third trimester | | |
| O98919 | Unspecified maternal infectious and parasitic disease complicating pregnancy, unspecified trimester | | |
| O9892 | Unspecified maternal infectious and parasitic disease complicating childbirth | | |
| O9893 | Unspecified maternal infectious and parasitic disease complicating the puerperium | | |
| O99011 | Anemia complicating pregnancy, first trimester | | |
| O99012 | Anemia complicating pregnancy, second trimester | | |
| O99013 | Anemia complicating pregnancy, third trimester | | |
| O99019 | Anemia complicating pregnancy, unspecified trimester | | |
| O9902 | Anemia complicating childbirth | | |
| O9903 | Anemia complicating the puerperium | | |
| O99111 | Other diseases of the blood and blood-forming organs and certain disorders involving the | | |
| O99112 | immune mechanism complicating pregnancy, first trimester Other diseases of the blood and blood-forming organs and certain disorders involving the | | |
| O99113 | immune mechanism complicating pregnancy, second trimester Other diseases of the blood and blood-forming organs and certain disorders involving the | | |
| O99119 | immune mechanism complicating pregnancy, third trimester Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, unspecified trimester | | |
| O9912 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating childbirth | | |
| O9913 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating the puerperium | | |



| ICD 10 | Description |
|------------------|--|
| O99210 | Description Obesity complicating pregnancy, unspecified trimester |
| O99210 O99211 | Obesity complicating pregnancy, this pechied trimester Obesity complicating pregnancy, first trimester |
| O99211 | Obesity complicating pregnancy, second trimester Obesity complicating pregnancy, second trimester |
| O99212 | Obesity complicating pregnancy, third trimester Obesity complicating pregnancy, third trimester |
| O99213 | Obesity complicating pregnancy, third trimester Obesity complicating childbirth |
| O99214 O99215 | Obesity complicating childbirth Obesity complicating the puerperium |
| O99213 | Endocrine, nutritional and metabolic diseases complicating pregnancy, unspecified trimester |
| O99281 | Endocrine, nutritional and metabolic diseases complicating pregnancy, trispectified trimester Endocrine, nutritional and metabolic diseases complicating pregnancy, first trimester |
| O99281 | Endocrine, nutritional and metabolic diseases complicating pregnancy, first trimester Endocrine, nutritional and metabolic diseases complicating pregnancy, second trimester |
| O99283 | Endocrine, nutritional and metabolic diseases complicating pregnancy, second timester Endocrine, nutritional and metabolic diseases complicating pregnancy, third trimester |
| O99284 | |
| | Endocrine, nutritional and metabolic diseases complicating childbirth |
| O99285 O99310 | Endocrine, nutritional and metabolic diseases complicating the puerperium |
| | Alcohol use complicating pregnancy, unspecified trimester |
| O99311 | Alcohol use complicating pregnancy, first trimester |
| O99312 | Alcohol use complicating pregnancy, second trimester |
| O99313 | Alcohol use complicating pregnancy, third trimester |
| O99314 | Alcohol use complicating childbirth |
| O99315 | Alcohol use complicating the puerperium |
| O99320 | Drug use complicating pregnancy, unspecified trimester |
| O99321 | Drug use complicating pregnancy, first trimester |
| O99322 | Drug use complicating pregnancy, second trimester |
| O99323 | Drug use complicating pregnancy, third trimester |
| O99324 | Drug use complicating childbirth |
| O99325 | Drug use complicating the puerperium |
| O99330 | Smoking (tobacco) complicating pregnancy, unspecified trimester |
| O99331 | Smoking (tobacco) complicating pregnancy, first trimester |
| O99332 | Smoking (tobacco) complicating pregnancy, second trimester |
| O99333 | Smoking (tobacco) complicating pregnancy, third trimester |
| O99334 | Smoking (tobacco) complicating childbirth |
| O99335 | Smoking (tobacco) complicating the puerperium |
| O99340 | Other mental disorders complicating pregnancy, unspecified trimester |
| O99341 | Other mental disorders complicating pregnancy, first trimester |
| O99342 | Other mental disorders complicating pregnancy, second trimester |
| O99343 | Other mental disorders complicating pregnancy, third trimester |
| O99344 | Other mental disorders complicating childbirth |
| O99345 | Other mental disorders complicating the puerperium |
| O99350 | Diseases of the nervous system complicating pregnancy, unspecified trimester |
| O99351 | Diseases of the nervous system complicating pregnancy, first trimester |
| O99352 | Diseases of the nervous system complicating pregnancy, second trimester |
| O99353 | Diseases of the nervous system complicating pregnancy, third trimester |
| O99354 | Diseases of the nervous system complicating childbirth |



| ICD 10 | Description |
|--------|---|
| O99355 | Diseases of the nervous system complicating the puerperium |
| O99411 | Diseases of the circulatory system complicating pregnancy, first trimester |
| O99412 | Diseases of the circulatory system complicating pregnancy, second trimester |
| O99413 | Diseases of the circulatory system complicating pregnancy, third trimester |
| O99419 | Diseases of the circulatory system complicating pregnancy, unspecified trimester |
| O9942 | Diseases of the circulatory system complicating childbirth |
| O9943 | Diseases of the circulatory system complicating the puerperium |
| Z0371 | Encounter for suspected problem with amniotic cavity and membrane ruled out |
| Z0372 | Encounter for suspected placental problem ruled out |
| Z0373 | Encounter for suspected fetal anomaly ruled out |
| Z0374 | Encounter for suspected problem with fetal growth ruled out |
| Z0375 | Encounter for suspected cervical shortening ruled out |
| Z0379 | Encounter for other suspected maternal and fetal conditions ruled out |
| Z331 | Pregnant state, incidental |
| Z3400 | Encounter for supervision of normal first pregnancy, unspecified trimester |
| Z3401 | Encounter for supervision of normal first pregnancy, first trimester |
| Z3402 | Encounter for supervision of normal first pregnancy, second trimester |
| Z3403 | Encounter for supervision of normal first pregnancy, third trimester |
| Z3480 | Encounter for supervision of other normal pregnancy, unspecified trimester |
| Z3481 | Encounter for supervision of other normal pregnancy, first trimester |
| Z3482 | Encounter for supervision of other normal pregnancy, second trimester |
| Z3483 | Encounter for supervision of other normal pregnancy, third trimester |
| Z3490 | Encounter for supervision of normal pregnancy, unspecified, unspecified trimester |
| Z3491 | Encounter for supervision of normal pregnancy, unspecified, first trimester |
| Z3492 | Encounter for supervision of normal pregnancy, unspecified, second trimester |
| Z3493 | Encounter for supervision of normal pregnancy, unspecified, third trimester |
| Z360 | Encounter for antenatal screening for chromosomal anomalies |
| Z361 | Encounter for antenatal screening for raised alphafetoprotein level |
| Z362 | Encounter for other antenatal screening follow-up |
| Z363 | Encounter for antenatal screening for malformations |
| Z364 | Encounter for antenatal screening for fetal growth retardation |
| Z365 | Encounter for antenatal screening for isoimmunization |
| Z3681 | Encounter for antenatal screening for hydrops fetalis |
| Z3682 | Encounter for antenatal screening for nuchal translucency |
| Z3683 | Encounter for fetal screening for congenital cardiac abnormalities |
| Z3684 | Encounter for antenatal screening for fetal lung maturity |
| Z3685 | Encounter for antenatal screening for Streptococcus B |
| Z3686 | Encounter for antenatal screening for cervical length |
| Z3687 | Encounter for antenatal screening for uncertain dates |



| Pregnancy Diagnosis Code List: | |
|--------------------------------|---|
| ICD 10 | Description |
| Z3688 | Encounter for antenatal screening for fetal macrosomia |
| Z3689 | Encounter for other specified antenatal screening |
| Z368A | Encounter for antenatal screening for other genetic defects |
| Z369 | Encounter for antenatal screening, unspecified |
| Z3A00 | Weeks of gestation of pregnancy not specified |
| Z3A01 | Less than 8 weeks gestation of pregnancy |
| Z3A08 | 8 weeks gestation of pregnancy |
| Z3A09 | 9 weeks gestation of pregnancy |
| Z3A10 | 10 weeks gestation of pregnancy |
| Z3A11 | 11 weeks gestation of pregnancy |
| Z3A12 | 12 weeks gestation of pregnancy |
| Z3A13 | 13 weeks gestation of pregnancy |
| Z3A14 | 14 weeks gestation of pregnancy |
| Z3A15 | 15 weeks gestation of pregnancy |
| Z3A16 | 16 weeks gestation of pregnancy |
| Z3A17 | 17 weeks gestation of pregnancy |
| Z3A18 | 18 weeks gestation of pregnancy |
| Z3A19 | 19 weeks gestation of pregnancy |
| Z3A20 | 20 weeks gestation of pregnancy |
| Z3A21 | 21 weeks gestation of pregnancy |
| Z3A22 | 22 weeks gestation of pregnancy |
| Z3A23 | 23 weeks gestation of pregnancy |
| Z3A24 | 24 weeks gestation of pregnancy |
| Z3A25 | 25 weeks gestation of pregnancy |
| Z3A26 | 26 weeks gestation of pregnancy |
| Z3A27 | 27 weeks gestation of pregnancy |
| Z3A28 | 28 weeks gestation of pregnancy |
| Z3A29 | 29 weeks gestation of pregnancy |
| Z3A30 | 30 weeks gestation of pregnancy |
| Z3A31 | 31 weeks gestation of pregnancy |
| Z3A32 | 32 weeks gestation of pregnancy |
| Z3A33 | 33 weeks gestation of pregnancy |
| Z3A34 | 34 weeks gestation of pregnancy |
| Z3A35 | 35 weeks gestation of pregnancy |
| Z3A36 | 36 weeks gestation of pregnancy |
| Z3A37 | 37 weeks gestation of pregnancy |
| Z3A38 | 38 weeks gestation of pregnancy |
| Z3A39 | 39 weeks gestation of pregnancy |
| Z3A40 | 40 weeks gestation of pregnancy |



| Pregnancy Diagnosis Code List: | |
|--------------------------------|--|
| ICD 10 | Description |
| Z3A41 | 41 weeks gestation of pregnancy |
| Z3A42 | 42 weeks gestation of pregnancy |
| Z3A49 | Greater than 42 weeks gestation of pregnancy |

Diabetes Diagnosis Code List

| Diabetes Diagnosis Code List | |
|------------------------------|--|
| ICD-10 | Description |
| E1010 | Type 1 diabetes mellitus with ketoacidosis without coma |
| E1011 | Type 1 diabetes mellitus with ketoacidosis with coma |
| E1021 | Type 1 diabetes mellitus with diabetic nephropathy |
| E1022 | Type 1 diabetes mellitus with diabetic chronic kidney disease |
| E1029 | Type 1 diabetes mellitus with other diabetic kidney complication |
| E10311 | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema |
| E10319 | Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema |
| E103211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| E103212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| E103213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| E103219 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E103291 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| E103292 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| E103293 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| E103299 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E103311 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| E103312 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye |
| E103313 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |
| E103319 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E103391 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| E103392 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye |



| Diabetes Diagnosis Code List | |
|------------------------------|---|
| ICD-10 | Description |
| E103393 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| E103399 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E103411 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| E103412 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| E103413 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| E103419 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E103491 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| E103492 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye |
| E103493 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| E103499 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E103511 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| E103512 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| E103513 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| E103519 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye |
| E103521 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| E103522 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| E103523 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| E103529 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| E103531 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |
| E103532 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| E103533 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |
| E103539 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye |
| E103541 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E103542 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| E103543 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |



| Diabetes Diagnosis Code List | |
|------------------------------|---|
| ICD-10 | Description |
| E103549 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E103551 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye |
| E103552 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye |
| E103553 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral |
| E103559 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye |
| E103591 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| E103592 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye |
| E103593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral |
| E103599 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E1036 | Type 1 diabetes mellitus with diabetic cataract |
| E1037X1 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye |
| E1037X2 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye |
| E1037X3 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral |
| E1037X9 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye |
| E1039 | Type 1 diabetes mellitus with other diabetic ophthalmic complication |
| E1040 | Type 1 diabetes mellitus with diabetic neuropathy, unspecified |
| E1041 | Type 1 diabetes mellitus with diabetic mononeuropathy |
| E1042 | Type 1 diabetes mellitus with diabetic polyneuropathy |
| E1043 | Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy |
| E1044 | Type 1 diabetes mellitus with diabetic amyotrophy |
| E1049 | Type 1 diabetes mellitus with other diabetic neurological complication |
| E1051 | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene |
| E1052 | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene |
| E1059 | Type 1 diabetes mellitus with other circulatory complications |
| E10610 | Type 1 diabetes mellitus with diabetic neuropathic arthropathy |
| E10618 | Type 1 diabetes mellitus with other diabetic arthropathy |
| E10620 | Type 1 diabetes mellitus with diabetic dermatitis |
| E10621 | Type 1 diabetes mellitus with foot ulcer |
| E10622 | Type 1 diabetes mellitus with other skin ulcer |
| E10628 | Type 1 diabetes mellitus with other skin complications |
| E10630 | Type 1 diabetes mellitus with periodontal disease |
| E10638 | Type 1 diabetes mellitus with other oral complications |
| E10641 | Type 1 diabetes mellitus with hypoglycemia with coma |
| E10649 | Type 1 diabetes mellitus with hypoglycemia without coma |
| E1065 | Type 1 diabetes mellitus with hyperglycemia |
| E1069 | Type 1 diabetes mellitus with other specified complication |
| E108 | Type 1 diabetes mellitus with unspecified complications |
| E109 | Type 1 diabetes mellitus without complications |



| ICD-10 | Description |
|---------|---|
| E1100 | Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E1101 | Type 2 diabetes mellitus with hyperosmolarity with coma |
| E1110 | Type 2 diabetes mellitus with ketoacidosis without coma |
| E1111 | Type 2 diabetes mellitus with ketoacidosis with coma |
| E1121 | Type 2 diabetes mellitus with diabetic nephropathy |
| E1122 | Type 2 diabetes mellitus with diabetic chronic kidney disease |
| E1129 | Type 2 diabetes mellitus with other diabetic kidney complication |
| E11311 | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema |
| E11319 | Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema |
| E113211 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, righ eye |
| E113212 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| E113213 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| E113219 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E113291 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| E113292 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| E113293 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| E113299 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E113311 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema right eye |
| E113312 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema left eye |
| E113313 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema bilateral |
| E113319 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema unspecified eye |
| E113391 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| E113392 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| E113393 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| E113399 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E113411 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| E113412 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |



| Diabetes Diagnosis Code List | |
|------------------------------|---|
| Diabotoo Die | 29.10010 0000 Elet |
| ICD-10 | Description |
| E113413 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| E113419 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E113491 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| E113492 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye |
| E113493 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| E113499 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E113511 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| E113512 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| E113513 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| E113519 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye |
| E113521 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| E113522 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| E113523 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| E113529 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| E113531 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |
| E113532 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| E113533 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |
| E113539 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye |
| E113541 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E113542 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| E113543 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| E113549 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E113551 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye |
| E113552 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye |
| E113553 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral |
| E113559 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye |
| E113591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| L110031 | Type 2 diabetes meintus with promerative diabetic retinopathy without macular edema, right eye |



| | Diabetes Diagnosis Code List | | |
|---------|---|--|--|
| ICD-10 | Description | | |
| E113592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | | |
| E113593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | | |
| E113599 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye | | |
| E1136 | Type 2 diabetes mellitus with diabetic cataract | | |
| E1137X1 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | | |
| E1137X2 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | | |
| E1137X3 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | | |
| E1137X9 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye | | |
| E1139 | Type 2 diabetes mellitus with other diabetic ophthalmic complication | | |
| E1140 | Type 2 diabetes mellitus with diabetic neuropathy, unspecified | | |
| E1141 | Type 2 diabetes mellitus with diabetic mononeuropathy | | |
| E1142 | Type 2 diabetes mellitus with diabetic polyneuropathy | | |
| E1143 | Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy | | |
| E1144 | Type 2 diabetes mellitus with diabetic amyotrophy | | |
| E1149 | Type 2 diabetes mellitus with other diabetic neurological complication | | |
| E1151 | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene | | |
| E1152 | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene | | |
| E1159 | Type 2 diabetes mellitus with other circulatory complications | | |
| E11610 | Type 2 diabetes mellitus with diabetic neuropathic arthropathy | | |
| E11618 | Type 2 diabetes mellitus with other diabetic arthropathy | | |
| E11620 | Type 2 diabetes mellitus with diabetic dermatitis | | |
| E11621 | Type 2 diabetes mellitus with foot ulcer | | |
| E11622 | Type 2 diabetes mellitus with other skin ulcer | | |
| E11628 | Type 2 diabetes mellitus with other skin complications | | |
| E11630 | Type 2 diabetes mellitus with periodontal disease | | |
| E11638 | Type 2 diabetes mellitus with other oral complications | | |
| E11641 | Type 2 diabetes mellitus with hypoglycemia with coma | | |
| E11649 | Type 2 diabetes mellitus with hypoglycemia without coma | | |
| E1165 | Type 2 diabetes mellitus with hyperglycemia | | |
| E1169 | Type 2 diabetes mellitus with other specified complication | | |
| E118 | Type 2 diabetes mellitus with unspecified complications | | |
| E119 | Type 2 diabetes mellitus without complications | | |
| E1300 | Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic- hyperosmolar coma (NKHHC) | | |
| E1301 | Other specified diabetes mellitus with hyperosmolarity with coma | | |
| E1310 | Other specified diabetes mellitus with ketoacidosis without coma | | |
| E1311 | Other specified diabetes mellitus with ketoacidosis with coma | | |
| E1321 | Other specified diabetes mellitus with diabetic nephropathy | | |
| E1322 | Other specified diabetes mellitus with diabetic chronic kidney disease | | |
| E1329 | Other specified diabetes mellitus with other diabetic kidney complication | | |



| Diabetes Diagnosis Code List | |
|------------------------------|--|
| ICD-10 | Description |
| E13311 | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema |
| E13319 | Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema |
| E133211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye |
| E133212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye |
| E133213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral |
| E133219 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E133291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| E133292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye |
| E133293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral |
| E133299 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E133311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macula edema, right eye |
| E133312 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macula edema, left eye |
| E133313 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macula edema, bilateral |
| E133319 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macula edema, unspecified eye |
| E133391 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| E133392 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye |
| E133393 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| E133399 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E133411 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye |
| E133412 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye |
| E133413 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral |
| E133419 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E133491 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye |
| E133492 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye |



| Diabetes Diagnosis Code List | |
|------------------------------|--|
| ICD-10 | Description |
| E133493 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral |
| E133499 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E133511 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye |
| E133512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye |
| E133513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral |
| E133519 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye |
| E133521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| E133522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye |
| E133523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |
| E133529 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| E133531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |
| E133532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye |
| E133533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral |
| E133539 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye |
| E133541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E133542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye |
| E133543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| E133549 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E133551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye |
| E133552 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye |
| E133553 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral |
| E133559 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye |
| E133591 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| E133592 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye |
| E133593 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral |



| Diabetes Diagnosis Code List | |
|------------------------------|--|
| ICD-10 | Description |
| E133599 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E1336 | Other specified diabetes mellitus with diabetic cataract |
| E1337X1 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye |
| E1337X2 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye |
| E1337X3 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral |
| E1337X9 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye |
| E1339 | Other specified diabetes mellitus with other diabetic ophthalmic complication |
| E1340 | Other specified diabetes mellitus with diabetic neuropathy, unspecified |
| E1341 | Other specified diabetes mellitus with diabetic mononeuropathy |
| E1342 | Other specified diabetes mellitus with diabetic polyneuropathy |
| E1343 | Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy |
| E1344 | Other specified diabetes mellitus with diabetic amyotrophy |
| E1349 | Other specified diabetes mellitus with other diabetic neurological complication |
| E1351 | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene |
| E1352 | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene |
| E1359 | Other specified diabetes mellitus with other circulatory complications |
| E13610 | Other specified diabetes mellitus with diabetic neuropathic arthropathy |
| E13618 | Other specified diabetes mellitus with other diabetic arthropathy |
| E13620 | Other specified diabetes mellitus with diabetic dermatitis |
| E13621 | Other specified diabetes mellitus with foot ulcer |
| E13622 | Other specified diabetes mellitus with other skin ulcer |
| E13628 | Other specified diabetes mellitus with other skin complications |
| E13630 | Other specified diabetes mellitus with periodontal disease |
| E13638 | Other specified diabetes mellitus with other oral complications |
| E13641 | Other specified diabetes mellitus with hypoglycemia with coma |
| E13649 | Other specified diabetes mellitus with hypoglycemia without coma |
| E1365 | Other specified diabetes mellitus with hyperglycemia |
| E1369 | Other specified diabetes mellitus with other specified complication |
| E138 | Other specified diabetes mellitus with unspecified complications |
| E139 | Other specified diabetes mellitus without complications |



Atherosclerosis Diagnosis Code List:

Refer to the Preventive Care Services table (above), regarding the following Atherosclerosis Diagnosis Codes which are allowed for:

• Cholesterol Screening (Lipid Disorders Screening)

| Disease Prevention in Adults with Cardiovascular Risk Factors | | |
|---|---|--|
| ICD 10 | Description | |
| 1700 | Atherosclerosis of aorta | |
| 1701 | Atherosclerosis of renal artery | |
| 170201 | Unspecified atherosclerosis of native arteries of extremities, right leg | |
| 170202 | Unspecified atherosclerosis of native arteries of extremities, left leg | |
| 170203 | Unspecified atherosclerosis of native arteries of extremities, bilateral legs | |
| 170208 | Unspecified atherosclerosis of native arteries of extremities, other extremity | |
| 170209 | Unspecified atherosclerosis of native arteries of extremities, unspecified extremity | |
| 170211 | Atherosclerosis of native arteries of extremities with intermittent claudication, right leg | |
| 170212 | Atherosclerosis of native arteries of extremities with intermittent claudication, left leg | |
| 170213 | Atherosclerosis of native arteries of extremities with intermittent claudication, bilateral legs | |
| 170218 | Atherosclerosis of native arteries of extremities with intermittent claudication, other extremity | |
| 170219 | Atherosclerosis of native arteries of extremities with intermittent claudication, unspecified extremity | |
| 170221 | Atherosclerosis of native arteries of extremities with rest pain, right leg | |
| 170222 | Atherosclerosis of native arteries of extremities with rest pain, left leg | |
| 170223 | Atherosclerosis of native arteries of extremities with rest pain, bilateral legs | |
| 170228 | Atherosclerosis of native arteries of extremities with rest pain, other extremity | |
| 170229 | Atherosclerosis of native arteries of extremities with rest pain, unspecified extremity | |
| 170231 | Atherosclerosis of native arteries of right leg with ulceration of thigh | |
| 170232 | Atherosclerosis of native arteries of right leg with ulceration of calf | |
| 170233 | Atherosclerosis of native arteries of right leg with ulceration of ankle | |
| 170234 | Atherosclerosis of native arteries of right leg with ulceration of heel and midfoot | |
| 170235 | Atherosclerosis of native arteries of right leg with ulceration of other part of foot | |
| 170238 | Atherosclerosis of native arteries of right leg with ulceration of other part of lower right leg | |
| 170239 | Atherosclerosis of native arteries of right leg with ulceration of unspecified site | |
| 170241 | Atherosclerosis of native arteries of left leg with ulceration of thigh | |
| 170242 | Atherosclerosis of native arteries of left leg with ulceration of calf | |
| 170243 | Atherosclerosis of native arteries of left leg with ulceration of ankle | |
| 170244 | Atherosclerosis of native arteries of left leg with ulceration of heel and midfoot | |
| 170245 | Atherosclerosis of native arteries of left leg with ulceration of other part of foot | |
| 170248 | Atherosclerosis of native arteries of left leg with ulceration of other part of lower left leg | |
| 170249 | Atherosclerosis of native arteries of left leg with ulceration of unspecified site | |
| 17025 | Atherosclerosis of native arteries of other extremities with ulceration | |
| 170261 | Atherosclerosis of native arteries of extremities with gangrene, right leg | |
| 170262 | Atherosclerosis of native arteries of extremities with gangrene, left leg | |



Refer to the Preventive Care Services table (above), regarding the following Atherosclerosis Diagnosis Codes which are allowed for:

• Cholesterol Screening (Lipid Disorders Screening)

| ICD 10 | Description |
|--------|---|
| 170263 | Atherosclerosis of native arteries of extremities with gangrene, bilateral legs |
| 170268 | Atherosclerosis of native arteries of extremities with gangrene, other extremity |
| 170269 | Atherosclerosis of native arteries of extremities with gangrene, unspecified extremity |
| 170291 | Other atherosclerosis of native arteries of extremities, right leg |
| 170292 | Other atherosclerosis of native arteries of extremities, left leg |
| 170293 | Other atherosclerosis of native arteries of extremities, bilateral legs |
| 170298 | Other atherosclerosis of native arteries of extremities, other extremity |
| 170299 | Other atherosclerosis of native arteries of extremities, unspecified extremity |
| 170301 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, right leg |
| 170302 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, left leg |
| 170303 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, bilateral legs |
| 170308 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, other extremity |
| 170309 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, unspecified extremity |
| 170311 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, right leg |
| 170312 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, left leg |
| 170313 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, bilateral legs |
| 170318 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, other extremity |
| 170319 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| 170321 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, right leg |
| 170322 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, left leg |
| 170323 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, bilateral legs |
| 170328 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, other extremity |
| 170329 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, unspecified extremity |
| 170331 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of thigh |
| 170332 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of calf |
| 170333 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of ankle |
| 170334 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of heel and midfoot |



Refer to the Preventive Care Services table (above), regarding the following Atherosclerosis Diagnosis Codes which are allowed for:

• Cholesterol Screening (Lipid Disorders Screening)

| Disease Preve | ention in Adults with Cardiovascular Risk Factors |
|---------------|--|
| ICD 10 | Description |
| 170335 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of foot |
| 170338 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of lower leg |
| 170339 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of unspecified site |
| 170341 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of thigh |
| 170342 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of calf |
| 170343 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of ankle |
| 170344 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of heel and midfoot |
| 170345 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of foot |
| 170348 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of lower leg |
| 170349 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of unspecified site |
| 17035 | Atherosclerosis of unspecified type of bypass graft(s) of other extremity with ulceration |
| 170361 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, right leg |
| 170362 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, left leg |
| 170363 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, bilateral legs |
| 170368 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, other extremity |
| 170369 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, unspecified extremity |
| 170391 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, right leg |
| 170392 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, left leg |
| 170393 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, bilateral legs |
| 170398 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, other extremity |
| 170399 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, unspecified extremity |
| 170401 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, right leg |
| 170402 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, left leg |
| 170403 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, bilateral legs |
| 170408 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, other extremity |
| 170409 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, unspecified extremity |
| 170411 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, right leg |



Refer to the Preventive Care Services table (above), regarding the following Atherosclerosis Diagnosis Codes which are allowed for:

• Cholesterol Screening (Lipid Disorders Screening)

| Disease Pre | vention in Adults with Cardiovascular Risk Factors |
|-------------|---|
| ICD 10 | Description |
| 170412 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, left leg |
| 170413 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, bilateral legs |
| 170418 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, other extremity |
| 170419 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| 170421 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, right leg |
| 170422 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, left leg |
| 170423 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, bilateral legs |
| 170428 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, other extremity |
| 170429 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, unspecified extremity |
| 170431 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of thigh |
| 170432 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of calf |
| 170433 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of ankle |
| 170434 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of heel and midfoot |
| 170435 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of foot |
| 170438 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of lower leg |
| 170439 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of unspecified site |
| 170441 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of thigh |
| 170442 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of calf |
| 170443 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of ankle |
| 170444 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of heel and midfoot |
| 170445 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of foot |
| 170448 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of lower leg |
| 170449 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of unspecified site |
| 17045 | Atherosclerosis of autologous vein bypass graft(s) of other extremity with ulceration |
| 170461 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, right leg |
| 170462 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, left leg |
| 170463 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, bilateral legs |



Refer to the Preventive Care Services table (above), regarding the following Atherosclerosis Diagnosis Codes which are allowed for:

• Cholesterol Screening (Lipid Disorders Screening)

| Disease Pre | vention in Adults with Cardiovascular Risk Factors |
|-------------|--|
| ICD 10 | Description |
| 170468 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, other extremity |
| 170469 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, unspecified extremity |
| 170491 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, right leg |
| 170492 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, left leg |
| 170493 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, bilateral legs |
| 170498 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, other extremity |
| 170499 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, unspecified extremity |
| 170501 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, right leg |
| 170502 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, left leg |
| 170503 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, bilateral legs |
| 170508 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, other extremity |
| 170509 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, unspecified extremity |
| 170511 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, right leg |
| 170512 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, left leg |
| 170513 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, bilateral legs |
| 170518 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, other extremity |
| 170519 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| 170521 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, right leg |
| 170522 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, left leg |
| 170523 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, bilateral legs |
| 170528 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, other extremity |
| 170529 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, unspecified extremity |
| 170531 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of thigh |
| 170532 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of calf |



Refer to the Preventive Care Services table (above), regarding the following Atherosclerosis Diagnosis Codes which are allowed for:

• Cholesterol Screening (Lipid Disorders Screening)

| Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration ankle Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration and midfoot Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration other part of foot Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration other part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration other part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration unspecified site Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of the right leg with ulceration of the left leg wit | |
|--|----------|
| ankle Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration and midfoot Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration other part of foot Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration other part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration unspecified site Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of the left leg with ulcera | |
| and midfoot Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration other part of foot Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration other part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration unspecified site Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of the unspecified site Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of the unspecified site Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of the unspecified site and midfoot Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of and midfoot Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of the part of foot Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of foot Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg | |
| other part of foot Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration other part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration unspecified site Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of the le | |
| other part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration unspecified site Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of and midfoot Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of foot Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg | |
| unspecified site 170541 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of and midfoot 170545 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of foot 170548 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg 170549 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg 170549 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg | |
| Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of and midfoot 170545 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of foot 170548 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg 170549 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg 170549 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg | of |
| Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of and midfoot 170545 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of foot 170548 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg 170549 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg 170549 Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg | f thigh |
| Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of and midfoot Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of foot Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg | |
| Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of and midfoot Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of foot Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg | f ankle |
| part of foot Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of | |
| part of lower leg Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration o | fother |
| 1/11/149 | fother |
| unspecified site | f |
| Atherosclerosis of nonautologous biological bypass graft(s) of other extremity with ulceration | on |
| Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrein right leg | ne, |
| Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrei leg | ne, left |
| Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrei bilateral legs | ne, |
| Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangree other extremity | ne, |
| Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrei unspecified extremity | ne, |
| Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, right | eg |
| Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, left le | g |
| Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, bilate legs | |
| Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, other extremity | |
| Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, unspectation of the extremities of the ex | cified |
| Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, right leg | |



Refer to the Preventive Care Services table (above), regarding the following Atherosclerosis Diagnosis Codes which are allowed for:

• Cholesterol Screening (Lipid Disorders Screening)

| Disease Pre | vention in Adults with Cardiovascular Risk Factors |
|-------------|---|
| ICD 10 | Description |
| 170602 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, left leg |
| 170603 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, bilateral legs |
| 170608 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, other extremity |
| 170609 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, unspecified extremity |
| 170611 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, right leg |
| 170612 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, left leg |
| 170613 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, bilateral legs |
| 170618 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, other extremity |
| 170619 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| 170621 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, right leg |
| 170622 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, left leg |
| 170623 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, bilateral legs |
| 170628 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, other extremity |
| 170629 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, unspecified extremity |
| 170631 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of thigh |
| 170632 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of calf |
| 170633 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of ankle |
| 170634 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of heel and midfoot |
| 170635 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of foot |
| 170638 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of lower leg |
| 170639 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of unspecified site |
| 170641 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of thigh |
| 170642 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of calf |
| 170643 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of ankle |
| 170644 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of heel and midfoot |
| 170645 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of foot |
| 170648 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of lower leg |
| 170649 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of unspecified site |
| 17065 | Atherosclerosis of nonbiological bypass graft(s) of other extremity with ulceration |



Refer to the Preventive Care Services table (above), regarding the following Atherosclerosis Diagnosis Codes which are allowed for:

• Cholesterol Screening (Lipid Disorders Screening)

| | ention in Adults with Cardiovascular Risk Factors |
|--------|---|
| ICD 10 | Description |
| 170661 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, right leg |
| 170662 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, left leg |
| 170663 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, bilateral legs |
| 170668 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, other extremity |
| 170669 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, unspecified extremity |
| 170691 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, right leg |
| 170692 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, left leg |
| 170693 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, bilateral legs |
| 170698 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, other extremity |
| 170699 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, unspecified extremity |
| 170701 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, right leg |
| 170702 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, left leg |
| 170703 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, bilateral legs |
| 170708 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, other extremity |
| 170709 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, unspecified extremity |
| 170711 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, right leg |
| 170712 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, left leg |
| 170713 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, bilateral legs |
| 170718 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, other extremity |
| 170719 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| 170721 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, right leg |
| 170722 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, left leg |
| 170723 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, bilateral legs |
| 170728 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, other extremity |
| 170729 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, unspecified extremity |
| 170731 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of thigh |
| 170732 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of calf |
| 170733 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of ankle |
| 170734 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of heel and midfoot |
| 170735 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of foot |



Refer to the Preventive Care Services table (above), regarding the following Atherosclerosis Diagnosis Codes which are allowed for:

• Cholesterol Screening (Lipid Disorders Screening)

Behavioral Counseling in Primary Care to Promote a Healthful Diet and Physical Activity for Cardiovascular Disease Prevention in Adults with Cardiovascular Risk Factors

| ICD 10 | Description Description |
|------------------------|--|
| 170738 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of lower leg |
| 170739 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of unspecified site |
| 170741 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of thigh |
| 170742 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of calf |
| 170743 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of ankle |
| 170744 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of heel and midfoot |
| 170745 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of foot |
| 170748 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of lower leg |
| 170749 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of unspecified site |
| 17075 | Atherosclerosis of other type of bypass graft(s) of other extremity with ulceration |
| 170761 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, right leg |
| 170762 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, left leg |
| 170763 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, bilateral legs |
| 170768 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, other extremity |
| 170769 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, unspecified extremity |
| 170791 | Other atherosclerosis of other type of bypass graft(s) of the extremities, right leg |
| 170792 | Other atherosclerosis of other type of bypass graft(s) of the extremities, left leg |
| 170793 | Other atherosclerosis of other type of bypass graft(s) of the extremities, bilateral legs |
| 170798 | Other atherosclerosis of other type of bypass graft(s) of the extremities, other extremity |
| 170799 | Other atherosclerosis of other type of bypass graft(s) of the extremities, unspecified extremity |
| 1708 | Atherosclerosis of other arteries |
| 17090 | Unspecified atherosclerosis |
| 17091 | Generalized atherosclerosis |
| 17092 | Chronic total occlusion of artery of the extremities |
| 1708 17090 17091 | Atherosclerosis of other arteries Unspecified atherosclerosis Generalized atherosclerosis |

Hepatitis C Code List

| Hepatitis C D | iagnosis Code List: |
|---------------|---|
| ICD 10 | Description |
| A5001 | Early congenital syphilitic oculopathy |
| A5002 | Early congenital syphilitic osteochondropathy |
| A5003 | Early congenital syphilitic pharyngitis |
| A5004 | Early congenital syphilitic pneumonia |



| nepatitis C | Diagnosis Code List: | |
|-------------|--|--|
| ICD 10 | Description | |
| A5005 | Early congenital syphilitic rhinitis | |
| A5006 | Early cutaneous congenital syphilis | |
| A5007 | Early mucocutaneous congenital syphilis | |
| A5008 | Early visceral congenital syphilis | |
| A5009 | Other early congenital syphilis, symptomatic | |
| A501 | Early congenital syphilis, latent | |
| A502 | Early congenital syphilis, unspecified | |
| A5030 | Late congenital syphilitic oculopathy, unspecified | |
| A5031 | Late congenital syphilitic interstitial keratitis | |
| A5032 | Late congenital syphilitic chorioretinitis | |
| A5039 | Other late congenital syphilitic oculopathy | |
| A5040 | Late congenital neurosyphilis, unspecified | |
| A5041 | Late congenital syphilitic meningitis | |
| A5042 | Late congenital syphilitic encephalitis | |
| A5043 | Late congenital syphilitic polyneuropathy | |
| A5044 | Late congenital syphilitic optic nerve atrophy | |
| A5045 | Juvenile general paresis | |
| A5049 | Other late congenital neurosyphilis | |
| A5051 | Clutton's joints | |
| A5052 | Hutchinson's teeth | |
| A5053 | Hutchinson's triad | |
| A5054 | Late congenital cardiovascular syphilis | |
| A5055 | Late congenital syphilitic arthropathy | |
| A5056 | Late congenital syphilitic osteochondropathy | |
| A5057 | Syphilitic saddle nose | |
| A5059 | Other late congenital syphilis, symptomatic | |
| A506 | Late congenital syphilis, latent | |
| A507 | Late congenital syphilis, unspecified | |
| A509 | Congenital syphilis, unspecified | |
| A510 | Primary genital syphilis | |
| A511 | Primary anal syphilis | |
| A512 | Primary syphilis of other sites | |
| A5131 | Condyloma latum | |
| A5132 | Syphilitic alopecia | |
| A5139 | Other secondary syphilis of skin | |
| A5141 | Secondary syphilitic meningitis | |
| A5142 | Secondary syphilitic female pelvic disease | |
| A5143 | Secondary syphilitic oculopathy | |
| A5144 | Secondary syphilitic nephritis | |
| A5145 | Secondary syphilitic hepatitis | |
| A5146 | Secondary syphilitic osteopathy | |



| ICD 10 | Description |
|--------|--|
| A5149 | Other secondary syphilitic conditions |
| A515 | Early syphilis, latent |
| A519 | Early syphilis, unspecified |
| A5200 | Cardiovascular syphilis, unspecified |
| A5201 | Syphilitic aneurysm of aorta |
| A5202 | Syphilitic aortitis |
| A5203 | Syphilitic endocarditis |
| A5204 | Syphilitic cerebral arteritis |
| A5205 | Other cerebrovascular syphilis |
| A5206 | Other syphilitic heart involvement |
| A5209 | Other cardiovascular syphilis |
| A5210 | Symptomatic neurosyphilis, unspecified |
| A5211 | Tabes dorsalis |
| A5212 | Other cerebrospinal syphilis |
| A5213 | Late syphilitic meningitis |
| A5214 | Late syphilitic encephalitis |
| A5215 | Late syphilitic neuropathy |
| A5216 | Charcot's arthropathy (tabetic) |
| A5217 | General paresis |
| A5219 | Other symptomatic neurosyphilis |
| A522 | Asymptomatic neurosyphilis |
| A523 | Neurosyphilis, unspecified |
| A5271 | Late syphilitic oculopathy |
| A5272 | Syphilis of lung and bronchus |
| A5273 | Symptomatic late syphilis of other respiratory organs |
| A5274 | Syphilis of liver and other viscera |
| A5275 | Syphilis of kidney and ureter |
| A5276 | Other genitourinary symptomatic late syphilis |
| A5277 | Syphilis of bone and joint |
| A5278 | Syphilis of other musculoskeletal tissue |
| A5279 | Other symptomatic late syphilis |
| A528 | Late syphilis, latent |
| A529 | Late syphilis, unspecified |
| A530 | Latent syphilis, unspecified as early or late |
| A539 | Syphilis, unspecified |
| A5400 | Gonococcal infection of lower genitourinary tract, unspecified |
| A5401 | Gonococcal cystitis and urethritis, unspecified |
| A5402 | Gonococcal vulvovaginitis, unspecified |
| A5403 | Gonococcal cervicitis, unspecified |
| A5409 | Other gonococcal infection of lower genitourinary tract |
| A541 | Gonococcal infection of lower genitourinary tract with periurethral and accessory gland absces |



| ICD 10 | Description |
|--------|--|
| A5421 | Gonococcal infection of kidney and ureter |
| A5422 | Gonococcal prostatitis |
| A5423 | Gonococcal infection of other male genital organs |
| A5424 | Gonococcal female pelvic inflammatory disease |
| A5429 | Other gonococcal genitourinary infections |
| A5430 | Gonococcal infection of eye, unspecified |
| A5431 | Gonococcal conjunctivitis |
| A5432 | Gonococcal iridocyclitis |
| A5433 | Gonococcal keratitis |
| A5439 | Other gonococcal eye infection |
| A5440 | Gonococcal infection of musculoskeletal system, unspecified |
| A5441 | Gonococcal spondylopathy |
| A5442 | Gonococcal arthritis |
| A5443 | Gonococcal osteomyelitis |
| A5449 | Gonococcal infection of other musculoskeletal tissue |
| A545 | Gonococcal pharyngitis |
| A546 | Gonococcal infection of anus and rectum |
| A5481 | Gonococcal meningitis |
| A5482 | Gonococcal brain abscess |
| A5483 | Gonococcal heart infection |
| A5484 | Gonococcal pneumonia |
| A5485 | Gonococcal peritonitis |
| A5486 | Gonococcal sepsis |
| A5489 | Other gonococcal infections |
| A549 | Gonococcal infection, unspecified |
| A55 | Chlamydial lymphogranuloma (venereum) |
| A5600 | Chlamydial infection of lower genitourinary tract, unspecified |
| A5601 | Chlamydial cystitis and urethritis |
| A5602 | Chlamydial vulvovaginitis |
| A5609 | Other chlamydial infection of lower genitourinary tract |
| A5611 | Chlamydial female pelvic inflammatory disease |
| A5619 | Other chlamydial genitourinary infection |
| A562 | Chlamydial infection of genitourinary tract, unspecified |
| A563 | Chlamydial infection of anus and rectum |
| A564 | Chlamydial infection of pharynx |
| A568 | Sexually transmitted chlamydial infection of other sites |
| A57 | Chancroid |
| A58 | Granuloma inguinale |
| A5900 | Urogenital trichomoniasis, unspecified |
| A5901 | Trichomonal vulvovaginitis |
| A5902 | Trichomonal prostatitis |



| ICD 10 A5903 | Diagnosis Code List: Description |
|-----------------|---|
| | · |
| Δ5903 | |
| 70000 | Trichomonal cystitis and urethritis |
| A5909 | Other urogenital trichomoniasis |
| A598 | Trichomoniasis of other sites |
| A599 | Trichomoniasis, unspecified |
| A6000 | Herpesviral infection of urogenital system, unspecified |
| A6001 | Herpesviral infection of penis |
| A6002 | Herpesviral infection of other male genital organs |
| A6003 | Herpesviral cervicitis |
| A6004 | Herpesviral vulvovaginitis |
| A6009 | Herpesviral infection of other urogenital tract |
| A601 | Herpesviral infection of perianal skin and rectum |
| A609 | Anogenital Herpesviral infection, unspecified |
| A630 | Anogenital (venereal) warts |
| A638 | Other specified predominantly sexually transmitted diseases |
| A64 | Unspecified sexually transmitted disease |
| A7481 | Chlamydial peritonitis |
| A7489 | Other chlamydial diseases |
| A749 | Chlamydial infection, unspecified |
| B078 | Other viral warts |
| B079 | Viral wart, unspecified |
| B1710 | Acute hepatitis C without hepatic coma |
| B1711 | Acute hepatitis C with hepatic coma |
| B182 | Chronic viral hepatitis C |
| B1920 | Unspecified viral hepatitis C without hepatic coma |
| B1921 | Unspecified viral hepatitis C with hepatic coma |
| B20 | Human immunodeficiency virus [HIV] disease |
| B9735 | Human immunodeficiency virus, type 2 [HIV 2] as the cause of diseases classified elsewhere |
| B977 | Papillomavirus as the cause of diseases classified elsewhere |
| D65 | Disseminated intravascular coagulation [defibrination syndrome] |
| D66 | Hereditary factor VIII deficiency |
| D67 | Hereditary factor IX deficiency |
| D680 | Von Willebrand's disease |
| D681 | Hereditary factor XI deficiency |
| D682 | Hereditary deficiency of other clotting factors |
| D68311 | Acquired hemophilia |
| D68312 | Antiphospholipid antibody with hemorrhagic disorder |
| D68318 | Other hemorrhagic disorder due to intrinsic circulating anticoagulants, antibodies, or inhibitors |
| D6832 | Hemorrhagic disorder due to extrinsic circulating anticoagulants |
| D684 | Acquired coagulation factor deficiency |
| D688 | Other specified coagulation defects |
| D689 | Coagulation defect, unspecified |



| Hanatitia C D | Niceppolis Code Lists | | |
|---------------|--|--|--|
| перация С Б | Hepatitis C Diagnosis Code List: | | |
| ICD 10 | Description | | |
| F1111 | Opioid abuse, in remission | | |
| F1113 | Opioid abuse with withdrawal | | |
| F1120 | Opioid dependence, uncomplicated | | |
| F1121 | Opioid dependence, in remission | | |
| F11220 | Opioid dependence with intoxication, uncomplicated | | |
| F11221 | Opioid dependence with intoxication delirium | | |
| F11222 | Opioid dependence with intoxication with perceptual disturbance | | |
| F11229 | Opioid dependence with intoxication, unspecified | | |
| F1123 | Opioid dependence with withdrawal | | |
| F1124 | Opioid dependence with opioid-induced mood disorder | | |
| F11250 | Opioid dependence with opioid-induced psychotic disorder with delusions | | |
| F11251 | Opioid dependence with opioid-induced psychotic disorder with hallucinations | | |
| F11259 | Opioid dependence with opioid-induced psychotic disorder, unspecified | | |
| F11281 | Opioid dependence with opioid-induced sexual dysfunction | | |
| F11282 | Opioid dependence with opioid-induced sleep disorder | | |
| F11288 | Opioid dependence with other opioid-induced disorder | | |
| F1129 | Opioid dependence with unspecified opioid-induced disorder | | |
| F1211 | Cannabis abuse, in remission | | |
| F1213 | Cannabis abuse with withdrawal | | |
| F1220 | Cannabis dependence, uncomplicated | | |
| F1221 | Cannabis dependence, in remission | | |
| F12220 | Cannabis dependence with intoxication, uncomplicated | | |
| F12221 | Cannabis dependence with intoxication delirium | | |
| F12222 | Cannabis dependence with intoxication with perceptual disturbance | | |
| F12229 | Cannabis dependence with intoxication, unspecified | | |
| F1223 | Cannabis dependence with withdrawal | | |
| F12250 | Cannabis dependence with psychotic disorder with delusions | | |
| F12251 | Cannabis dependence with psychotic disorder with hallucinations | | |
| F12259 | Cannabis dependence with psychotic disorder, unspecified | | |
| F12280 | Cannabis dependence with cannabis-induced anxiety disorder | | |
| F12288 | Cannabis dependence with other cannabis-induced disorder | | |
| F1229 | Cannabis dependence with unspecified cannabis-induced disorder | | |
| F1293 | Cannabis use, unspecified with withdrawal | | |
| F1311 | Sedative, hypnotic or anxiolytic abuse, in remission | | |
| F13130 | Sedative, hypnotic or anxiolytic abuse with withdrawal, uncomplicated | | |
| F13131 | Sedative, hypnotic or anxiolytic abuse with withdrawal delirium | | |
| F13132 | Sedative, hypnotic or anxiolytic abuse with withdrawal with perceptual disturbance | | |
| F13139 | Sedative, hypnotic or anxiolytic abuse with withdrawal, unspecified | | |
| F1320 | Sedative, hypnotic or anxiolytic dependence, uncomplicated | | |
| F1321 | Sedative, hypnotic or anxiolytic dependence, in remission | | |
| F13220 | Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated | | |



| Hepatitis C Diagnosis Code List: | |
|----------------------------------|--|
| ICD 10 | Description |
| F13221 | Sedative, hypnotic or anxiolytic dependence with intoxication delirium |
| F13229 | Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified |
| F13230 | Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated |
| F13231 | Sedative, hypnotic or anxiolytic dependence with withdrawal delirium |
| F13232 | Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance |
| F13239 | Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified |
| F1324 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder |
| F13250 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions |
| F13251 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations |
| F1326 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnestic disorder |
| F1327 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia |
| F13280 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxie disorder |
| F13281 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction |
| F13282 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder |
| F13288 | Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder |
| F1329 | Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder |
| F1411 | Cocaine abuse, in remission |
| F1413 | Cocaine abuse, unspecified with withdrawal |
| F1420 | Cocaine dependence, uncomplicated |
| F1421 | Cocaine dependence, in remission |
| F14220 | Cocaine dependence with intoxication, uncomplicated |
| F14221 | Cocaine dependence with intoxication delirium |
| F14222 | Cocaine dependence with intoxication with perceptual disturbance |
| F14229 | Cocaine dependence with intoxication, unspecified |
| F1423 | Cocaine dependence with withdrawal |
| F1424 | Cocaine dependence with cocaine-induced mood disorder |
| F14250 | Cocaine dependence with cocaine-induced psychotic disorder with delusions |
| F14251 | Cocaine dependence with cocaine-induced psychotic disorder with hallucinations |
| F14259 | Cocaine dependence with cocaine-induced psychotic disorder, unspecified |
| F14280 | Cocaine dependence with cocaine-induced anxiety disorder |
| F14281 | Cocaine dependence with cocaine-induced sexual dysfunction |
| F14282 | Cocaine dependence with cocaine-induced sleep disorder |
| F14288 | Cocaine dependence with other cocaine-induced disorder |
| F1429 | Cocaine dependence with unspecified cocaine-induced disorder |



| Hepatitis C Diagnosis Code List: | |
|----------------------------------|--|
| ICD 10 | Description |
| F1511 | Other stimulant abuse, in remission |
| F1513 | Other stimulant abuse with withdrawal |
| F1520 | Other stimulant dependence, uncomplicated |
| F1521 | Other stimulant dependence, in remission |
| F15220 | Other stimulant dependence with intoxication, uncomplicated |
| F15221 | Other stimulant dependence with intoxication delirium |
| F15222 | Other stimulant dependence with intoxication with perceptual disturbance |
| F15229 | Other stimulant dependence with intoxication, unspecified |
| F1523 | Other stimulant dependence with withdrawal |
| F1524 | Other stimulant dependence with stimulant-induced mood disorder |
| F15250 | Other stimulant dependence with stimulant-induced psychotic disorder with delusions |
| F15251 | Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations |
| F15259 | Other stimulant dependence with stimulant-induced psychotic disorder, unspecified |
| F15280 | Other stimulant dependence with stimulant-induced anxiety disorder |
| F15281 | Other stimulant dependence with stimulant-induced sexual dysfunction |
| F15282 | Other stimulant dependence with stimulant-induced sleep disorder |
| F15288 | Other stimulant dependence with other stimulant-induced disorder |
| F1529 | Other stimulant dependence with unspecified stimulant-induced disorder |
| F1611 | Hallucinogen abuse, in remission |
| F1620 | Hallucinogen dependence, uncomplicated |
| F1621 | Hallucinogen dependence, in remission |
| F16220 | Hallucinogen dependence with intoxication, uncomplicated |
| F16221 | Hallucinogen dependence with intoxication with delirium |
| F16229 | Hallucinogen dependence with intoxication, unspecified |
| F1624 | Hallucinogen dependence with hallucinogen-induced mood disorder |
| F16250 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions |
| F16251 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations |
| F16259 | Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified |
| F16280 | Hallucinogen dependence with hallucinogen-induced anxiety disorder |
| F16283 | Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks) |
| F16288 | Hallucinogen dependence with other hallucinogen-induced disorder |
| F1629 | Hallucinogen dependence with unspecified hallucinogen-induced disorder |
| F1811 | Inhalant abuse, in remission |
| F1820 | Inhalant dependence, uncomplicated |
| F1821 | Inhalant dependence, in remission |
| F18220 | Inhalant dependence with intoxication, uncomplicated |
| F18221 | Inhalant dependence with intoxication delirium |
| F18229 | Inhalant dependence with intoxication, unspecified |
| F1824 | Inhalant dependence with inhalant-induced mood disorder |
| F18250 | Inhalant dependence with inhalant-induced psychotic disorder with delusions |



| Hepatitis C | Diagnosis Code List: |
|-------------|--|
| ICD 10 | Description |
| F18251 | Inhalant dependence with inhalant-induced psychotic disorder with hallucinations |
| F18259 | Inhalant dependence with inhalant-induced psychotic disorder, unspecified |
| F1827 | Inhalant dependence with inhalant-induced dementia |
| F18280 | Inhalant dependence with inhalant-induced anxiety disorder |
| F18288 | Inhalant dependence with other inhalant-induced disorder |
| F1829 | Inhalant dependence with unspecified inhalant-induced disorder |
| F1911 | Other psychoactive substance abuse, in remission |
| F19130 | Other psychoactive substance abuse with withdrawal, uncomplicated |
| F19131 | Other psychoactive substance abuse with withdrawal delirium |
| CF19132 | Other psychoactive substance abuse with withdrawal with perceptual disturbance |
| F19139 | Other psychoactive substance abuse with withdrawal, unspecified |
| F1920 | Other psychoactive substance dependence, uncomplicated |
| F1921 | Other psychoactive substance dependence, in remission |
| F19220 | Other psychoactive substance dependence with intoxication, uncomplicated |
| F19221 | Other psychoactive substance dependence with intoxication delirium |
| F19222 | Other psychoactive substance dependence with intoxication with perceptual disturbance |
| F19229 | Other psychoactive substance dependence with intoxication, unspecified |
| F19230 | Other psychoactive substance dependence with withdrawal, uncomplicated |
| F19231 | Other psychoactive substance dependence with withdrawal delirium |
| F19232 | Other psychoactive substance dependence with withdrawal with perceptual disturbance |
| F19239 | Other psychoactive substance dependence with withdrawal, unspecified |
| F1924 | Other psychoactive substance dependence with psychoactive substance-induced mood disor |
| F19250 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions |
| F19251 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations |
| F19259 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified |
| F1926 | Other psychoactive substance dependence with psychoactive substance-induced persisting amnestic disorder |
| F1927 | Other psychoactive substance dependence with psychoactive substance-induced persisting dementia |
| F19280 | Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder |
| F19281 | Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction |
| F19282 | Other psychoactive substance dependence with psychoactive substance-induced sleep disord |
| F19288 | Other psychoactive substance dependence with other psychoactive substance-induced disord |
| F1929 | Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder |
| K5000 | Crohn's disease of small intestine without complications |
| K50011 | Crohn's disease of small intestine with rectal bleeding |
| K50012 | Crohn's disease of small intestine with intestinal obstruction |



| Hepatitis C | Hepatitis C Diagnosis Code List: | |
|-------------|---|--|
| ICD 10 | Description | |
| K50013 | Crohn's disease of small intestine with fistula | |
| K50013 | Crohn's disease of small intestine with listeda Crohn's disease of small intestine with abscess | |
| K50014 | Crohn's disease of small intestine with abscess Crohn's disease of small intestine with other complication | |
| K50010 | Crohn's disease of small intestine with other complications Crohn's disease of small intestine with unspecified complications | |
| K50019 | Crohn's disease of large intestine with dispectified complications Crohn's disease of large intestine without complications | |
| K5010 | Crohn's disease of large intestine without complications Crohn's disease of large intestine with rectal bleeding | |
| K50111 | Crohn's disease of large intestine with restand obstruction | |
| K50112 | Crohn's disease of large intestine with intestinal obstruction Crohn's disease of large intestine with fistula | |
| K50113 | Crohn's disease of large intestine with listila Crohn's disease of large intestine with abscess | |
| K50114 | Crohn's disease of large intestine with abscess Crohn's disease of large intestine with other complication | |
| K50119 | Crohn's disease of large intestine with other complications Crohn's disease of large intestine with unspecified complications | |
| K5080 | Crohn's disease of both small and large intestine without complications | |
| K50811 | Crohn's disease of both small and large intestine with rectal bleeding | |
| K50812 | Crohn's disease of both small and large intestine with rectal bleeding Crohn's disease of both small and large intestine with intestinal obstruction | |
| K50813 | Crohn's disease of both small and large intestine with littlestinal obstitution Crohn's disease of both small and large intestine with fistula | |
| K50814 | Crohn's disease of both small and large intestine with listual Crohn's disease of both small and large intestine with abscess | |
| K50818 | Crohn's disease of both small and large intestine with other complication | |
| K50819 | Crohn's disease of both small and large intestine with unspecified complications | |
| K5090 | Crohn's disease, unspecified, without complications Crohn's disease, unspecified, without complications | |
| K5090 | Crohn's disease, unspecified, with rectal bleeding | |
| K50911 | Crohn's disease, unspecified, with intestinal obstruction | |
| K50912 | Crohn's disease, unspecified, with fristula Crohn's disease, unspecified, with fistula | |
| | · | |
| K50914 | Crohn's disease, unspecified, with abscess | |
| K50918 | Crohn's disease, unspecified, with other complication | |
| K50919 | Crohn's disease, unspecified, with unspecified complications | |
| K5120 | Ulcerative (chronic) proctitis without complications | |
| K51211 | Ulcerative (chronic) proctitis with rectal bleeding | |
| K51212 | Ulcerative (chronic) proctitis with intestinal obstruction | |
| K51213 | Ulcerative (chronic) proctitis with fistula | |
| K51214 | Ulcerative (chronic) proctitis with abscess | |
| K51218 | Ulcerative (chronic) proctitis with other complication | |
| K51219 | Ulcerative (chronic) proctitis with unspecified complications | |
| K5130 | Ulcerative (chronic) rectosigmoiditis without complications | |
| K51311 | Ulcerative (chronic) rectosigmoiditis with rectal bleeding | |
| K51312 | Ulcerative (chronic) rectosigmoiditis with intestinal obstruction | |
| K51313 | Ulcerative (chronic) rectosigmoiditis with fistula | |
| K51314 | Ulcerative (chronic) rectosigmoiditis with abscess | |
| K51318 | Ulcerative (chronic) rectosigmoiditis with other complication | |
| K51319 | Ulcerative (chronic) rectosigmoiditis with unspecified complications | |
| K5140 | Inflammatory polyps of colon without complications | |
| K51411 | Inflammatory polyps of colon with rectal bleeding | |



| Hepatitis C Diagnosis Code List: | | |
|----------------------------------|--|--|
| ICD 10 | Description | |
| K51412 | Inflammatory polyps of colon with intestinal obstruction | |
| K51413 | Inflammatory polyps of colon with fistula | |
| K51414 | Inflammatory polyps of colon with abscess | |
| K51418 | Inflammatory polyps of colon with other complication | |
| K51419 | Inflammatory polyps of colon with unspecified complications | |
| K5150 | Left sided colitis without complications | |
| K51511 | Left sided colitis with rectal bleeding | |
| K51512 | Left sided colitis with intestinal obstruction | |
| K51513 | Left sided colitis with fistula | |
| K51514 | Left sided colitis with abscess | |
| K51518 | Left sided colitis with other complication | |
| K51519 | Left sided colitis with unspecified complications | |
| K5180 | Other ulcerative colitis without complications | |
| K51811 | Other ulcerative colitis with rectal bleeding | |
| K51812 | Other ulcerative colitis with intestinal obstruction | |
| K51813 | Other ulcerative colitis with fistula | |
| K51814 | Other ulcerative colitis with abscess | |
| K51818 | Other ulcerative colitis with other complication | |
| K51819 | Other ulcerative colitis with unspecified complications | |
| K5190 | Ulcerative colitis, unspecified, without complications | |
| K51911 | Ulcerative colitis, unspecified with rectal bleeding | |
| K51912 | Ulcerative colitis, unspecified with intestinal obstruction | |
| K51913 | Ulcerative colitis, unspecified with fistula | |
| K51914 | Ulcerative colitis, unspecified with abscess | |
| K51918 | Ulcerative colitis, unspecified with other complication | |
| K51919 | Ulcerative colitis, unspecified with unspecified complications | |
| M0230 | Reiter's disease, unspecified site | |
| M02311 | Reiter's disease, right shoulder | |
| M02312 | Reiter's disease, left shoulder | |
| M02319 | Reiter's disease, unspecified shoulder | |
| M02321 | Reiter's disease, right elbow | |
| M02322 | Reiter's disease, left elbow | |
| M02329 | Reiter's disease, unspecified elbow | |
| M02331 | Reiter's disease, right wrist | |
| M02332 | Reiter's disease, left wrist | |
| M02339 | Reiter's disease, unspecified wrist | |
| M02341 | Reiter's disease, right hand | |
| M02342 | Reiter's disease, left hand | |
| M02349 | Reiter's disease, unspecified hand | |
| M02351 | Reiter's disease, right hip | |
| M02352 | Reiter's disease, left hip | |



| Hepatitis C | Diagnosis Code List: |
|-------------|---|
| ICD 10 | Description |
| M02359 | Reiter's disease, unspecified hip |
| M02361 | Reiter's disease, right knee |
| M02362 | Reiter's disease, left knee |
| M02369 | Reiter's disease, unspecified knee |
| M02371 | Reiter's disease, right ankle and foot |
| M02372 | Reiter's disease, left ankle and foot |
| M02379 | Reiter's disease, unspecified ankle and foot |
| M0238 | Reiter's disease, vertebrae |
| M0239 | Reiter's disease, multiple sites |
| N1830 | Chronic kidney disease, stage 3 unspecified |
| N1831 | Chronic kidney disease, stage 3a |
| N1832 | Chronic kidney disease, stage 3b |
| N184 | Chronic kidney disease, stage 4 (severe) |
| N185 | Chronic kidney disease, stage 5 |
| N186 | End stage renal disease |
| N341 | Nonspecific urethritis |
| N491 | Inflammatory disorders of spermatic cord, tunica vaginalis and vas deferens |
| N492 | Inflammatory disorders of scrotum |
| N493 | Fournier gangrene |
| N498 | Inflammatory disorders of other specified male genital organs |
| N499 | Inflammatory disorder of unspecified male genital organ |
| N735 | Female pelvic peritonitis, unspecified |
| N739 | Female pelvic inflammatory disease, unspecified |
| N760 | Acute vaginitis |
| N761 | Subacute and chronic vaginitis |
| N762 | Acute vulvitis |
| N763 | Subacute and chronic vulvitis |
| N771 | Vaginitis, vulvitis and vulvovaginitis in diseases classified elsewhere |
| O353XX0 | Maternal care for (suspected) damage to fetus from viral disease in mother, not applicable or unspecified |
| O353XX1 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 1 |
| O353XX2 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 2 |
| O353XX3 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 3 |
| O353XX4 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 4 |
| O353XX5 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 5 |
| O353XX9 | Maternal care for (suspected) damage to fetus from viral disease in mother, other fetus |
| O355XX1 | Maternal care for (suspected) damage to fetus by drugs, fetus 1 |
| O355XX2 | Maternal care for (suspected) damage to fetus by drugs, fetus 2 |
| O355XX3 | Maternal care for (suspected) damage to fetus by drugs, fetus 3 |
| O355XX4 | Maternal care for (suspected) damage to fetus by drugs, fetus 4 |
| O355XX5 | Maternal care for (suspected) damage to fetus by drugs, fetus 5 |



| Hepatitis C D | Diagnosis Code List: |
|---------------|---|
| ICD 10 | Description |
| O355XX9 | Maternal care for (suspected) damage to fetus by drugs, other fetus |
| O904 | Postpartum acute kidney failure |
| O98011 | Tuberculosis complicating pregnancy, first trimester |
| O98012 | Tuberculosis complicating pregnancy, second trimester |
| O98013 | Tuberculosis complicating pregnancy, third trimester |
| O98019 | Tuberculosis complicating pregnancy, unspecified trimester |
| O9802 | Tuberculosis complicating childbirth |
| O9803 | Tuberculosis complicating the puerperium |
| O98111 | Syphilis complicating pregnancy, first trimester |
| O98112 | Syphilis complicating pregnancy, second trimester |
| O98113 | Syphilis complicating pregnancy, third trimester |
| O98119 | Syphilis complicating pregnancy, unspecified trimester |
| O9812 | Syphilis complicating childbirth |
| O9813 | Syphilis complicating the puerperium |
| O98211 | Gonorrhea complicating pregnancy, first trimester |
| O98212 | Gonorrhea complicating pregnancy, second trimester |
| O98213 | Gonorrhea complicating pregnancy, third trimester |
| O98219 | Gonorrhea complicating pregnancy, unspecified trimester |
| O9822 | Gonorrhea complicating childbirth |
| O9823 | Gonorrhea complicating the puerperium |
| O98311 | Other infections with a predominantly sexual mode of transmission complicating pregnancy, first trimester |
| O98312 | Other infections with a predominantly sexual mode of transmission complicating pregnancy, second trimester |
| O98313 | Other infections with a predominantly sexual mode of transmission complicating pregnancy, third trimester |
| O98319 | Other infections with a predominantly sexual mode of transmission complicating pregnancy, unspecified trimester |
| O9832 | Other infections with a predominantly sexual mode of transmission complicating childbirth |
| O9833 | Other infections with a predominantly sexual mode of transmission complicating the puerperium |
| O99320 | Drug use complicating pregnancy, unspecified trimester |
| O99321 | Drug use complicating pregnancy, first trimester |
| O99322 | Drug use complicating pregnancy, second trimester |
| O99323 | Drug use complicating pregnancy, third trimester |
| O99324 | Drug use complicating childbirth |
| O99325 | Drug use complicating the puerperium |
| P002 | Newborn affected by maternal infectious and parasitic diseases |
| T7421XS | Adult sexual abuse, confirmed, sequela |
| T7621XS | Adult sexual abuse, suspected, sequela |
| T7622XS | Child sexual abuse, suspected, sequela |
| W460XXA | Contact with hypodermic needle, initial encounter |
| W460XXD | Contact with hypodermic needle, subsequent encounter |



| Hepatitis C Diagnosis Code List: | | |
|----------------------------------|--|--|
| ICD 10 | Description | |
| W460XXS | Contact with hypodermic needle, sequela | |
| W461XXS | Contact with contaminated hypodermic needle, sequela | |
| Z0000 | Encounter for general adult medical examination without abnormal findings | |
| Z0001 | Encounter for general adult medical examination with abnormal findings | |
| Z041 | Encounter for examination and observation following transport accident | |
| Z042 | Encounter for examination and observation following work accident | |
| Z113 | Encounter for screening for infections with a predominantly sexual mode of transmission | |
| Z114 | Encounter for screening for human immunodeficiency virus [HIV] | |
| Z1159 | Encounter for screening for other viral diseases | |
| Z119 | Encounter for screening for infectious and parasitic diseases, unspecified | |
| Z1401 | Asymptomatic hemophilia A carrier | |
| Z1402 | Symptomatic hemophilia A carrier | |
| Z202 | Contact with and (suspected) exposure to infections with a predominantly sexual mode of transmission | |
| Z205 | Contact with and (suspected) exposure to viral hepatitis | |
| Z206 | Contact with and (suspected) exposure to human immunodeficiency virus [HIV] | |
| Z20828 | Contact with and (suspected) exposure to other viral communicable diseases | |
| Z21 | Asymptomatic human immunodeficiency virus [HIV] infection status | |
| Z224 | Carrier of infections with a predominantly sexual mode of transmission | |
| Z418 | Encounter for other procedures for purposes other than remedying health state | |
| Z4821 | Encounter for aftercare following heart transplant | |
| Z4822 | Encounter for aftercare following kidney transplant | |
| Z4824 | Encounter for aftercare following lung transplant | |
| Z48280 | Encounter for aftercare following heart-lung transplant | |
| Z48288 | Encounter for aftercare following multiple organ transplant | |
| Z48290 | Encounter for aftercare following bone marrow transplant | |
| Z48298 | Encounter for aftercare following other organ transplant | |
| Z4931 | Encounter for adequacy testing for hemodialysis | |
| Z4932 | Encounter for adequacy testing for peritoneal dialysis | |
| Z5189 | Encounter for other specified aftercare | |
| Z52000 | Unspecified donor, whole blood | |
| Z52001 | Unspecified donor, stem cells | |
| Z52008 | Unspecified donor, other blood | |
| Z52010 | Autologous donor, whole blood | |
| Z52011 | Autologous donor, stem cells | |
| Z52018 | Autologous donor, other blood | |
| Z52090 | Other blood donor, whole blood | |
| Z52091 | Other blood donor, stem cells | |
| Z52098 | Other blood donor, other blood | |
| Z5210 | Skin donor, unspecified | |
| Z5211 | Skin donor, autologous | |



| Hepatitis C | Diagnosis Code List: |
|-------------|--|
| ICD 10 | Description |
| Z5219 | Skin donor, other |
| Z5220 | Bone donor, unspecified |
| Z5221 | Bone donor, autologous |
| Z5229 | Bone donor, other |
| Z523 | Bone marrow donor |
| Z524 | Kidney donor |
| Z525 | Cornea donor |
| Z526 | Liver donor |
| Z5289 | Donor of other specified organs or tissues |
| Z529 | Donor of unspecified organ or tissue |
| Z578 | Occupational exposure to other risk factors |
| Z717 | Human immunodeficiency virus [HIV] counseling |
| Z7251 | High risk heterosexual behavior |
| Z7252 | High risk homosexual behavior |
| Z7253 | High risk bisexual behavior |
| Z79899 | Other long term (current) drug therapy |
| Z862 | Personal history of diseases of the blood and blood-forming organs and certain disorders |
| | involving the immune mechanism |
| Z9225 | Personal history of immunosupression therapy |
| Z940 | Kidney transplant status |
| Z941 | Heart transplant status |
| Z942 | Lung transplant status |
| Z943 | Heart and lungs transplant status |
| Z945 | Skin transplant status |
| Z946 | Bone transplant status |
| Z947 | Corneal transplant status |
| Z9481 | Bone marrow transplant status |
| Z9482 | Intestine transplant status |
| Z9483 | Pancreas transplant status |
| Z9484 | Stem cells transplant status |
| Z9489 | Other transplanted organ and tissue status |
| Z949 | Transplanted organ and tissue status, unspecified |
| Z953 | Presence of xenogenic heart valve |
| Z954 | Presence of other heart-valve replacement |
| Z992 | Dependence on renal dialysis |



Ocular Screening Code List

| ICD 10 Description | Ocular Screening Diagnosis Code List: | |
|--|---------------------------------------|--|
| F70 Mild intellectual disabilities F71 Moderate intellectual disabilities F72 Severe intellectual disabilities F73 Profound intellectual disabilities F78 Other intellectual disabilities F79 Unspecified intellectual disabilities F80.0 Phonological disorder F80.1 Expressive language disorder F80.2 Mixed receptive-expressive language disorder F80.3 Speech and language development delay due to hearing loss F80.81 Childhood onset fluency disorder F80.82 Social pragmatic communication disorder F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language, unspecified F81.0 Specific reading disorder F81.1 Disorder of written expression F81.2 Mathematics disorder F81.3 Disorder of written expression F81.4 Disorder of written expression F81.5 Developmental disorders of scholastic skills, unspecified F82.5 p ecific developmental disorder of motor function F84.2 Rett's syndrome F84.3 Other devilopmental disorder of motor function F84.3 Other childhood disintegrative disorder F84.3 Other pervasive developmental disorders F84.9 Pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88.0 Other pervasive developmental disorders F89.0 Lattention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | | |
| F71 Moderate intellectual disabilities F72 Severe intellectual disabilities F73 Profound intellectual disabilities F78 Other intellectual disabilities F78 Other intellectual disabilities F79 Unspecified intellectual disabilities F80.0 Phonological disorder F80.1 Expressive language disorder F80.2 Mixed receptive-expressive language disorder F80.4 Speech and language development delay due to hearing loss F80.81 Childhood onset fluency disorder F80.82 Social pragmatic communication disorder F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language, unspecified F81.0 Specific reading disorder F81.1 Disorder of written expression F81.2 Mathematics disorder F81.81 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.3 Other pervasive developmental disorders F84.4 Other pervasive developmental disorders F84.5 Asperger's syndrome F84.6 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F89 Unspecified disorder of psychological development F89 Unspecified thyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Spastic diplegic cerebral palsy F80.0 Spastic hemiplegic cerebral palsy F80.1 Spastic cerebral palsy F80.2 Spastic hemiplegic cerebral palsy | | · |
| F72 Severe intellectual disabilities F73 Profound intellectual disabilities F78 Other intellectual disabilities F79 Unspecified intellectual disabilities F80.0 Phonological disorder F80.1 Expressive language disorder F80.2 Mixed receptive-expressive language disorder F80.4 Speech and language development delay due to hearing loss F80.81 Childhood onset fluency disorder F80.82 Social pragmatic communication disorder F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language, unspecified F81.0 Specific reading disorder F81.1 Disorder of written expression F81.81 Disorder of written expression F81.82 Mathematics disorder F81.83 Disorder of written expression F81.84 Developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82.5p ecific developmental disorder of motor function F84.2 Rett's syndrome F84.3 Other childhood disintegrative disorder F84.3 Other childhood disintegrative disorder F84.4 Opter childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F89 Unspecified disorder of psychological development F89.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.3 Spastic quadriplegic cerebral palsy F80.4 Spastic hemiplegic cerebral palsy F80.5 Spastic hemiplegic cerebral palsy | | |
| F73 Profound intellectual disabilities F78 Other intellectual disabilities F79 Unspecified intellectual disabilities F80.0 Phonological disorder F80.1 Expressive language disorder F80.2 Mixed receptive-expressive language disorder F80.4 Speech and language development delay due to hearing loss F80.81 Childhood onset fluency disorder F80.82 Social pragmatic communication disorder F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language F81.0 Specific reading disorder F81.1 Specific reading disorder F81.2 Mathematics disorder F81.3 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82.5 pecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.4 Sepreger's syndrome F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified Other disorders of psychological development F89 Unspecified disorder of psychological development F89 Unspecified disorder of psychological development F89 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.1 Attention-deficit hyperactivity disorder, ombined type F90.8 Attention-deficit hyperactivity disorder, ombined type F90.9 Attention-deficit hyperactivity disorder, ombined type F90.9 Spastic diplegic cerebral palsy F80.0 Spastic diplegic cerebral palsy F80.0 Spastic hemiplegic cerebral palsy F80.0 Spastic hemiplegic cerebral palsy | | |
| F78 Other intellectual disabilities F79 Unspecified intellectual disabilities F80.0 Phonological disorder F80.1 Expressive language disorder F80.2 Mixed receptive-expressive language disorder F80.8 Speech and language development delay due to hearing loss F80.8 Childhood onset fluency disorder F80.82 Social pragmatic communication disorder F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language F81.0 Specific reading disorder F81.1 Mathematics disorder F81.2 Mathematics disorder F81.8 Disorder of written expression F81.9 Developmental disorder of scholastic skills F82.9 ecific developmental disorder of motor function F84.1 Rett's syndrome F84.2 Rett's syndrome F84.3 Other childhood disintegrative disorder F84.3 Other childhood disintegrative disorder F84.9 Pervasive developmental disorder, unspecified F84.9 Pervasive developmental disorder, unspecified F89 Other disorders of psychological development F89 Unspecified disorder of psychological development F89 Unspecified disorder of psychological development F89 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Spastic duadriplegic cerebral palsy F80.0 Spastic hemiplegic cerebral palsy F80.1 Spastic hemiplegic cerebral palsy | | |
| F79 Unspecified intellectual disabilities F80.0 Phonological disorder F80.1 Expressive language disorder F80.2 Mixed receptive-expressive language disorder F80.4 Speech and language development delay due to hearing loss F80.81 Childhood onset fluency disorder F80.82 Social pragmatic communication disorder F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language, unspecified F81.0 Specific reading disorder F81.1 Mathematics disorder F81.2 Mathematics disorder F81.81 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82.5 pecific developmental disorder of motor function F84.2 Rett's syndrome F84.3 Other childhood disintegrative disorder F84.3 Other childhood disintegrative disorder F84.4 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F89 Unspecified disorder of psychological development F80.1 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, ombined type F90.2 Attention-deficit hyperactivity disorder, unspecified type F90.3 Attention-deficit hyperactivity disorder, unspecified type F90.4 Attention-deficit hyperactivity disorder, unspecified type F90.8 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Spastic quadriplegic cerebral palsy F80.0 Spastic hemiplegic cerebral palsy F80.1 Spastic hemiplegic cerebral palsy | | |
| F80.0 Phonological disorder F80.1 Expressive language disorder F80.2 Mixed receptive-expressive language disorder F80.4 Speech and language development delay due to hearing loss F80.81 Childhood onset fluency disorder F80.82 Social pragmatic communication disorder F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language, unspecified F81.0 Specific reading disorder F81.1 Mathematics disorder F81.2 Mathematics disorder F81.81 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82.5 pecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.4 Other pervasive developmental disorders F84.9 Pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F89 Unspecified disorder of psychological development F80.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, ombined type F90.2 Attention-deficit hyperactivity disorder, ombined type F90.3 Attention-deficit hyperactivity disorder, unspecified type F90.4 Attention-deficit hyperactivity disorder, unspecified type F90.8 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Spastic quadriplegic cerebral palsy F90.0 Spastic hemiplegic cerebral palsy F90.1 Spastic hemiplegic cerebral palsy | F78 | |
| F80.1 Expressive language disorder F80.2 Mixed receptive-expressive language disorder F80.4 Speech and language development delay due to hearing loss F80.81 Childhood onset fluency disorder F80.82 Social pragmatic communication disorder F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language, unspecified F81.0 Specific reading disorder F81.1 Disorder of written expression F81.2 Mathematics disorder F81.81 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82.5p ecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.4 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88. Other disorders of psychological development F89 Unspecified disorder of psychological development F89 Unspecified disorder of psychological development F80.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.3 Attention-deficit hyperactivity disorder, unspecified type F90.4 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Spastic quadriplegic cerebral palsy F80.1 Spastic diplegic cerebral palsy F80.2 Spastic hemiplegic cerebral palsy | F79 | · |
| F80.2 Mixed receptive-expressive language disorder F80.4 Speech and language development delay due to hearing loss F80.81 Childhood onset fluency disorder F80.82 Social pragmatic communication disorder F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language, unspecified F81.0 Specific reading disorder F81.1 Disorder of written expression F81.2 Mathematics disorder F81.81 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.4 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, unspecified type F90.3 Attention-deficit hyperactivity disorder, unspecified type F90.4 Attention-deficit hyperactivity disorder, unspecified type F90.5 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Spastic quadriplegic cerebral palsy F90.0 Spastic diplegic cerebral palsy F90.1 Spastic diplegic cerebral palsy F90.2 Spastic hemiplegic cerebral palsy | F80.0 | Phonological disorder |
| F80.4 Speech and language development delay due to hearing loss F80.81 Childhood onset fluency disorder F80.82 Social pragmatic communication disorder F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language, unspecified F81.0 Specific reading disorder F81.2 Mathematics disorder F81.81 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82.5p ecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.4 Seperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F80.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Spastic quadriplegic cerebral palsy G80.0 Spastic diplegic cerebral palsy Spastic diplegic cerebral palsy Spastic diplegic cerebral palsy | F80.1 | Expressive language disorder |
| F80.81 Childhood onset fluency disorder F80.82 Social pragmatic communication disorder F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language, unspecified F81.0 Specific reading disorder F81.2 Mathematics disorder F81.81 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82 Sp ecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, onbined type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Spastic quadriplegic cerebral palsy F80.0 Spastic diplegic cerebral palsy F80.1 Spastic diplegic cerebral palsy F80.2 Spastic hemiplegic cerebral palsy | F80.2 | Mixed receptive-expressive language disorder |
| F80.82 Social pragmatic communication disorder F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language, unspecified F81.0 Specific reading disorder F81.2 Mathematics disorder F81.81 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82 Sp ecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, onther type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy F80.2 Spastic hemiplegic cerebral palsy | F80.4 | Speech and language development delay due to hearing loss |
| F80.89 Other developmental disorders of speech and language F80.9 Developmental disorder of speech and language, unspecified F81.0 Specific reading disorder F81.2 Mathematics disorder F81.81 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82 Sp ecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Spastic quadriplegic cerebral palsy F80.0 Spastic diplegic cerebral palsy F80.1 Spastic diplegic cerebral palsy F80.2 Spastic hemiplegic cerebral palsy | F80.81 | Childhood onset fluency disorder |
| F80.9 Developmental disorder of speech and language, unspecified F81.0 Specific reading disorder F81.2 Mathematics disorder F81.81 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82 Sp ecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F80.82 | Social pragmatic communication disorder |
| F81.0 Specific reading disorder F81.2 Mathematics disorder F81.81 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82 Sp ecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic hemiplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F80.89 | Other developmental disorders of speech and language |
| F81.2 Mathematics disorder F81.81 Disorder of written expression F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82 Sp ecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic hemiplegic cerebral palsy | F80.9 | Developmental disorder of speech and language, unspecified |
| F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82 Sp ecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type F90.9 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F81.0 | Specific reading disorder |
| F81.89 Other developmental disorders of scholastic skills F81.9 Developmental disorder of scholastic skills, unspecified F82 Sp ecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, other type F90.8 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F81.2 | Mathematics disorder |
| F81.9 Developmental disorder of scholastic skills, unspecified F82 Sp ecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic hemiplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F81.81 | Disorder of written expression |
| F82 Sp ecific developmental disorder of motor function F84.2 Rett's syndrome F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, combined type F90.2 Attention-deficit hyperactivity disorder, other type F90.8 Attention-deficit hyperactivity disorder, unspecified type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F81.89 | Other developmental disorders of scholastic skills |
| F84.0 Autistic disorder F84.0 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F81.9 | Developmental disorder of scholastic skills, unspecified |
| F84.0 Autistic disorder F84.3 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F82 Sp | ecific developmental disorder of motor function |
| F84.3 Other childhood disintegrative disorder F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F84.2 | Rett's syndrome |
| F84.5 Asperger's syndrome F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F84.0 | Autistic disorder |
| F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F84.3 | Other childhood disintegrative disorder |
| F84.8 Other pervasive developmental disorders F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F84.5 | Asperger's syndrome |
| F84.9 Pervasive developmental disorder, unspecified F88 Other disorders of psychological development F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F84.8 | Other pervasive developmental disorders |
| F89 Unspecified disorder of psychological development F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F84.9 | |
| F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F88 | Other disorders of psychological development |
| F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F89 | Unspecified disorder of psychological development |
| F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F90.0 | |
| F90.2 Attention-deficit hyperactivity disorder, combined type F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F90.1 | |
| F90.8 Attention-deficit hyperactivity disorder, other type F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | F90.2 | |
| F90.9 Attention-deficit hyperactivity disorder, unspecified type G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | | |
| G80.0 Spastic quadriplegic cerebral palsy G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | | |
| G80.1 Spastic diplegic cerebral palsy G80.2 Spastic hemiplegic cerebral palsy | | |
| G80.2 Spastic hemiplegic cerebral palsy | | |
| , , , | | · · · · · · · · · · · · · · · · · · · |
| 1 / MICLOID COLONIAL DAISY | G80.3 | Athetoid cerebral palsy |



| Ocular Saraa | oning Diagnosis Code List: |
|--------------|--|
| Oculai Sciet | ening Diagnosis Code List: |
| ICD 10 | Description |
| G80.4 | Ataxic cerebral palsy |
| G80.8 | Other cerebral palsy |
| G80.9 | Cerebral palsy, unspecified |
| H93.25 | Central auditory processing disorder |
| Q05.0 | Cervical spina bifida with hydrocephalus |
| Q05.1 | Thoracic spina bifida with hydrocephalus |
| Q05.2 | Lumbar spina bifida with hydrocephalus |
| Q05.3 | Sacral spina bifida with hydrocephalus |
| Q05.4 | Unspecified spina bifida with hydrocephalus |
| Q05.5 | Cervical spina bifida without hydrocephalus |
| Q05.6 | Thoracic spina bifida without hydrocephalus |
| Q05.7 | Lumbar spina bifida without hydrocephalus |
| Q05.8 | Sacral spina bifida without hydrocephalus |
| Q05.9 | Spina bifida, unspecified |
| Q07.00 | Arnold-Chiari syndrome without spina bifida or hydrocephalus |
| Q07.01 | Arnold-Chiari syndrome with spina bifida |
| Q07.02 | Arnold-Chiari syndrome with hydrocephalus |
| Q07.03 | Arnold-Chiari syndrome with spina bifida and hydrocephalus |
| Q90.0 | Trisomy 21, nonmosaicism (meiotic nondisjunction) |
| Q90.1 | Trisomy 21, mosaicism (mitotic nondisjunction) |
| Q90.2 | Trisomy 21, translocation |
| Q90.9 | Down syndrome, unspecified |
| Q91.0 | Trisomy 18, nonmosaicism (meiotic nondisjunction) |
| Q91.1 | Trisomy 18, mosaicism (mitotic nondisjunction) |
| Q91.2 | Trisomy 18, translocation |
| Q91.3 | Trisomy 18, unspecified |
| Q91.4 | Trisomy 13, nonmosaicism (meiotic nondisjunction) |
| Q91.5 | Trisomy 13, mosaicism (mitotic nondisjunction) |
| Q91.6 | Trisomy 13, translocation |
| Q91.7 | Trisomy 13, unspecified |
| Q92.0 | Whole chromosome trisomy, nonmosaicism (meiotic nondisjunction) |
| Q92.1 | Whole chromosome trisomy, mosaicism (mitotic nondisjunction) |
| Q92.2 | Partial trisomy |
| Q92.5 | Duplications with other complex rearrangements |
| Q92.7 | Triploidy and polyploidy |
| Q92.8 | Other specified trisomies and partial trisomies of autosomes |
| Q92.9 | Trisomy and partial trisomy of autosomes, unspecified |
| Q93.0 | Whole chromosome monosomy, nonmosaicism (meiotic nondisjunction) |
| Q93.1 | Whole chromosome monosomy, mosaicism (mitotic nondisjunction) |



| Ocular Screen | ing Diagnosis Code List: |
|---------------|--|
| ICD 10 | Description |
| Q93.2 | Chromosome replaced with ring, dicentric or isochromosome |
| Q93.3 | Deletion of short arm of chromosome 4 |
| Q93.4 | Deletion of short arm of chromosome 5 |
| Q93.51 | Angelman syndrome |
| Q93.59 | Other deletions of part of a chromosome |
| Q93.7 | Deletions with other complex rearrangements |
| Q93.81 | Velo-cardio-facial syndrome |
| Q93.82 | Williams Syndrome |
| Q93.88 | Other microdeletions |
| Q93.89 | Other deletions from the autosomes |
| Q93.9 | Deletion from autosomes, unspecified |
| Q95.2 | Balanced autosomal rearrangement in abnormal individual |
| Q95.3 | Balanced sex/autosomal rearrangement in abnormal individual |
| Q95.5 | Individual with autosomal fragile site |
| Q95.8 | Other balanced rearrangements and structural markers |
| Q95.9 | Balanced rearrangement and structural marker, unspecified |
| Q96.0 | Karyotype 45, X |
| Q96.1 | Karyotype 46, X iso (Xq) |
| Q96.2 | Karyotype 46, X with abnormal sex chromosome, except iso (Xq) |
| Q96.3 | Mosaicism, 45, X/46, XX or XY |
| Q96.4 | Mosaicism, 45, X/other cell line(s) with abnormal sex chromosome |
| Q96.8 | Other variants of Turner's syndrome |
| Q96.9 | Turner's syndrome, unspecified |
| Q98.0 | Klinefelter syndrome karyotype 47, XXY |
| Q98.1 | Klinefelter syndrome, male with more than two X chromosomes |
| Q98.3 | Other male with 46, XX karyotype |
| Q98.4 | Klinefelter syndrome, unspecified |
| Q99.2 | Fragile X chromosome |
| R41.840 | Attention and concentration deficit |



Expanded Preventive Health Care Services

Expanded Preventive Health Care Services

Certain codes may not be payable in all circumstances due to other policies or guidelines

| Certain codes may not be payable in all circumstances due to other policies or guidelines. | | |
|--|---|---|
| Service: | Code(s): | Claims Edit Criteria: |
| Well-Woman Visits HHS Requirement: Well-woman preventive care visit annually for adult women to obtain the recommended preventive services that are age and developmentally appropriate, including preconception and prenatal care. | Procedure Code(s) Prenatal Office Visits: Evaluation and Management (Office Visits): • 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, G0463 Physician prenatal education, group setting: • 99078 Prenatal Care Visits: • 59425, 59426 Global Obstetrical Codes: • 59400, 59510, 59610, 59618 Diagnosis Code(s): See Pregnancy Diagnosis Code list in the Appendix Section | |
| Human Papillomavirus DNA Testing (HPV) HHS Requirement: High-risk human papillomavirus DNA testing in women with normal cytology (pap smear) results, every 3 years for women who are 30 or older. | Procedure Code(s): • 87623, 87624, 87625 • G0476 Diagnosis Code(s): ICD-10: Z00.00, Z00.01, Z01.411, Z01.419, Z11.51, Z12.4 | Age 30 and up. Payable as a preventive screening with one of the Diagnosis Codes listed in this row. |
| Counseling for Sexually Transmitted Infections HHS Requirement: Counseling on sexually transmitted infections for all sexually active women. | Procedure Code (s) ■ 99401, 99402, 99403, 99404, G0445 | |



| Expanded Preventive Health Care Services |
|---|
| Certain codes may not be payable in all circumstances due to other policies or quidelines |

| Service: | Code(s): | Claims Edit Criteria: |
|---|---|---|
| Counseling and Screening for Human Immune-deficiency Virus HHS Requirement: Counseling and screening for human immune-deficiency virus infection for all sexually active women. | Procedure Code(s) Counseling: 99401, 99402, 99403, 99404 Screening Tests: See the HIV – Human Immunodeficiency Virus – Screening for Adolescents and Adults section of the Preventive Services table above. | Screening Tests: See the HIV – Human Immunodeficiency Virus – Screening for Adolescents and Adults section of the Preventive Services table above. |
| Contraceptive Methods (Including Sterilizations) HHS Requirement: For women, all Food and Drug Administration-approved contraceptive methods, sterilization procedures, and patient education and counseling (as prescribed). For patient education and counseling: See the section of the Preventive Care Services table above. | Codes(s): Code Group 1: Sterilizations: Tubal Ligation, oviduct occlusion: 58565, 58600, 58605, 58611, 58615, 58670, 58671, A4264 (See Code Group 4 below for tubal ligation followup). Contraceptive Methods: Diaphragm or cervical cap: 57170, A4261, A4266 IUD (cooper): J7300 IUD (Skyla®): J7301 IUD (Kyleena): J7696 IUD (other): J7297 (See Code Group 2 for additional IUD | Claims Edit Criteria: Code Group 1: Does not have diagnosis code requirements for preventive benefits to apply. |
| | Code Group 2: Contraceptive Methods: Implantable devices: J7306, J7307 I1976 (capsule removal) Injections: J1050 (injection) 96372 (administration) IUDs: J7298, S4989 58300, S4981 (insertion) 58301 (removal) (See Code Group 1 for additional IUD Codes) 11981 (implant insertion) 11982 (implant removal) 11983 (removal with reinsertion) | Code Group 2: • Preventive when billed with one of the Code Group 2 Diagnosis Codes, listed in this row |



Expanded Preventive Health Care Services
Certain codes may not be payable in all circumstances due to other policies or guidelines.

| Service: | Code(s): | Claims Edit Criteria: |
|--|---|-----------------------|
| Breastfeeding Support, Supplies, and Counseling HHS Requirement: Breastfeeding support, supplies, and counseling: Comprehensive lactation support and counseling, from a trained provider, during pregnancy and/or in the postpartum period, and costs for renting breastfeeding equipment, in conjunction with each birth. | Code Group 2 Diagnosis Code(s) These are required for Code Group 2: Contraceptive Management: ICD-10: Z30.011, Z30.012, Z30.013, Z30.014, Z30.018, Z30.019, Z30.09, Z30.40, Z30.41, Z30.42, Z30.430, Z30.431, Z30.432, Z30.433, Z30.49, Z30.8, Z30.9 Code Group 3: Anesthesia for Sterilization: ■ 00851, 00940, 00942, 00950, 00952, 01960, 01961, 01965, 01966, 01967, 01968 Code Group 3 Diagnosis Code: Sterilization: ICD-10: Z30.2 Code Group 4: Tubal ligation follow up | |



Expanded Preventive Health Care Services Certain codes may not be payable in all circumstances due to other policies or guidelines.

| Service: | Code(s): | Claims Edit Criteria: |
|--|--|-----------------------|
| | Pregnancy Diagnosis Code (see Pregnancy Diagnosis Code list above), OR ICD-10: Z39.1 | |
| Screening and Counseling for Interpersonal and Domestic Violence | Procedure Code(s): ■ 99401, 99402, 99403,99404 | n/a |
| HHS Requirement: Screening and counseling for interpersonal and domestic violence. | | |



References

- 1. Department of Labor: http://www.dol.gov/ebsa/consumer info health.html
- 2. USPSTF Pocket Guide to Clinical Preventive Services: http://www.ahrq.gov/clinic/uspstfix.htm
- 3. Centers for Disease Control and Prevention / Immunization Schedules: http://www.cdc.gov/vaccines/schedules/index.html
- 4. U.S. Food and Drug Administration (FDA), Complete List of Vaccines Licensed for Immunization and Distribution in the US: http://www.fda.gov/BiologicsBloodVaccines/Vaccines/ApprovedProducts/UCM093833
- 5. ACIP Recommendations: http://www.cdc.gov/vaccines/hcp/acip-recs/vacc-specific/index.html
- 8. American Academy of Family Physicians (AAFP) Summary of Recommendations for Clinical Preventive Services: http://www.aafp.org/dam/AAFP/documents/patient-care/clinical recommendations/cps-recommendations.pdf
- 8. American Academy of Pediatrics: http://www.aap.org/
- 9. American Academy of Pediatrics / Bright Futures / Recommendations for Pediatric Preventive Healthcare. (For ages 0 21):
 - http://www.aap.org/en-us/professional-resources/practice-support/Periodicity/Periodicity/20Schedule FINAL.pdf
- 10. Women's Preventive Services: Required Health Plan Coverage Guidelines: http://www.hrsa.gov/womensquidelines/
- 11. Grade Definitions for USPSTF Recommendations
 http://www.uspreventiveservicestaskforce.org/Page/Name/grade-definitions#brec2



USPSTF Grade Definitions

What does grade and suggestions for practice mean?

The USPSTF updated its definition of and suggestions for practice for the grade C recommendation. This new definition applies to USPSTF recommendations voted on after July 2012. Describing the strength of a recommendation is an important part of communicating its importance to clinicians and other users. Although most of the grade definitions have evolved since the USPSTF first began, none has changed more noticeably than the definition of a C recommendation, which has undergone three major revisions since 1998. Despite these revisions, the essence of the C recommendation has remained consistent: at the population level, the balance of benefits and harms is very close, and the magnitude of net benefit is small. Given this small net benefit, the USPSTF has either not made a recommendation "for or against routinely" providing the service (1998), recommended "against routinely" providing the service (2007), or recommended "selectively" providing the service (2012). Grade C recommendations are particularly sensitive to patient values and circumstances. Determining whether or not the service should be offered or provided to an individual patient will typically require an informed conversation between the clinician and patient.

Grade Definitions for USPSTF Recommendations after July 2012:

http://www.uspreventiveservicestaskforce.org/Page/Name/grade-definitions#brec2

| Grade | Definition | Suggestions for Practice |
|----------------|--|---|
| A | The USPSTF recommends the service. There is high certainty that the net benefit is substantial. | Offer or provide this service. |
| В | The USPSTF recommends the service. There is high certainty that the net benefit is moderate or there is moderate certainty that the net benefit is moderate to substantial. | Offer or provide this service. |
| С | The USPSTF recommends selectively offering or providing this service to individual patients based on professional judgment and patient preferences. There is at least moderate certainty that the net benefit is small. | Offer or provide this service for selected patients depending on individual circumstances. |
| D | The USPSTF recommends against the service. There is moderate or high certainty that the service has no net benefit or that the harms outweigh the benefits. | Discourage the use of this service. |
| I Statement | The USPSTF concludes that the current evidence is insufficient to assess the balance of benefits and harms of the service. Evidence is lacking, of poor quality, or conflicting, and the balance of benefits and harms cannot be determined. | Read the clinical considerations section of USPSTF Recommendation Statement. If the service is offered, patients should understand the uncertainty about the balance of benefits and harms. |



Levels of Certainty Regarding Net Benefit

| Level of Certainty* | Description |
|---------------------|--|
| High | The available evidence usually includes consistent results from well-designed, well-conducted studies in representative primary care populations. These studies assess the effects of the preventive service on health outcomes. This conclusion is therefore unlikely to be strongly affected by the results of future studies. |
| Moderate | The available evidence is sufficient to determine the effects of the preventive service on health outcomes, but confidence in the estimate is constrained by such factors as: |
| | The number, size, or quality of individual studies. |
| | Inconsistency of findings across individual studies. |
| | Limited generalizability of findings to routine primary care practice. |
| | Lack of coherence in the chain of evidence. |
| | As more information becomes available, the magnitude or direction of the observed effect could change, and this change may be large enough to alter the conclusion. |
| Low | The available evidence is insufficient to assess effects on health outcomes. Evidence is insufficient because of: |
| | The limited number or size of studies. |
| | Important flaws in study design or methods. |
| | Inconsistency of findings across individual studies. |
| | Gaps in the chain of evidence. |
| | Findings not generalizable to routine primary care practice. |
| | Lack of information on important health outcomes. |
| | More information may allow estimation of effects on health outcomes. |

^{*}The USPSTF defines certainty as "likelihood that the USPSTF assessment of the net benefit of a preventive service is correct." The net benefit is defined as benefit minus harm of the preventive service as implemented in a general, primary care population. The USPSTF assigns a certainty level based on the nature of the overall evidence available to assess the net benefit of a preventive service.



Grade Definitions for USPSTF Recommendations Dated After May 2007:

http://www.uspreventiveservicestaskforce.org/Page/Name/grade-definitions#brec2

The U.S. Preventive Services Task Force (USPSTF) has updated its definitions of the grades it assigns to recommendations and now includes "suggestions for practice" associated with each grade. The USPSTF has also defined levels of certainty regarding net benefit. These definitions apply to USPSTF recommendations voted on after May 2007.

| Grade | Definition | Suggestions for Practice |
|----------------|---|---|
| A | The USPSTF recommends the service. There is high certainty that the net benefit is substantial. | Offer or provide this service. |
| В | The USPSTF recommends the service. There is high certainty that the net benefit is moderate or there is moderate certainty that the net benefit is moderate to substantial. | Offer or provide this service. |
| С | Note: The following statement is undergoing revision. Clinicians may provide this service to selected patients depending on individual circumstances. However, for most individuals without signs or symptoms there is likely to be only a small benefit from this service. | Offer or provide this service only if other considerations support the offering or providing the service in an individual patient. |
| D | The USPSTF recommends against the service. There is moderate or high certainty that the service has no net benefit or that the harms outweigh the benefits. | Discourage the use of this service. |
| l Statement | The USPSTF concludes that the current evidence is insufficient to assess the balance of benefits and harms of the service. Evidence is lacking, of poor quality, or conflicting, and the balance of benefits and harms cannot be determined. | Read the clinical considerations section of USPSTF Recommendation Statement. If the service is offered, patients should understand the uncertainty about the balance of benefits and harms. |

Grade Definitions for USPSTF Recommendations Dated Prior to May 2007:

http://www.uspreventiveservicestaskforce.org/Page/Name/grade-definitions#brec2

- **A—Strongly Recommended:** The USPSTF strongly recommends that clinicians provide [the service] to eligible patients. *The USPSTF found good evidence that [the service] improves important health outcomes and concludes that benefits substantially outweigh harms.*
- **B—Recommended:** The USPSTF recommends that clinicians provide [the service] to eligible patients. *The USPSTF found at least fair evidence that [the service] improves important health outcomes and concludes that benefits outweigh harms.*
- **C—No Recommendation:** The USPSTF makes no recommendation for or against routine provision of [the service]. *The USPSTF found at least fair evidence that [the service] can improve health outcomes but concludes that the balance of benefits and harms is too close to justify a general recommendation.*
- **D—Not Recommended:** The USPSTF recommends against routinely providing [the service] to asymptomatic patients. *The USPSTF found at least fair evidence that [the service] is ineffective or that harms outweigh benefits.*
- **I—Insufficient Evidence to Make a Recommendation:** The USPSTF concludes that the evidence is insufficient to recommend for or against routinely providing [the service]. *Evidence that the [service] is effective is lacking, of poor quality, or conflicting and the balance of benefits and harms cannot be determined.*



| | ory / Revision Information |
|------------|---|
| 10/1/2018 | ICD 10 |
| | Deleted: |
| | E78.4, O86.0, Q93.5, Q93.82 |
| | |
| | Add: |
| | E78.41, E78.49, F12.23, F12.93, O86.00, O86.01, O86.02, O86.03, O86.04, 086.09, O30.131, O30.132, |
| | O30.133, O30.139, O30.231, O30.232, O30.233, O30.239, O30.831, O30.832, O30.833, O30.839, Q93.51, Q93.59, Z13.31, Z13.32 |
| 11/30/2018 | CPT 2019 |
| | |
| | Deleted: |
| | 81211, 81213, 81214 |
| | Add: |
| | 81162, 81163, 81164, 81165, 81166, 81167, 90689 |
| 12/20/18 | Add : 99201-99205, 99211-99215, 99401-99404, 99411, 99412, G0101, G0402, G0439, |
| | G0445, S0610, S0612, S0613, E0602, E0604, 80061, 82465, 83718, 83719, 83721, 84478, |
| | S0601, 45300, 45303, 45305, 45307, 45308, 45309, 45315, 45317, 45320, G0270, |
| | G0271, S9470, 87623, 82016, 82017, 82136, 82261, 82775, 83020, 83498, 83516, |
| | 84030, 84437, 84443, S3620, 92551, 92552, 92553, 92558, 92585, 92586, 92587, 92588, V5008, 99402, 99403, G0396, G0397, 99385, 99386, 99387, 99395, 99396, |
| | 99397, 36415, 36416, 99470, 78350, S9075, S9453, S9075, S9453, 83655, 99173, |
| | 99174, 99177, 96110, G0451, G0438, 99381, 99382, 99383, 99384, 99391, 99392, |
| | 99393, 99394, 99395, 99396, 99397, 99461 |
| | Z71.41, Z71.89, Z13.89, R76.11, R76.12 |
| | |
| | |
| | Deleted: |
| | 77083 |
| | |
| 7/9/2019 | Aga limitation for coloratal cancer serson shapes due to Administrative Order 224 March |
| 7/9/2019 | Age limitation for colorectal cancer screen change due to Administrative Order 334, March 3, 2015: |
| | 3, 2013. |
| | "Age Limits for Colorectal Cancer Screenings: 40 years – 75 years (ends on 76th birthday)" |
| 12/4/2019 | Revision annual |
| 12/4/2013 | Nevision annual |
| | Hearing Test |
| | Add: "Ages 91 days to 21 years (ends on 22 nd birthday). Requires one of the diagnosis codes |
| | listed in this row. Limit of once per year" |
| | |
| | Add ICD 10 Codes: Z00.00 and Z00.01 |
| | Screening for Visual Impairment in Children |
| | Add "Code 99173 Does not have diagnosis code requirements for preventives benefit to |
| | apply |
| | 1 |



| | For Codes 99174 and 99177 |
|-----------|--|
| | Age 1 to 5 (ends on 6th birthday): Does not have diagnosis code requirements for preventive benefits to apply. |
| | Age 6 to 21 years (ends on 22nd birthday): Refer to the ocular diagnoses" |
| | |
| 2/12/2020 | Revision |
| | HPV Ages benefit limit ages 9 to 45 years |
| | Review Pregnancy DX |
| | Review Hepatitis C Dx |
| 8/25/2020 | Revision |
| | Deleted |
| | N183 |
| | Add |
| | F11.13, F13.130, F13.131, F13.132, F13.139, F14.13, F15.13, F19.130, F19.131, F19.132, F19.139, N18.30, N18.31, N18.32, O34.218, O34.22 |
| 5/4/2021 | Revision |
| | Inclusion of Prostate Cancer Screening |
| | CPT/HCPCS: 84152, 84153, 84154, G0102, G0103 |
| | Dx: C61, D07.5, D29.1, D40.0, N40.0, N40.1, N40.2, N40.3, N41.0, N41.1,N41.2, N41.3, N41.4, N41.8, N41.9, N42.1, N42.31, N42.32, N42.39, N42.81, N42.89, R86.0, R86.7, R86.8, R97.20, R97.21, Z12.5, Z15.03, Z80.42, Z85.46, Z87.430 |